




AdvancedMC module mechanism, pull-handle mechanism, PIGMG AMC.0 R2.0RC1.2



Downloads:







Product illustrations are exemplary illustrations and can deviate from supplied products.

3D PDF with CAD data (STEP/DWG/DXF/PDF) (Log in Required) User Manual (Log in Required) User manual EMC gasket (Log in Required) LED positions (technical drawing) (Log in Required) Microswitch layout and board dimensions (technical drawing) (Log in Required) AdvancedMC Packaging Solutions (PDF) Kostenoptimierter Nachfolger FAQs on AdvancedTCA carriers and AdvancedMC modules MicroTCA specification

To gain access to the additional information you must Log in. If you do not yet have a user name, you may Register here.

Delivery comprises: Kit

ltem	Qty	Description
1	1	U-shaped front panel, brushed stainless steel, 0.6 mm
2	1	Accepts light pipe and board bracket at top, Zn die-cast, nickel-plated
3	1	Light pipe at top, PC, UL 94 V-0
3a	1	Light pipe at bottom, PC, UL 94 V-0
4	1	Insertion/extraction mechanics, with microswitch operation and PCB bracket
5+6	1	Handle, PC, UL 94 V-0, black
7	1	Lateral EMC gasketing, core: foam, sleeve: textile cladding with CuNi coating
8	1	Lower EMC gasketing, core: foam, sleeve: textile cladding with CuNi coating

CCessoi	ries:	1
Part no.	Description	
20849- 209	Microswitch for AdvancedMC modules normally open, for soldering (SMD), Qty: 10 pieces	Add to basket