## **Rotary Accessory Kit**





#### 150 Piece Rotary Accessory Kit

| Drawing   | Qty | Description                        | Specs. &<br>Sizes (mm) | Max RPM | Function  |
|-----------|-----|------------------------------------|------------------------|---------|---|
|           | 2   | Aluminium Oxide<br>Grinding Wheel  | 16 × 9.5<br>Grit 120   | 26,000  | Cleaning, Deburring, grinding                             |
|           | 2   | Aluminium Oxide<br>Grinding Wheel  | 9.5 × 13<br>Grit 120   | 26,000  | and Polishing -Most of metals castings                    |
|           | 2   | Aluminium Oxide<br>Parabolic Oxide | 9.5 × 19<br>Grit 120   | 26,000  | -Welded joints<br>-Rivets<br>-Rust                        |
|           | 6   | Aluminium Oxide<br>Grinding Wheel  | 20 × 2<br>Grit 120     | 26,000  |   |
| <b> </b>  | 2   | Silicon Carbide Grinding<br>Wheel  | 20 × 5<br>Grit 120     | 26,000  | Stone   |
|           | 2   | Silicon Carbide Grinding<br>Wheel  | 10 × 3<br>Grit 120     | 26,000  | Glass Ceramics Porcelain Non-Ferrous Metals               |
| $\odot$   | 6   | Silicon Carbide Grinding<br>Wheel  | 20 × 2<br>Grit 180     | 26,000  |   |
| <b>\Q</b> | 4   | Sanding Band                       | 6 × 12<br>Grit 80      | 26,000  |   |
| <b>Ø</b>  | 8   | Sanding Band                       | 12 × 12<br>Grit 80     | 26,000  | For Rough Shaping<br>And Smoothing Wood<br>And Fibreglass |
|           | 1   | Flap Wheel                         | 30 × 9<br>Grit 80      | 26,000  |   |
|           | 1   | Sanding Shank                      | 12 × 12                | 26,000  |   |
|           | 1   | Sanding Shank                      | 6 × 12                 | 26,000  |   |





# **Rotary Accessory Kit**



| Drawing  | Qty | Description                      | Specs. &<br>Sizes (mm) | Max RPM | Function  |
|----------|-----|----------------------------------|------------------------|---------|---|
|          | 1   | Diamond Cutter Cylindrical       | 3 × 75                 | 26,000  |   |
|          | 1   | Diamond Cutter Cylindrical       | 2 × 9                  | 26,000  | For Fine Detail Work  |
|          | 1   | Diamond Cutter Tree              | 9                      | 26,000  | -Jade<br>-Ceramic<br>-Glass   |
| •        | 1   | Diamond Cutter Spherical         | 4                      | 26,000  | -Wood   |
|          | 1   | Diamond Cutler Spherical         | 2                      | 26,000  |   |
|          | 1   | Diamond Cutter Spherical         | 3                      | 26,000  | Hardened Steel Cast-iron Stainless Steel Ceramics                     |
|          | 1   | Hss Cutter                       | 3 × 9                  | 26,000  | Soft Steel, Soft-Metals,<br>Plastics, Fibreglass, Wood                |
|          | 5   | Cut off Wheel Fibreglass         | 32 × 2                 | 26,000  |   |
| $\odot$  | 30  | Cut off Wheel Heavy Duty         | 22 × 0.08              | 26,000  | For Slicing and Cutting -Metals -Wood -Plastic                        |
| $\odot$  | 36  | Cut off Wheel Regular            | 22 × 0.06              | 26,000  |   |
| 0        | 2   | Rubber Emery Wheel               | 21 × 3.75              | 4,000   | For light Deburring   |
| <b>—</b> | 1   | Bristle Brush Radial             | 19 × 4.5               | 15,000  | Cleaning, Polishing -Silverware -Jewelry                              |
|          | 2   | Bristle Brush Axial              | 9 × 4.5                | 15,000  |   |
|          | 1   | Stainless Steel Brush Axial      | 13 × 4.5               | 15,000  | -Removing Rust  |
|          | 2   | Stainless Steel Brush Radial     | 19 × 4.5               | 15,000  | -Removing Rust -Corrosion -Polish Metals -Clean Electrical Components |
|          | 1   | Brass Bush Axial                 | 13 × 4.5               | 15,000  |   |
| 0        | 5   | Felt Wheel                       | 12 × 6                 | 26,000  |   |
|          | 1   | Felt Wheel pointed               | 9 × 18                 | 26,000  | Polishing Accessories   |
| $\odot$  | 4   | Felt Wheel Pointed               | 24 × 6                 | 26000   | -Metals<br>-Plastics  |
|          | 1   | Cloth Wheel With Metal<br>Flange | 24 × 3 (16<br>Layers)  | 26,000  |   |

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com



### **Rotary Accessory Kit**



| Drawing      | Qty | Description               | Specs. &<br>Sizes (mm) | Max RPM | Function  |
|--------------|-----|---------------------------|------------------------|---------|---|
| <b>∑</b> :=∞ | 1   | Wrench                    | 9                      |         | For loosening & Tightening The Collet Nut & Mandrel                           |
|              | 2   | Carbon Twist Drill Bit    | 3                      | 26,000  | Drilling Holes -Metals -Plastic -Fibreglass Wood                              |
|              | 1   | Carbon Twist Drill Bit    | 2.25                   | 26,000  |   |
|              | 1   | Carbon Twist Drill Bit    | 1.5                    | 26,000  |   |
|              | 2   | Collet Chrome Plated      | 3                      |         |   |
|              | 1   | Collet Chrome Plated      | 2.25                   |         | For Different Diameter<br>Accessories   |
|              | 1   | Collet Chrome Plated      | 1.5                    |         |   |
|              | 2   | Mandrel For Cut off Wheel | 1.5                    |         |   |
|              | 1   | Mandrel For Cut off Wheel | 2.25                   |         | Used To Hold Sanding<br>Discs And Polishing,<br>'Grinding and Cut-off wheels. |
| 4===         | 1   | Mandrel For Cut off Wheel |                        |         |   |
|              | 1   | Dressing Stone Si Carbide | 24 × 9<br>Grit 60      |         | -Clean Grinding Wheel   |

#### **Part Number Table**

| Description                   | Part Number |
|-------------------------------|-------------|
| Rotary Accessory Set, 150 Pcs | D00152      |

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. @ Premier Farnell plc 2012.



