GC Electronics
1801 Morgan Street
Rockford, IL 61102
Phone: (815) 968-9661
Fax: (815) 968-9731
www.gcelectronics.com

Product Name: Pocket Oiler
MSDS Number: 293
Revision Date: 8/31/04
Supersedes Date: New

MATERIAL SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Type:	Lubricant	**Emergency Contact:**	**Chemtrec**
Product Name:	**Pocket Oiler**	**Phone (24 hours):**	**(800) 424-9300**
Part Number(s):	**10-8883**		

Section 1 - Identification of Product

Chemical Name: Synthetic Multi Purpose Oil
Note: This product is a diester and not compatible with all plastics.

HMIS/NFPA Ratings:			
		Minimal	0
		Slight	1
Health	1	Moderate	2
Flammability	1	Serious	3
Reactivity	0	Severe	4
Personal Protection	B	B – Gloves & Goggles	
		See Section 8 for details.	

Section 2 - Hazardous Ingredients

Chemical Name(s) Diesters and organic compounds
Chemical Family/Classification-Fatty acid ester. This product is non-hazardous and contains no known carcinogens. No special warning labels are required under Osha CFR 1910.120D.

Section 3 - Physical Data

Boiling Point (@ 760 mm hg):	Not determined
Specific Gravity (H_2O = 1):	0.92
Vapor Pressure (mm Hg @ 20°C):	Negligible
Solubility in Water:	Negligible
Appearance:	Straw color
Odor:	Bland Odor
Hazardous Polymerization:	Will not Occur
Viscosity:	38.4 @ 40°C

Section 4 - Fire & Explosion Hazard Data

Flash Point °F (ASTM D92):	450°F (COC)
Flammability Limits in Air (% V)	Lower: N/D Upper: N/D
Extinguishing Media:	Dry Chemical, CO_2, Foam, water spray to prevent pressure build-up
Special Fire Fighting Procedures:	Burning may produce irritating noxious fumes. Firefighters should use NIOSH/MNSA approved self-contained breathing apparatus. Use water as fog or spray to cool fire exposed containers.

Section 5 - Health Hazard Data

Health Hazards (Acute and Chronic If Applicable):	
Eyes:	May cause mild eye irritation.
Skin:	Prolonged or repeated skin contact may cause skin irritation .
Inhalation:	Excessive inhalation of vapors may cause nasal/respiratory irritation or dizziness.
Ingestion:	Ingestion can cause irritation, nausea, and vomiting.
Exposure limits:	Not applicable
Effects of Overexposure:	Low oral and dermal toxicity. Prolonged or repeated exposure may cause irritation, nausea and vomiting.
Medical Conditions Generally Aggravated By Exposure:	None Known.
Emergency and First Aid Procedures	
Skin:	Remove contaminated clothing. Wipe material from skin. Wash thoroughly with soap and water.
Eyes:	Flush eyes with large amounts of clean water for at least 15 minutes. Contact a physician if irritation persists.
Ingestion:	First aid not normally required. If uncomfortable, call physician
Inhalation:	Remove from area of exposure.

Section 6 - Reactivity Data

Product Stability:	Stable – will not react with water.
Conditions/Materials To Avoid:	Strong oxidizing agents.
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide.

Section 7 - Spill or Leak Procedures

Spill or Leak Procedures:	Absorb with dry inert material and store in closed container until disposal.
Waste Disposal Method:	Incinerate this material and all associated wastes in a licensed facility in accordance with Federal, State and Local regulations.

Section 8 - Special Protection Information

Respiratory Protection:	NIOSH/MSHA - approved organic vapor respirator or supplied air respiratory equipment as required.
Ventilation:	Use in a well-ventilated area.
Skin Protection:	Chemical impervious gloves are recommended for prolonged exposure.
Eye Protection:	Chemical splash goggles and/or safety glasses.
Work/Hygienic Practices:	For general personal hygiene, wash hands thoroughly after handling material. Avoid contact with skin and eyes. Do not wear contaminated clothing. Launder before re-use or discard. Do not take any food or drink, or handle tobacco products while in contact with this product.

Section 9 – Special Precautions

Storage :	Store in clean, dry area.
Spills:	Use absorbent materials to soak up fluid.
Disposal:	Incinerate this product and all associated wastes in a licensed facility in accordance with Federal, State and local regulations.

Section 10 - Regulatory Information

Hazard Class:	Not Regulated
CERCLA Reportable quantity:	N/A
RCRA Hazardous Waste Number:	N/A
D.O.T. Shipping Classification:	Non-hazardous
UN/NA Number	None
SARA Title III, Section 302:	No extremely hazardous chemicals
Section 311/312 Hazard Category:	N/A
NOTE:	This product is non-hazardous and contains no known carcinogens. No special warning labels are required under Osha CFR 1910.1200.
NOTE:	This product is a diester and is not compatible with all plastics.

Disclaimer

GC Electronics believes that the information contained herein is accurate and reliable as of the date of this material safety data sheet, but no representation guarantee or warranty, express or implied, is made as to the accuracy, reliability, or completeness of the information. Persons receiving this information are encouraged to make their own determination as to the information's suitability and completeness for their particular application. NO INFORMATION CONTAINED HEREIN CONSTITUTES A PRODUCT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANT ABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY GC ELECTRONICS.