


## Female Crimp Extended Wall

- ❖ Extended Wall Datamate allows back potting to be performed.
- ❖ Polarised mouldings.
- ❖ Crimp contacts are rear insertable.
- ❖ Large bore 22AWG, small bore 24 – 28 AWG.
- ❖ Part numbers are for a housing and the equivalent number of contacts.
- ❖ Mates with male connectors shown on pages 52, 54, 56, 58, 60, 63 and 64.
- ❖ Spare contacts are available – see page 51.



DATAMATE J-TEK

WITHOUT JACKSCREWS		WITH JACKSCREWS																	
		<table border="1"> <thead> <tr> <th colspan="2">CALCULATION</th> </tr> </thead> <tbody> <tr> <td><b>A</b></td> <td><math>B + 12</math></td> </tr> <tr> <td><b>B</b></td> <td>Total no. of contacts - 2</td> </tr> <tr> <td><b>C</b></td> <td><math>B + 7</math></td> </tr> </tbody> </table>		CALCULATION		<b>A</b>	$B + 12$	<b>B</b>	Total no. of contacts - 2	<b>C</b>	$B + 7$								
CALCULATION																			
<b>A</b>	$B + 12$																		
<b>B</b>	Total no. of contacts - 2																		
<b>C</b>	$B + 7$																		
<p><b>TOOLS</b></p> <p><b>Recommended Crimp Tool</b> – M22520/2-01  <b>Positioner</b> – T5747  <b>Contact Insertion/Removal Tool</b> – Z80-280                  See pages 87 to 89                  ❖ Instruction sheets available at <a href="http://www.harwin.com/downloads/instructions">www.harwin.com/downloads/instructions</a></p>		<p><b>WIRE STRIPPING DETAILS</b></p>																	
<b>HOW TO ORDER</b>																			
<p><b>SERIES CODE</b></p> <p><b>M80 - XXX XX XX</b></p>		<table border="1"> <thead> <tr> <th colspan="2">WALL SIZE</th> </tr> </thead> <tbody> <tr> <td><b>BLANK</b></td> <td>Wall = 5mm</td> </tr> <tr> <td><b>A</b></td> <td>Wall = 1mm</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">FINISH</th> </tr> </thead> <tbody> <tr> <td><b>05</b></td> <td>Gold </td> </tr> <tr> <td><b>42</b></td> <td>Gold + Tin </td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="2">TOTAL NO. OF CONTACTS</th> </tr> </thead> <tbody> <tr> <td colspan="2"><b>06, 10, 12, 14, 18, 20, 26, 34, 42, 50</b></td> </tr> </tbody> </table>		WALL SIZE		<b>BLANK</b>	Wall = 5mm	<b>A</b>	Wall = 1mm	FINISH		<b>05</b>	Gold	<b>42</b>	Gold + Tin	TOTAL NO. OF CONTACTS		<b>06, 10, 12, 14, 18, 20, 26, 34, 42, 50</b>	
WALL SIZE																			
<b>BLANK</b>	Wall = 5mm																		
<b>A</b>	Wall = 1mm																		
FINISH																			
<b>05</b>	Gold																		
<b>42</b>	Gold + Tin																		
TOTAL NO. OF CONTACTS																			
<b>06, 10, 12, 14, 18, 20, 26, 34, 42, 50</b>																			
<table border="1"> <thead> <tr> <th colspan="2">TYPE</th> </tr> </thead> <tbody> <tr> <td><b>465</b></td> <td>Large Bore, with Jackscrews*</td> </tr> <tr> <td><b>466</b></td> <td>Small Bore, with Jackscrews*</td> </tr> <tr> <td><b>475</b></td> <td>Large Bore, without Jackscrews</td> </tr> <tr> <td><b>476</b></td> <td>Small Bore, without Jackscrews</td> </tr> <tr> <td><b>485</b></td> <td>Large Bore, with Hex Jackscrews</td> </tr> <tr> <td><b>486</b></td> <td>Small Bore, with Hex Jackscrews</td> </tr> </tbody> </table> <p>*Slotted</p>		TYPE		<b>465</b>	Large Bore, with Jackscrews*	<b>466</b>	Small Bore, with Jackscrews*	<b>475</b>	Large Bore, without Jackscrews	<b>476</b>	Small Bore, without Jackscrews	<b>485</b>	Large Bore, with Hex Jackscrews	<b>486</b>	Small Bore, with Hex Jackscrews				
TYPE																			
<b>465</b>	Large Bore, with Jackscrews*																		
<b>466</b>	Small Bore, with Jackscrews*																		
<b>475</b>	Large Bore, without Jackscrews																		
<b>476</b>	Small Bore, without Jackscrews																		
<b>485</b>	Large Bore, with Hex Jackscrews																		
<b>486</b>	Small Bore, with Hex Jackscrews																		

All dimensions in mm.