

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-C-26482

CONNECTOR, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT,
ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the procurement of products covered by Specification MIL-C-26482. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.

All parts listed on this QPL are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this QPL.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class and style shown. The insert arrangement number applicable to the designation which identifies the connector is as shown below:

CONNECTORS

<u>MS3110</u>	<u>F</u>	<u>12</u>	<u>3</u>	<u>P</u>	<u>W</u>
MS NUMBER	CLASS	SHELL SIZE	INSERT ARRANGEMENT NUMBER	CONTACT STYLE	ALTERNATE INSERT NUMBER

HERMETIC (CLASS H)

<u>MS3113</u>	<u>H</u>	<u>12</u>	<u>C</u>	<u>10</u>	<u>P</u>	<u>W</u>
MS NUMBER	CLASS	SHELL SIZE	TERMINATION SHELL MATERIAL SHELL AND CONTACT	INSERT ARRANGEMENT NUMBER	CONTACT STYLE	ALTERNATE INSERT POSITION

COVERS

<u>MS3180</u>	<u>12C</u>	<u>A</u>	<u>L</u>
MS NUMBER	DASH NO.	FINISH	LENGTH

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3110 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PT00 ()
 CLASS: E, P, F, J CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	30	24	32		
4		10	15	26	32	27	41		
			18	99		39	55		
			19				41		

GOVERNMENT DESIGNATION: MS3110 () 26482-454-91 Array Connector Corp.
 MANUFACTURER'S DESIGNATION: PW00 ()
 CLASS: E, P, F, J CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	31	
3	98	8	12	23	30	24	32	61	
4		10	15	26	32	27	34		
33			18	99		39	41		
98			19			41	55		

GOVERNMENT DESIGNATION: MS3110 () 26482-1281-83 Burndy Corp.
 MANUFACTURER'S DESIGNATION: BT00 ()
 CLASS: E, F, P, J CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	*30	*24	32		
4		10	15	26	32	27	*34		
			18			39	55		
			19				41		

* Except Class E and F

GOVERNMENT DESIGNATION: MS3110 () 26482-1159-83 Framatome Connectors France (1)
 MANUFACTURER'S DESIGNATION: 85-00 () 26482-361-84
 CLASS: E, F, P, J CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	30	24	32		
4		10	15	26	32	27	34		
33			18			39	55		
98			19				41		

NOTE: Class Code JC is used for the military class J.

GOVERNMENT DESIGNATION: MS3110 () 26482-80-84 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: KPT00 ()
 CLASS: E, F, P, J CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	30	24	32		
4		10	15	26	32	39	34		
33			18	99		41	41		
			19				55		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3111 () MANUFACTURER'S DESIGNATION: KPT01 () CLASS: E, F, P, J CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE		
8 10 12 14 16 18 20 22 24		
INSERT ARRANGEMENT NUMBER		
2 6 3 5 8 11 16 21 61		
3 98 8 12 23 30 24 32		
4 10 15 26 32 39 34		
33 18 99 41 41		
19 55		
GOVERNMENT DESIGNATION: MS3111 () MANUFACTURER'S DESIGNATION: VPT01 () CLASS: E, P, F, J CONTACT STYLE: P, S	26482-348-84	VEAM
SHELL SIZE		
8 10 12 14 16 18 20 22 24		
INSERT ARRANGEMENT NUMBER		
2 6 3 5 8 11 16 21 61		
3 8 12 23 30 24 41		
4 10 15 26 32 39 55		
33 18 41		
98 19		
GOVERNMENT DESIGNATION: MS3112 () MANUFACTURER'S DESIGNATION: PT02 () CLASS: E CONTACT STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE		
8 10 12 14 16 18 20 22 24		
INSERT ARRANGEMENT NUMBER		
2 6 3 5 8 11 16 21 61		
3 98 8 12 23 30 24 32		
4 10 15 26 32 27 41		
18 99 39 55		
19 41		
GOVERNMENT DESIGNATION: MS3112 () MANUFACTURER'S DESIGNATION: PW02 () CLASS: E CONTACT STYLE: P, S	26482-454-91	Array Connector Corp.
SHELL SIZE		
8 10 12 14 16 18 20 22 24		
INSERT ARRANGEMENT NUMBER		
2 6 3 5 8 11 16 21 31		
3 98 8 12 23 30 24 32 61		
4 10 15 26 32 27 34		
33 18 99 39 41		
98 19 41 55		
GOVERNMENT DESIGNATION: MS3112 () MANUFACTURER'S DESIGNATION: BT02 () CLASS: E CONTACT STYLE: P, S	26482-1281-83	Burndy Corp.
SHELL SIZE		
8 10 12 14 16 18 20 22 24		
INSERT ARRANGEMENT NUMBER		
2 6 3 5 8 11 16 21 61		
3 98 8 12 23 30 24 32		
4 10 15 26 32 27 34		
18 39 55		
19 41		
GOVERNMENT DESIGNATION: MS3112 () MANUFACTURER'S DESIGNATION: 85-02 () CLASS: E CONTACT STYLE: P, S	26482-1159-83 26482-361-84	Framatome Connectors France (1)
SHELL SIZE		
8 10 12 14 16 18 20 22 24		
INSERT ARRANGEMENT NUMBER		
2 6 3 5 8 11 16 21 61		
3 98 8 12 23 30 24 32		
4 10 15 26 32 27 34		
33 18 39 55		
98 19 41		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3112 () 26482-80-84 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: KPT02 ()
 CLASS: E CONTACT STYLE: P, S

SHELL SIZE		INSERT ARRANGEMENT NUMBER						
8	10	12	14	16	18	20	22	24
2	6	3	5	8	11	16	21	61
3	98	8	12	23	30	24	32	
4		10	15	26	32	39	34	
33			18	99			41	41
			19					55

GOVERNMENT DESIGNATION: MS3112 () 26482-348-84 VEAM
 MANUFACTURER'S DESIGNATION: VPT02 ()
 CLASS: E CONTACT STYLE: P, S

SHELL SIZE		INSERT ARRANGEMENT NUMBER						
8	10	12	14	16	18	20	22	24
2	6	3	5	8	11	16	21	61
3		8	12	23	30	24	41	
4		10	15	26	32	39	55	
33			18				41	
98			19					

GOVERNMENT DESIGNATION: MS3113 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PT1 ()
 CLASS: H TERMINATION TYPE: A, B, C, Y CONTACT STYLE: P

SHELL SIZE		INSERT ARRANGEMENT NUMBER						
8	10	12	14	16	18	20	22	24
2	6	3	5	8	11	16	21	61
3		10	12	26	32	39	41	
4			15				41	55
33			19					

GOVERNMENT DESIGNATION: MS3113 () 26482-626-84 Deutsch (2)
 MANUFACTURER'S DESIGNATION: 22628()
 CLASS: H TERM. TYPE: A, C, Y CONTACT STYLE: P

SHELL SIZE		INSERT ARRANGEMENT NUMBER						
8	10	12	14	16	18	20	22	24
3	6	3	5	8	11	16	21	61
4		10	12	26	32	39	55	
			15				41	
			19					

GOVERNMENT DESIGNATION: MS3113 () 26482-880-84 Glasseal Products, Inc.
 MANUFACTURER'S DESIGNATION: GB1H ()
 CLASS: H TERM. TYPE: A, B, C, Y CONTACT STYLE: P

SHELL SIZE		INSERT ARRANGEMENT NUMBER						
8	10	12	14	16	18	20	22	24
2	6	3	4	8	8	16	12	19
3	98	8	5	14	11	24	19	27
4		10	9	23	30	27	21	31
33			12	26	32	39	32	34
98			15	95	85	41	34	61
			18	99	88		41	
			19				55	
			22				95	
							96	

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3113 () 26482-356-84 Hermetic Seal Corp.
 MANUFACTURER'S DESIGNATION: HR-SS7002 ()
 CLASS: H TERM. TYPE: A, B, C, Y CONTACT STYLE: P

SHELL SIZE										
8	10	12	14	16	18	20	22	22D	24	24D
INSERT ARRANGEMENT NUMBER										
2	6	3	4	8	8	16	12	12	19	19
3	98	8	5	14	11	24	19	19	27	27
4		10	9	23	30	27	21	21	31	31
33			12	26	32	39	32	32	61	61
98			15	95	85	41	34	34		
			18	99	88		41	55		
			19				55	95		
			22				95	96		
							96			

GOVERNMENT DESIGNATION: MS3113 () 26482-80-84 ITT Cannon (1)
 MANUFACTURER'S DESIGNATION: KPT1H ()
 CLASS: H TERM. TYPE: C, Y CONTACT STYLE: P

SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
2	6	3	5	23	11	16	21	34		
3		8	12	26	30	24	41	61		
4		10	15		32	39	55			
33			18			41				
			19							

GOVERNMENT DESIGNATION: MS3113 () 26482-652-84 Sealtron, Inc.
 MANUFACTURER'S DESIGNATION: 8312 ()
 CLASS: H TERM. TYPE: A*, B*, C, Y CONTACT STYLE: P

SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
2	6	3	4	8	8	16	12	19		
3	98	8	5	14	11	24	19	27		
4		10	9	23	30	27	21	31		
33			12	26	32	39	32	61		
98			15	95	85	41	34			
			18	99	88		41			
			19				55			
			22				95			
							96			

* A and B added due to proof of tooling.

GOVERNMENT DESIGNATION: MS3114 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PT07 ()
 CLASS: E, P, F CONTACT STYLE: P, S

SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
2	6	3	5	8	11	16	21	61		
3	98	8	12	23	30	24	32			
4		10	15	26	32	27	41			
			18	99		39	55			
			19			41				

GOVERNMENT DESIGNATION: MS3114 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PT07 ()
 CLASS: H TERM. TYPE: A, B, C, Y CONTACT STYLE: P

SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
2	6	3	5	8	11	16	21	61		
3		10	12	26	32	39	41			
4			15			41	55			
33			19							

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3114 () 26482-454-91 Array Connector Corp.
 MANUFACTURER'S DESIGNATION: PW07 ()
 CLASS: E, F, P CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	31	
3	98	8	12	23	30	24	32	61	
4		10	15	26	32	27	34		
33			18	99		39	41		
98			19			41	55		

GOVERNMENT DESIGNATION: MS3114 () 26482-1281-83 Burndy Corp.
 MANUFACTURER'S DESIGNATION: BT07 ()
 CLASS: E, F, P CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	*30	*24	32		
4		10	15	26	32	27	*34		
			18			39	55		
			19			41			

* Except Class E and F

GOVERNMENT DESIGNATION: MS3114 () 26482-626-84 Deutsch (2)
 MANUFACTURER'S DESIGNATION: MS3114
 CLASS: H TERM. TYPE: C, Y CONTACT STYLE: P

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
3	6	3	5	8	11	16	21	61	
4		10	12	26	32	39	55		
			15			41			
			19						

GOVERNMENT DESIGNATION: MS3114 () 26482-626-84 Deutsch (2)
 MANUFACTURER'S DESIGNATION: 22702()
 CLASS: H TERM. TYPE: A CONTACT STYLE: P

SHELL SIZE									
16									
INSERT ARRANGEMENT NUMBER									
8									
26									

GOVERNMENT DESIGNATION: MS3114 () 26482-1159-83 Framatome Connectors France (1)
 MANUFACTURER'S DESIGNATION: 85-07 () 26482-361-84
 CLASS: E, F, P CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	30	24	32		
4		10	15	26	32	27	34		
33			18			39	55		
98			19			41			

GOVERNMENT DESIGNATION: MS3114 () 26482-880-84 Glasseal Products, Inc.
 MANUFACTURER'S DESIGNATION: GB7H ()
 CLASS: H TERM. TYPE: A, B, C, Y CONTACT STYLE: P

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	4	8	8	16	12	19	
3	98	8	5	14	11	24	19	27	
4		10	9	23	30	27	21	31	
33			12	26	32	39	32	34	
98			15	95	85	41	34	61	
			18	99	88		41		
			19				55		
			22				95		
							96		

GOVERNMENT DESIGNATION: MS3114 () 26482-356-84 Hermetic Seal Corp.
 MANUFACTURER'S DESIGNATION: HR-SS7202 ()
 CLASS: H TERM. TYPE: A, B, C, Y CONTACT STYLE: P

SHELL SIZE										
8	10	12	14	16	18	20	22	22D	24	24D
INSERT ARRANGEMENT NUMBER										
2	6	3	4	8	8	16	12	12	19	19
3	98	8	5	14	11	24	19	19	27	27
4		10	9	23	30	27	21	21	31	31
33			12	26	32	39	32	32	61	61
98			15	95	85	41	34	34		
			18	99	88		41	55		
			19				55	95		
			22				95	96		
							96			

GOVERNMENT DESIGNATION: MS3114 () 26482-80-84 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: KPT07 ()
 CLASS: E, F, P CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3	98	8	12	23	30	24	32		
4		10	15	26	32	39	34		
33			18	99	41	41			
			19			55			

GOVERNMENT DESIGNATION: MS3114 () 26482-80-84 ITT Cannon (1)
 MANUFACTURER'S DESIGNATION: KPT7H ()
 CLASS: H TERM. TYPE: C, Y CONTACT STYLE: P

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	23	11	16	21	34	
3		8	12	26	30	24	41	61	
4		10	15		32	39	55		
33			18		41				
			19						

GOVERNMENT DESIGNATION: MS3114 () 26482-652-84 Sealtron, Inc.
 MANUFACTURER'S DESIGNATION: 8315 ()
 CLASS: H TERM. TYPE: A*, B*, C, Y CONTACT STYLE: P

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	4	8	8	16	12	19	
3	98	8	5	14	11	24	19	27	
4		10	9	23	30	27	21	31	
33			12	26	32	39	32	61	
98			15	95	85	41	34		
			18	99	88		41		
			19				55		
			22				95		
							96		

* A and B added due to proof of tooling.

GOVERNMENT DESIGNATION: MS3114 () 26482-348-84 VEAM
 MANUFACTURER'S DESIGNATION: VPT07 ()
 CLASS: E, P, F CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
2	6	3	5	8	11	16	21	61	
3		8	12	23	30	24	41		
4		10	15	26	32	39	55		
33			18		41				
98			19						

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3115 () 26482-1548-85 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: 10-263999-()
 FINISH: L, W SHELL SIZE: 8 10 12 14 16 18 20 22 24

GOVERNMENT DESIGNATION: MS3115 () 26482-690-83 ESC Technologies, Inc.
 MANUFACTURER'S DESIGNATION: DRP04 ()
 FINISH: A, E, L, W SHELL SIZE: 8 10 12 14 16 18 20 22 24

GOVERNMENT DESIGNATION: MS3115 () 26482-227-83 Glenair, Inc.
 MANUFACTURER'S DESIGNATION: 650DS001
 FINISH: A, C, L, W SHELL SIZE: 8 10 12 14 16 18 20 22 24

GOVERNMENT DESIGNATION: MS3115 () 26482-92-85 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: PVS15 ()
 FINISH: A, L, W SHELL SIZE: 8 10 12 14 16 18 20 22 24

GOVERNMENT DESIGNATION: MS3116 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PT06
 CLASS: E, P, F, J CONTACT STYLE: P, S
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 2 6 3 5 8 11 16 21 61
 3 98 8 12 23 30 24 32
 4 10 15 26 32 27 41
 18 99 39 55
 19 41

GOVERNMENT DESIGNATION: MS3116 () 26482-454-91 Array Connector Corp.
 MANUFACTURER'S DESIGNATION: PW06 ()
 CLASS: E, F, P, J CONTACT STYLE: P, S
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 2 6 3 5 8 11 16 21 31
 3 98 8 12 23 30 24 32 61
 4 10 15 26 32 27 34
 33 18 99 39 41
 98 19 41 55

GOVERNMENT DESIGNATION: MS3116 () 16482-1281-83 Burndy Corp.
 MANUFACTURER'S DESIGNATION: BT06 ()
 CLASS: E, J, P, F CONTACT STYLE: P, S
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 2 6 3 5 8 11 16 21 61
 3 98 8 12 23 *30 *24 32
 4 10 15 26 32 27 *34
 18 39 55
 19 41

* Except Class E and F

GOVERNMENT DESIGNATION: MS3116 () 26482-1159-83 Framatome Connectors France (1)
 MANUFACTURER'S DESIGNATION: 85-06 () 26482-361-84
 CLASS: E, F, J, P CONTACT STYLE: P, S
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 2 6 3 5 8 11 16 21 61
 3 98 8 12 23 30 24 32
 4 10 15 26 32 27 34
 33 18 39 55
 98 19 41

NOTE: Class Code JC, is used for the military class J.

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3116 () 26482-80-84 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: KPT06 ()
 CLASS: P, J, E, F CONTACT STYLE: P, S

SHELL SIZE								
8	10	12	14	16	18	20	22	24
INSERT ARRANGEMENT NUMBER								
2	6	3	5	8	11	16	21	61
3	98	8	12	23	30	24	32	
4		10	15	26	32	39	34	
33			18	99			41	41
			19					55

NOTE: Class Code JC is used for the military class J.

GOVERNMENT DESIGNATION: MS3116 () 26482-348-84 VEAM
 MANUFACTURER'S DESIGNATION: VPT06 ()
 CLASS: E, F, J, P CONTACT STYLE: P, S

SHELL SIZE								
8	10	12	14	16	18	20	22	24
INSERT ARRANGEMENT NUMBER								
2	6	3	5	8	11	16	21	61
3		8	12	23	30	24	41	
4		10	15	26	32	39	55	
33			18				41	
98			19					

GOVERNMENT DESIGNATION: MS3119 () 26482-80-84 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: KPTB ()
 CLASS: E

SHELL SIZE								
8	10	12	14	16	18	20	22	24
INSERT ARRANGEMENT NUMBER								
2	6	3	5	8	11	16	21	61
3	98	8	12	23	30	24	32	
4		10	15	26	32	39	34	
33			18	99			41	41
			19					55

GOVERNMENT DESIGNATION: MS3120 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PT005 ()
 CLASS: E, P, F CONTACT STYLE: P, S

SHELL SIZE								
8	10	12	14	16	18	20	22	24
INSERT ARRANGEMENT NUMBER								
33	6	3	5	8	11	16	21	61
		8	12	14	30	39	32	
		10	15	23	32	41	41	
			18	26			55	
			19	99				55

GOVERNMENT DESIGNATION: MS3120 () 26482-1282-83 Burndy Corp.
 MANUFACTURER'S DESIGNATION: L () ONA
 CLASS: E, F, P CONTACT STYLE: P, S

SHELL SIZE								
10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER								
6	3	5	8	11	16	19	27	
	10	9	14	32	39	21	61	
		12	26	85	41	41		
		15			90	55		
		19				95		

GOVERNMENT DESIGNATION: MS3120 () 26482-80-84 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: KPSE00 ()
 CLASS: E, F, P STYLE: P, S

SHELL SIZE								
10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER								
6	3	5	8	11	16	21	61	
	10	12	26	32	39	55		
		15			41			
		19						

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION:	MS3120 ()	26482-348-84	VEAM
MANUFACTURER'S DESIGNATION:	VPT00S ()		
CLASS: E, F, P	CONTACT STYLE: P, S		
SHELL SIZE			
8	10	12	14
		16	18
		20	22
		24	
INSERT ARRANGEMENT NUMBER			
33	6	3	5
		8	11
		16	21
98		10	12
		23	32
		39	41
		15	26
		41	55
		19	

GOVERNMENT DESIGNATION:	MS3121 ()	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
MANUFACTURER'S DESIGNATION:	PT01S ()		
CLASS: E, P, F	STYLE: P, S		
SHELL SIZE			
8	10	12	14
		16	18
		20	22
		24	
INSERT ARRANGEMENT NUMBER			
33	6	3	5
		8	11
		16	21
		8	12
		14	30
		39	32
		10	15
		23	32
		41	41
		18	26
		19	99

GOVERNMENT DESIGNATION:	MS3121 ()	26482-1282-83	Burndy Corp.
MANUFACTURER'S DESIGNATION:	L () 1NA		
CLASS: E, F, P	CONTACT STYLE: P, S		
SHELL SIZE			
10	12	14	16
		18	20
		22	24
INSERT ARRANGEMENT NUMBER			
6	3	5	8
		11	16
		19	27
	10	9	14
		32	39
		21	61
		12	26
		85	41
		41	41
		15	90
		55	55
		19	95

GOVERNMENT DESIGNATION:	MS3121 ()	26482-80-84	ITT Cannon (1, 2)
MANUFACTURER'S DESIGNATION:	KPSE01 ()		
CLASS: E, F, P	STYLE: P, S		
SHELL SIZE			
10	12	14	16
		18	20
		22	24
INSERT ARRANGEMENT NUMBER			
6	3	5	8
		11	16
		21	61
	10	12	26
		32	39
		55	55
		15	41
		19	

GOVERNMENT DESIGNATION:	MS3121 ()	26482-348-84	VEAM
MANUFACTURER'S DESIGNATION:	VPT01S ()		
CLASS: E, F, P	STYLE: P, S		
SHELL SIZE			
8	10	12	14
		16	18
		20	22
		24	
INSERT ARRANGEMENT NUMBER			
33	6	3	5
		8	11
		16	21
98		10	12
		23	32
		39	41
		15	26
		41	55
		19	

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3122 () MANUFACTURER'S DESIGNATION: PT02S () CLASS: E STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE		
8 10 12 14 16 18 20	22 24	
INSERT ARRANGEMENT NUMBER		
33 6 3 5 8 11 16	21 61	
8 12 14 30 39	32	
10 15 23 32 41	41	
18 26	55	
19 99		
GOVERNMENT DESIGNATION: MS3122 () MANUFACTURER'S DESIGNATION: L () 2NA CLASS: E CONTACT STYLE: P, S	26482-1282-83	Burndy Corp.
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 19	27	
10 9 14 32 39 21	61	
12 26 85 41 41		
15 90 55		
19 95		
GOVERNMENT DESIGNATION: MS3122 () MANUFACTURER'S DESIGNATION: KPSE02 () CLASS: E CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
10 12 26 32 39 55		
15 41		
19		
GOVERNMENT DESIGNATION: MS3122 () MANUFACTURER'S DESIGNATION: VPT02S () CLASS: E CONTACT STYLE: P, S	26482-348-84	VEAM
SHELL SIZE		
8 10 12 14 16 18 20	22 24	
INSERT ARRANGEMENT NUMBER		
33 6 3 5 8 11 16	21 61	
98 10 12 23 32 39	41	
15 26 41	55	
19		
GOVERNMENT DESIGNATION: MS3124 () MANUFACTURER'S DESIGNATION: PTO7S () CLASS: E, F, P CONTACT STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE		
8 10 12 14 16 18 20	22 24	
INSERT ARRANGEMENT NUMBER		
33 6 3 5 8 11 16	21 61	
8 12 14 30 39	32	
10 15 23 32 41	41	
18 26	55	
19 99		
GOVERNMENT DESIGNATION: MS3124 () MANUFACTURER'S DESIGNATION: L () 4NA CLASS: E, F, P CONTACT STYLE: P, S	26482-1282-83	Burndy Corp.
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 19	27	
10 9 14 32 39 21	61	
12 26 85 41 41		
15 90 55		
19 95		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3124 () MANUFACTURER'S DESIGNATION: KPSE07 () CLASS: E, F, P CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
10 12 26 32 39 55		
15 41		
19		
GOVERNMENT DESIGNATION: MS3124 () MANUFACTURER'S DESIGNATION: VPT07S () CLASS: E, F, P CONTACT STYLE: P, S	26482-348-84	VEAM
SHELL SIZE		
8 10 12 14 16 18 20	22 24	
INSERT ARRANGEMENT NUMBER		
33 6 3 5 8 11 16	21 61	
98 10 12 23 32 39	41	
15 26 41	55	
19		
GOVERNMENT DESIGNATION: MS3126 () MANUFACTURER'S DESIGNATION: PT06S () CLASS: E, F, P CONTACT STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE		
8 10 12 14 16 18 20	22 24	
INSERT ARRANGEMENT NUMBER		
33 6 3 5 8 11 16	21 61	
8 12 14 30 39	32	
10 15 23 32 41	41	
18 26	55	
19 99		
GOVERNMENT DESIGNATION: MS3126 () MANUFACTURER'S DESIGNATION: L () 6NA CLASS: E, F, P CONTACT STYLE: P, S	26482-1282-83	Burndy Corp.
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 19	27	
10 9 14 32 39 21	61	
12 26 85 41 41		
15 90 55		
19 95		
GOVERNMENT DESIGNATION: MS3126 () MANUFACTURER'S DESIGNATION: KPSE06 () CLASS: E, F, P CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
10 12 26 32 39 55		
15 41		
19		
GOVERNMENT DESIGNATION: MS3126 () MANUFACTURER'S DESIGNATION: VPT06S () CLASS: E, P, F CONTACT STYLE: P, S	26482-348-84	VEAM
SHELL SIZE		
8 10 12 14 16 18 20	22 24	
INSERT ARRANGEMENT NUMBER		
33 6 3 5 8 11 16	21 61	
98 10 12 23 32 39	41	
15 26 41	55	
19		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3127 () MANUFACTURER'S DESIGNATION: MFO2S () CLASS: E CONTACT STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
8 12 14 30 39 32		
10 15 23 32 41 41		
18 26 55		
19 99		
GOVERNMENT DESIGNATION: MS3127 () MANUFACTURER'S DESIGNATION: L ()7NA CLASS: E CONTACT STYLE: P, S	26482-1282-83	Burndy Corp.
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 19	27	
10 9 14 32 39 21	61	
12 26 85 41 41		
15 90 55		
19 95		
GOVERNMENT DESIGNATION: MS3127 () MANUFACTURER'S DESIGNATION: KP27 () CLASS: E CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
10 12 26 32 39 55		
15 41		
19		
GOVERNMENT DESIGNATION: MS3128 () MANUFACTURER'S DESIGNATION: MF00S () CLASS: E, F, P CONTACT STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
8 12 14 30 39 32		
10 15 23 32 41 41		
18 26 55		
19 99		
GOVERNMENT DESIGNATION: MS3128 () MANUFACTURER'S DESIGNATION: L ()8NA CLASS: E, F, P CONTACT STYLE: P, S	26482-1282-83	Burndy Corp.
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 19	27	
10 9 14 32 39 21	61	
12 26 85 41 41		
15 90 55		
19 95		
GOVERNMENT DESIGNATION: MS3128 () MANUFACTURER'S DESIGNATION: KP28 () CLASS: E, F, P CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE		
10 12 14 16 18 20 22	24	
INSERT ARRANGEMENT NUMBER		
6 3 5 8 11 16 21	61	
10 12 26 32 39 55		
15 41		
19		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3180 () MANUFACTURER'S DESIGNATION: 10-570301 10-257935	NAC 03.02/04-14-81 <u>DASH NUMBER</u> (8 thru 24) C, R	Amphenol Aerospace/Amphenol Connectors <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3180 () MANUFACTURER'S DESIGNATION: 229336AZ ()	26482-662-83 <u>DASH NUMBER</u> (8 thru 24) C, R	ESC Technologies, Inc. <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3180 () MANUFACTURER'S DESIGNATION: 660-008G ()	26482-1169-83 <u>DASH NUMBER</u> (8 thru 24) C, R	Glenair, Inc. <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3180 () MANUFACTURER'S DESIGNATION: PVS80 ()	26482-92-85 <u>DASH NUMBER</u> (8 thru 24) C	ITT Cannon (1, 2) <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3180 () MANUFACTURER'S DESIGNATION: SE91E ()	26482-852-83 <u>DASH NUMBER</u> (8 thru 24) C, R	Sunbank Electronics, Inc. <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3180 () MANUFACTURER'S DESIGNATION: VE3180 ()	26482-348-84 <u>DASH NUMBER</u> (8 thru 20) C	VEAM <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3181 () MANUFACTURER'S DESIGNATION: 10-570302 10-257937	NAC 03.02/04-14-81 26482-1548-85 <u>DASH NUMBER</u> (8 thru 24) C, N, R	Amphenol Aerospace/Amphenol Connectors <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3181 () MANUFACTURER'S DESIGNATION: 229337AZ ()	26482-662-83 <u>DASH NUMBER</u> (8 thru 24) C, N, R	ESC Technologies, Inc. <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3181 () MANUFACTURER'S DESIGNATION: 660-009G ()	26482-1170-83 <u>DASH NUMBER</u> (8 thru 24) C, N, R	Glenair, Inc. <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3181 () MANUFACTURER'S DESIGNATION: PVS81 ()	26482-92-85 <u>DASH NUMBER</u> (8 thru 24) C, N	ITT Cannon (1, 2) <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3181 () MANUFACTURER'S DESIGNATION: SE91E ()	26482-852-83 <u>DASH NUMBER</u> (8 thru 24) C, R, N	Sunbank Electronics, Inc. <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3181 () MANUFACTURER'S DESIGNATION: VE3181 ()	26482-348-84 <u>DASH NUMBER</u> (8 thru 24) C, N	VEAM <u>FINISH</u> <u>LENGTH</u> A STD, L
GOVERNMENT DESIGNATION: MS3440 () MANUFACTURER'S DESIGNATION: DBC50 () P-5122 CLASS: H CONTACT STYLE: P SHELL SIZE INSERT ARRANGEMENT NUMBER	26482-626-84	Deutsch (2)
8C 10C 12C 14C 16C 18C 20C 22C 24C		
33 6 3 4 8 8 16 12 31		
98 8 5 23 11 39 21 61		
10 12 26 32 41 41 55		
15		
18		
19		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3440 () 26482-115-87 Framatome Connectors France (1)
 MANUFACTURER'S DESIGNATION: 85262 ()
 CLASS: H CONTACT STYLE: P TERM TYPE: C

		SHELL SIZE							
		INSERT ARRANGEMENT NUMBER							
8	10	12	14	16	18	20	22	24	
33	6	3	5	8	32	16	21	61	
		10	12	26		41	41		
			15				55		
			19						

GOVERNMENT DESIGNATION: MS3440 () 26482-944-85 Glasseal Products, Inc.
 MANUFACTURER'S DESIGNATION: 440 ()
 CLASS: H CONTACT STYLE: P TERM TYPE: C

		SHELL SIZE							
		INSERT ARRANGEMENT NUMBER							
8	10	12	14	16	18	20	22	24	
2	6	3	4	8	8	16	12	19	
3	98	8	5	14	11	24	19	27	
4		10	9	23	30	27	21	31	
33			12	26	32	39	32	61	
98			15	95	85	41	34		
			18	99	88		41		
			19				55		
			22				95		
							96		

GOVERNMENT DESIGNATION: MS3440 () 26482-356-84 Hermetic Seal Corp.
 MANUFACTURER'S DESIGNATION: HR-SS9A ()
 CLASS: H CONTACT STYLE: P TYPE: A, B, C

		SHELL SIZE									
		INSERT ARRANGEMENT NUMBER									
8	10	12	14	16	18	20	22	22D	24	24D	
2	6	3	4	8	8	16	12	12	19	19	
3	98	8	5	14	11	24	19	19	27	27	
4		10	9	23	30	27	21	21	31	31	
33			12	26	32	39	32	32	61	61	
98			15	95	85	41	34	34			
			18	99	88		41	55			
			19				55	95			
			22				95	96			
							96				

GOVERNMENT DESIGNATION: MS3440 () 26482-589-84 Sealtron, Inc.
 MANUFACTURER'S DESIGNATION: 6313-() SP-M13()
 CLASS: H CONTACT STYLE: P TERM TYPE: A, B, C

		SHELL SIZE							
		INSERT ARRANGEMENT NUMBER							
8	10	12	14	16	18	20	22	24	
2	6	3	4	8	8	16	12	19	
3	98	8	5	14	11	24	19	27	
4		10	9	23	30	27	21	31	
33			10	26	32	39	32	61	
98			12	95	85	41	34		
			15	99	88		41		
			18				55		
			19				95		
			22				96		

GOVERNMENT DESIGNATION: MS3442 () 26482-626-84 Deutsch (2)
 MANUFACTURER'S DESIGNATION: DBC58 ()
 CLASS: H CONTACT STYLE: P

		SHELL SIZE							
		INSERT ARRANGEMENT NUMBER							
8C	10C	12C	14C	16C	18C	20C	22C	24C	
33	6	3	4	8	8	16	12	31	
98		8	5	23	11	39	21	61	
		10	12	26	32	41	41		
			15				55		
			18						
			19						

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION:	MS3443 ()	26482-626-84	Deutsch (2)
MANUFACTURER'S DESIGNATION:	DBC53 ()		
CLASS: H	CONTACT STYLE: P		
SHELL SIZE			
8C	10C	12C	14C 16C 18C 20C 22C 24C
INSERT ARRANGEMENT NUMBER			
33	6	3	4 8 8 16 12 31
98		8	5 23 11 39 21 61
		10	12 26 32 41 41 55
			15 18 19

GOVERNMENT DESIGNATION:	MS3443 ()	26482-944-85	Glasseal Products, Inc.
MANUFACTURER'S DESIGNATION:	443 ()		
CLASS: H	CONTACT STYLE: P	TERM TYPE: C	
SHELL SIZE			
8	10	12	14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER			
2	6	3	4 8 8 16 12 19
3	98	8	5 14 11 24 19 27
4		10	9 23 30 27 21 31
33			12 26 32 39 32 61
98			15 95 85 41 34 41 55 95 96

GOVERNMENT DESIGNATION:	MS3443 ()	26482-356-84	Hermetic Seal Corp.
MANUFACTURER'S DESIGNATION:	HR-SS11A-()		
CLASS: H	CONTACT STYLE: P	TYPE: A, B, C	
SHELL SIZE			
8	10	12	14 16 18 20 22 22D 24 24D
INSERT ARRANGEMENT NUMBER			
2	6	3	4 8 8 16 12 12 19 19
3	98	8	5 14 11 24 19 19 27 27
4		10	9 23 30 27 21 21 31 31
33			12 26 32 39 32 32 61 61
98			15 95 85 41 34 34 41 55 95 96

GOVERNMENT DESIGNATION:	MS3443 ()	26482-589-84	Sealtron, Inc.
MANUFACTURER'S DESIGNATION:	6312-() SP-M13()		
CLASS: H	CONTACT STYLE: P	TERM TYPE: A, B, C	
SHELL SIZE			
8	10	12	14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER			
2	6	3	4 8 8 16 12 19
3	98	8	5 14 11 24 19 27
4		10	9 23 30 27 21 31
33			10 26 32 39 32 61
98			12 95 85 41 34 41 55 95 96

GOVERNMENT DESIGNATION:	MS3449 ()	26482-626-84	Deutsch (2)
MANUFACTURER'S DESIGNATION:	DBC54 ()		
CLASS: H	CONTACT STYLE: P		
SHELL SIZE			
8C	10C	12C	14C 16C 18C 20C 22C 24C
INSERT ARRANGEMENT NUMBER			
33	6	3	4 8 8 16 12 31
98		8	5 23 11 39 21 61
		10	12 26 32 41 41 55
			15 18 19

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3449 () 26482-115-87 Framatome Connectors France (1)
 MANUFACTURER'S DESIGNATION: 85267 ()
 CLASS: H CONTACT STYLE: P TERM TYPE: C
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 33 6 3 5 8 32 16 21 61
 10 12 26 41 41
 15 55
 19

GOVERNMENT DESIGNATION: MS3449 () Glasseal Products, Inc.
 MANUFACTURER'S DESIGNATION: 449 ()
 CLASS: H CONTACT STYLE: P TERM TYPE: C
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT
 2 6 3 4 8 8 16 12 19
 3 98 8 5 14 11 24 19 27
 4 10 9 23 30 27 21 31
 33 12 26 32 39 32 61
 98 15 95 85 41 34
 18 99 88 41
 19 55
 22 95
 96

GOVERNMENT DESIGNATION: MS3449 () 26482-356-84 Hermetic Seal Corp.
 MANUFACTURER'S DESIGNATION: HR-SS12A-()
 CLASS: H CONTACT STYLE: P TYPE: A, B, C
 SHELL SIZE
 8 10 12 14 16 18 20 22 22D 24 24D
 INSERT ARRANGEMENT NUMBER
 2 6 3 4 8 8 16 12 19 19
 3 98 8 5 14 11 24 19 19 27 27
 4 10 9 23 30 27 21 21 31 31
 33 12 26 32 39 32 32 61 61
 98 15 95 85 41 34 34
 18 99 88 41 55
 19 55 95
 22 95 96
 96

GOVERNMENT DESIGNATION: MS3449 () 26482-599-84 Sealtron, Inc.
 MANUFACTURER'S DESIGNATION: 6315-() SP-M134
 CLASS: H CONTACT STYLE: P TERM TYPE: A, B, C
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 2 6 3 4 8 8 16 12 19
 3 98 8 5 14 11 24 19 27
 4 10 9 23 30 27 21 31
 33 10 26 32 39 32 61
 98 12 95 85 41 34
 15 99 88 41
 18 55
 19 95
 22 96

GOVERNMENT DESIGNATION: MS3470 () 26482-658-83 Aero Electric Connector, Inc.
 MANUFACTURER'S DESIGNATION: AE770 ()
 CLASS: A, L, W CONTACT STYLE: P, S
 SHELL SIZE
 8 10 12 14 16 18 20 22 24
 INSERT ARRANGEMENT NUMBER
 33 6 3 4 8 8 16 12 19
 98 8 5 14 11 24 21 31
 10 9 23 30 39 41 61
 12 26 32 41 55
 15 95
 18
 19

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3470 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
MANUFACTURER'S DESIGNATION: PTS00DRL ()
CLASS: A, L, W CONTACT TYPE: P, S
SHELL SIZE
8 10 12 14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER
33 6 3 4 8 8 16 21 61
98 8 5 23 11 39 41
10 12 26 32 41 55
15
18
19

GOVERNMENT DESIGNATION: MS3470 () 26482-626-84 Deutsch (1)
MANUFACTURER'S DESIGNATION: AFD50- ()
CLASS: A, L, W CONTACT TYPE: P, S
SHELL SIZE
8 10 12 14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER
33 6 3 4 8 8 16 12 19
98 8 5 23 11 39 21 31
10 12 26 30 41 32 61
15 32 41
18 55
19

GOVERNMENT DESIGNATION: MS3470 () 26482-1165-83 Framatome Connectors France (1, 2)
MANUFACTURER'S DESIGNATION: 8526-O ()
CLASS: L, W CONTACT TYPE: P, S
SHELL SIZE
8 10 12 14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER
33 6 3 4 8 8 16 12 19
98 10 5 26 11 39 21 31
12 32 41 41 61
15 55
19

GOVERNMENT DESIGNATION: MS3470 () 26482-950-83 ITT Cannon (1, 2)
MANUFACTURER'S DESIGNATION: PV70 ()
CLASS: A, L, W CONTACT TYPE: P, S
SHELL SIZE
8 10 12 14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER
33 6 3 4 8 8 16 21 19
98 8 5 23 11 39 41 31
10 12 26 32 41 55 61
15
18
19

GOVERNMENT DESIGNATION: MS3471 () 26482-658-83 Aero Electric Connector, Inc.
MANUFACTURER'S DESIGNATION: AE771 ()
CLASS: A, L, W CONTACT STYLE: P, S
SHELL SIZE
8 10 12 14 16 18 20 22 24
INSERT ARRANGEMENT NUMBER
33 6 3 4 8 8 16 12 19
98 8 5 14 11 24 21 31
10 9 23 30 39 41 61
12 26 32 41 55
15 95
18
19

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION:	MS3471 ()	26482-1323-83	Amphenol Aerospace/Amphenol Connectors					
MANUFACTURER'S DESIGNATION:	PTS01DRL ()							
CLASS: A, L, W	CONTACT STYLE: P, S							
	SHELL SIZE							
8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER						
33	6	3	4	8	8	16	21	61
98		8	5	23	11	39	41	
		10	12	26	32	41	55	
			15					
			18					
			19					

GOVERNMENT DESIGNATION:	MS3471 ()	26482-626-84	Deutsch (1)					
MANUFACTURER'S DESIGNATION:	AFD51- ()							
CLASS: A, L, W	CONTACT STYLE: P, S							
	SHELL SIZE							
8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER						
33	6	3	4	8	8	16	12	19
98		8	5	23	11	39	21	31
		10	12	26	30	41	32	61
			15		32		41	
			18				55	
			19					

GOVERNMENT DESIGNATION:	MS3471 ()	26482-80-84	ITT Cannon (1, 2)					
MANUFACTURER'S DESIGNATION:	PV71 ()							
CLASS: A, L, W	CONTACT STYLE: P, S							
	SHELL SIZE							
10	12	14	16	18	20	22	24	
		INSERT ARRANGEMENT NUMBER						
6	3	4	8	8	16	21	19	
		8	5	23	11	39	41	31
		10	12	26	32	41	55	61
			15					
			18					
			19					

GOVERNMENT DESIGNATION:	MS3472 ()	26482-658-83	Aero Electric Connector, Inc.					
MANUFACTURER'S DESIGNATION:	AE772 ()							
CLASS: A, L, W	CONTACT STYLE: P, S							
	SHELL SIZE							
8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER						
33	6	3	4	8	8	16	12	19
98		8	5	14	11	24	21	31
		10	9	23	30	39	41	61
			12	26	32	41	55	
			15				95	
			18					
			19					

GOVERNMENT DESIGNATION:	MS3472 ()	26482-1323-83	Amphenol Aerospace/Amphenol Connectors					
MANUFACTURER'S DESIGNATION:	PTPS00DRL ()							
CLASS: A, L, W	CONTACT STYLE: P, S							
	SHELL SIZE							
8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER						
33	6	3	4	8	8	16	21	61
98		8	5	23	11	39	41	
		10	12	26	32	41	55	
			15					
			18					
			19					

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3472 () MANUFACTURER'S DESIGNATION: AFD58- () CLASS: A, L, W CONTACT STYLE: P, S	26482-626-84	Deutsch (1)
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 12 19 98 8 5 23 11 39 21 31 10 12 26 30 41 32 61 15 32 41 18 55 19		
GOVERNMENT DESIGNATION: MS3472 () MANUFACTURER'S DESIGNATION: PV72 () CLASS: A, L, W CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 3 4 8 8 16 21 19 8 5 23 11 39 41 31 10 12 26 32 41 55 61 15 18 19		
GOVERNMENT DESIGNATION: MS3473 () MANUFACTURER'S DESIGNATION: HR-S15A- () CLASS: N CONTACT STYLE: P	26482-356-84	Hermetic Seal Corp.
SHELL SIZE 8D 10D 12D 14D 16D 18D 20D 22D 24D INSERT ARRANGEMENT NUMBER 2 6 3 4 8 8 16 12 19 3 98 8 5 14 11 24 19 27 4 10 9 23 30 27 21 31 33 12 26 32 39 32 61 98 15 95 85 41 34 18 99 88 55 19 95 22 96		
GOVERNMENT DESIGNATION: MS3474 () MANUFACTURER'S DESIGNATION: AE774 () CLASS: A, L, W CONTACT STYLE: P, S	26482-658-83	Aero Electric Connector, Inc.
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 12 19 98 8 5 14 11 23 21 31 10 9 23 30 24 41 61 12 26 32 39 55 15 41 95 18 19		
GOVERNMENT DESIGNATION: MS3474 () MANUFACTURER'S DESIGNATION: PTSO7DRL () CLASS: A, L, W CONTACT STYLE: P, S	26482-1323-83	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 21 61 98 8 5 23 11 39 41 10 12 26 32 41 55 15 18 19		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: MS3474 () MANUFACTURER'S DESIGNATION: AFD54- () CLASS: A, L, W CONTACT TYPE: P, S	26482-626-84	Deutsch (1)
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 12 19 98 8 5 23 11 39 21 31 10 12 26 30 41 32 61 15 32 41 18 55 19		
GOVERNMENT DESIGNATION: MS3474 () MANUFACTURER'S DESIGNATION: 8526-7 () CLASS: L, W CONTACT STYLE: P, S	26482-1165-83	Framatome Connectors France (1)
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 12 19 98 10 5 26 11 39 21 31 12 32 41 61 15 55 19		
GOVERNMENT DESIGNATION: MS3474 () MANUFACTURER'S DESIGNATION: PV74 () CLASS: A, L, W CONTACT STYLE: P, S	26482-80-84	ITT Cannon (1, 2)
SHELL SIZE 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 3 4 8 8 16 21 19 8 5 23 11 39 41 31 10 12 26 32 41 55 61 15 18 19		
GOVERNMENT DESIGNATION: MS3475 () MANUFACTURER'S DESIGNATION: AE775 () CLASS: L, W CONTACT STYLE: P, S	26482-658-83 26482-958-83	Aero Electric Connector, Inc.
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 12 19 98 8 5 14 11 24 21 31 10 9 23 30 39 41 61 12 26 32 41 55 15 95 18 19		
GOVERNMENT DESIGNATION: MS3475 () MANUFACTURER'S DESIGNATION: 118-28 () CLASS: L, W CONTACT STYLE: P, S	26482-376-84	Amphenol Aerospace/Amphenol Connectors
SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 33 6 3 4 8 8 16 21 61 98 8 5 26 11 39 41 10 12 32 41 55 15 18 19		

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3475 () 26482-626-84 Deutsch (1)
 MANUFACTURER'S DESIGNATION: AFD57- ()
 CLASS: L, W CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
33	6	3	4	8	8	16	12	19	
98		8	5	23	11	39	21	31	
		10	12	26	30	41	32	61	
			15		32		41		
			18				55		
			19						

GOVERNMENT DESIGNATION: MS3475 () 26482-1165-83 Framatome Connectors France (1, 2)
 MANUFACTURER'S DESIGNATION: 8526-5 () 26482-078-96
 CLASS: L, W CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
33	6	3	4	8	8	16	12	19	
98		10	5	26	11	39	21	31	
			12		32	41	41	61	
			15				55		
			19						

GOVERNMENT DESIGNATION: MS3475 () 26482-950-83 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: PV75 ()
 CLASS: L, W CONTACT STYLE: P, S

SHELL SIZE									
10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER									
6	3	4	8	8	16	21	19		
		8	5	23	11	39	41	31	
		10	12	26	32	41	55	61	
			15						
			18						
			19						

GOVERNMENT DESIGNATION: MS3476 () 26482-658-83 Aero Electric Connector, Inc.
 MANUFACTURER'S DESIGNATION: AE776 ()
 CLASS: A, L, W CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
33	6	3	4	8	8	16	12	19	
98		8	5	14	11	24	21	31	
		10	9	23	30	39	41	61	
			12	26	32	41	55		
			15				95		
			18						
			19						

GOVERNMENT DESIGNATION: MS3476 () 26482-1323-83 Amphenol Aerospace/Amphenol Connectors
 MANUFACTURER'S DESIGNATION: PTS06DRL ()
 CLASS: A, L, W CONTACT STYLE: P, S

SHELL SIZE									
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
33	6	3	4	8	8	16	21	61	
98		8	5	23	11	39	41		
		10	12	26	32	41	55		
			15						
			18						
			19						

GOVERNMENT DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
------------------------	---------------------------------	--

GOVERNMENT DESIGNATION: MS3476 () 26482-626-84 Deutsch (1)
 MANUFACTURER'S DESIGNATION: AFD56- ()
 CLASS: A, L, W CONTACT STYLE: P, S

		SHELL SIZE								
		8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER								
33	6	3	4	8	8	16	12	19		
98		8	5	23	11	39	21	31		
		10	12	26	30	41	32	61		
			15		32		41			
			18				55			
			19							

GOVERNMENT DESIGNATION: MS3476 () 26482-1165-83 Framatome Connectors France (1, 2)
 MANUFACTURER'S DESIGNATION: 8526-6 ()
 CLASS: L, W CONTACT STYLE: P, S

		SHELL SIZE								
		8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER								
33	6	3	4	8	8	16	12	19		
98		10	5	26	11	39	21	31		
			12		32	41	41	61		
			15				55			
			19							

GOVERNMENT DESIGNATION: MS3476 () 26482-950-83 ITT Cannon (1, 2)
 MANUFACTURER'S DESIGNATION: PV76 ()
 CLASS: A, L, W CONTACT STYLE: P, S

		SHELL SIZE								
		8	10	12	14	16	18	20	22	24
		INSERT ARRANGEMENT NUMBER								
33	6	3	4	8	8	16	21	19		
98		8	5	23	11	39	41	31		
		10	12	26	32	41	55	61		
			15							
			18							
			19							

GOVERNMENT DESIGNATION: MS3477 () 26482-356-84 Hermetic Seal Corp.
 MANUFACTURER'S DESIGNATION: HR-S16A-()
 CLASS: N CONTACT STYLE: P

		SHELL SIZE								
		8D	10D	12D	14D	16D	18D	20D	22D	24D
		INSERT ARRANGEMENT NUMBER								
2	6	3	4	8	8	16	12	19		
3	98	8	5	14	11	24	19	27		
4		10	9	23	30	27	21	31		
33			12	26	32	39	32	61		
98			15	95	85	41	34			
			18	99	88		55			
			19				95			
			22				96			

GOVERNMENT DESIGNATION: MS3479 () 26482-356-84 Hermetic Seal Corp.
 MANUFACTURER'S DESIGNATION: HR-S18A-()
 CLASS: N CONTACT STYLE: P

		SHELL SIZE								
		8D	10D	12D	14D	16D	18D	20D	22D	24D
		INSERT ARRANGEMENT NUMBER								
2	6	3	4	8	8	16	12	19		
3	98	8	5	14	11	24	19	27		
4		10	9	23	30	27	21	31		
33			12	26	32	39	32	61		
98			15	95	85	41	34			
			18	99	88		55			
			19				95			
			22				96			

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Aero Electric Connector, Inc. 16207 Carmenita Road Cerritos, CA 90701 Plant: Same Address	59976	Glenair, Inc. 1211 Air Way Glendale, CA 91201 Plant: Same Address	06324
Amphenol Aerospace Amphenol Connectors 40-60 Delaware Avenue Sidney, NY 13838 Plants: 1. Same Address 2. Products de Memoria S.A. de C.V. Carretera International Terrazas del cid Km 7.5 Nogales, Sonora, Mexico	77820	Hermetic Seal Corporation 4232 Temple City Boulevard Rosemead, CA 91770 Plant: Same Address ITT Cannon 666 East Dyer Road Santa Ana, CA 90602 Plants: 1. Same Address 2. ITT Cannon Prolongacion Avenida Obregon #3673 Nogales, Sonora, Mexico	04820 71468
Array Connector Corp. 12555 S.W. 130 Street Miami, FL 33186 Plant: Same Address		Sealtron, Inc. 9705 Reading Road Cincinnati, OH 45215-3592 Plant: Same Address	97814
Burndy Corporation Richards Avenue Norwalk, CT 06856 Plant: Zona Franca Industrial Apartado 64-2 Santago De Los Caballeros Dominican Republic	09922	Sunbank Electronics, Inc. 1740 Commerce Way Paso Robles, CA 93446 Plant: Same Address	07418
Deutsch Engineered Connecting Devices 36033 Whittier Avenue Hemet, CA 92545 Plant: 1. Same Address 2. Municipal Airport Oceanside, CA 92054	11139	VEAM Division of Litton Systems, Inc. 100 New Wood Road Watertown, CT 06795 Plant: VEAM-S. P. A. Via Statuto, 2 I - 20020 Arese Milan, Italy	55561
ESC Technologies, Inc. 14115 Chadron Avenue Hawthorne, CA 90251 Plant: Same Address	24805		
Framatome Connectors France 145-147 rue Yves Le Coz 78000 Versailles, France Plants: 1. Framatome Connectors France Route National 23 72470 Champagne, France 2. O/E/N Vettickal Post Mulanthuruthy Cochin 682 314, Kerala India	F0323		
Glasseal Products, Inc. 485 Oberlin P.O. Box 978 Lakewood, NJ 08701 Plant: Same Address	10025		

ASSEMBLY PLANTS FOR ACT CONNECTOR, INC.

Air Technics, Inc.
230 Ida
Wichita, KS 67201

BJG Electronics, Inc.
830 Grand Avenue
Deer Park, NY 11729

Circular Connectors
3250 Corte Malpaso
Camarillo, CA 93012

Da-Green Electronics, Ltd.
37 Main Street
South River, NJ 08882

Madison Electronics
17930 East 14 Mile Road
Fraser, MI 48026

National Connec-tronix, Inc.
4611 Langland, Suite 101
Dallas, TX 75244

West Air International, Inc.
3655 "C" Street, N.E.
Auburn, WA 98002

ASSEMBLY PLANTS FOR
AERO ELECTRIC CONNECTOR, INC.

BTC Electronic Components, Inc.
5809 Departure Drive
Raleigh, NC 27604

Benchmark Connector Corp.
4503 N.W. 103rd Avenue, Bay 4
Sunrise, FL 33351

Cherokee Nation Distributors, Inc.
Highway 51 West, P.O. Box 1130
Stilwell, OK 74960

Circular Corporation
3250 Corte Malpaso
Camarillo, CA 93012

Electro Air Corp.
500 Lake Ridge Drive
Smyrna, GA 30082

Electronic Connector Corp.
6332 S. Central Avenue
Chicago, IL 60638

Mid Continent Connector Systems
601 S. M291 Highway
3001 W. Groospace Drive
Independence, MO

Mobile Electronics, Inc.
2025 Sparkman Drive
Huntsville, AL 35810

Time Electronics
10A Centennial Drive
Peabody, MA 01960

ASSEMBLY PLANT FOR ARRAY CONNECTOR CORP.

Alatec Products, Inc.
21123 Nordoff Street
Chatsworth, CA 91311

BTC Electronic Components
5809 Departure Drive
Raleigh, NC 27604

Circular Connectors, Inc.
3250 Corte Malpaso
Camarillo, CA 93012

Koehlke Components, Inc.
9400 Lebanon Pike
Centerville, OH 45458

TRI-COM, Inc.
359 E. Madison Avenue
Clifton Heights, PA 19018

ASSEMBLY PLANTS FOR AMPHENOL CONNECTOR

Capstone Electronics
Bendix Central Marketing Group
9801 Legler Road
Lenexa, KS 66219

Hamilton/Hall-Mark
10912 Washington Boulevard
Culver City, CA 90230

Hamilton/Hall-Mark
10-A Centennial Drive
Peabody, MA 01960

Hamilton/Hall-Mark
50 Tower Office Park
Woburn, MA 01801

Hamilton/Hall-Mark
5 Hub Drive
Melville, LI, NY 11747

Hamilton/Hall-Mark
11333 Pagemill Drive
Dallas, TX 75266

Nippon Interconnect Co., Ltd.
689-1 Aza Nogami Iseochi
Ritto-Cho, Shiga 520-30
Japan

Powell Electronics, Inc.
3540 West Prospect Field Road
Fort Lauderdale, FL 33309

Powell Electronics, Inc.
P.O. Box 8765
South Island Road
Philadelphia, PA 19101

T.T.I., Inc.
4033 East Belknap Street
Fort Worth, TX 76111



>>>---

ASSEMBLY PLANTS FOR BURNDY CORP.

Capstone Electronics
3254 Fraser Street
Aurora, CO 80011

Connector Technology, Inc.
9 Veronica Avenue
Somerset, NJ 08873

Connectors Plus
63 E. Broad Street
Hatfield, PA 19440

Electro Enterprises
3601 N. Interstate 35
Oklahoma City, OK 73136

Iris Electronics
150 Schmitt Boulevard
Farmingdale, NY 11735

Lectronix
13760 Shoreline Drive
Earth City, MO 63045

National Connect-Tronix
4801 Spring Valley Road
Dallas, TX 75244

Spec Connector
25371 Joy Boulevard
Mt. Clemens, MI 48095

Summit Distributors
916 Main Street
Buffalo, NY 14202

West Air International
3655 C. Street N.E.
Auburn, WA 98002

Wings Electro Sales Company, Inc.
11300 Fortune Circle
West Palm Beach, FL 33414

ASSEMBLY PLANTS FOR DEUTSCH

Bell Milgray Electronics
77 Schmitt Boulevard
Farmingdale, NY 11735

Deutsch Dagan, Ltd.
P.O. Box 5010
Ashkelon, 78150, Israel

Hellerman Deutsch, Ltd.
Imberhorne Way
East Grinstead
West Sussex RH IRW, England

Hellermann do Brasil
Industria e Comercio Ltda.
Avda. Marginal Direita do Tiete
800 Vila Anastacio
CEP 05120, Sao Paulo, Brazil

Nihon-Deutsch, Ltd.
Okasan Sakuragaoka Bldg., 6F, 31-14
Sakuragaoka-Cho
Shibuya- 150, Japan

Richey Cypress Electronics, Inc.
10871 La Tuna Canyon Road
Sun Valley, CA 91352

U.S. Department of Justice
Unicor
Federal Prison Industries
Box 1880, Black Canyon Road
Phoenix, AZ 85029

ASSEMBLY PLANTS FOR
FRAMATOME CONNECTORS FRANCE

Air Electro Supply, Inc.
92452 DeSoto Avenue
Chatsworth, CA 91313

Connector Technology, Inc.
9 Veronica Avenue
Somerset, NJ 08873

Spec Connector
25341 Joy Boulevard
Mt. Clemens, MI 48045

Summit Distributors
916 Main Street
Buffalo, NY 14202

ASSEMBLY PLANTS FOR
GLASSEAL PRODUCTS CO., INC.

Sealtron, Inc.
9705 Reading Road
Cincinnati, OH 45215

ASSEMBLY PLANTS FOR ITT CANNON ELECTRIC

Capstone Electronics Corp.
An Arrow Company
11400 East 51st Avenue
Denver, CO 80329

Electro Air Corp.
500 Lake Ridge Drive, S.E.
Smyrna, GA 30082

Electronic Connector Corp.
6332 S. Central Avenue
Chicago, IL 60638

Genesis Electronics
1915 N. Bendix Drive
South Bend, IN 46628

Harrison Equipment Company, Inc.
13715 Murphy Road
Stafford, TX 77477

Marshall Industries
G.S. Marshall Division
9320 Telstar Street
El Monte, CA 91731
Mint Mark: DH

Pan Pacific Electronics, Inc.
3928 150th Avenue, N.E.
Redmond, WA 98052

Progress Electronics Co., Inc.
205 Express Street
Plainview, L. I., NY 11803

Summitt Distributors, Inc.
916 Main Street
Buffalo, NY 14202

Time Electronics/Arizona
1301 West Geneva Drive
Tempe, AZ 85282

Time Electronics/New England
10 Centennial Drive
Peabody, MA 01960