




One-Touch Pump



Note: Printed bottles eliminate the need for additional labels - custom printing available.



6 oz. bottles include measurements on one side to see how much fluid is left in the container

Description



- HDPE durAstatic[™] Bottles are dissipative and are designed to protect your valuable static sensitive printed circuitry
- No migratory additives reduces the chance for contamination from the bottle
- Embossed with ESD protective symbol, allowing people to immediately know the bottle is ESD protective
- Long lasting dissipative properties:
 Rtt: 1 x 10⁴ to <1 x 10¹¹ ohms tested per ANSI/ESD STM11.12
 <2 second charge decay, tested per IEC 61340-5-1:1998
- Dispenses approximately 0.2cc of liquid with each pump
- Genuine Menda "dish-type" liquid dispenser pumps and bottle one-handed operation dispensing small amount of liquid into top dish
- Genuine Made in the United States of America Menda pump and bottle accept no substitutes

"It should be understood that any object, item, material or person could be a source of static electricity in the work environment. Removal of unnecessary nonconductors, replacing nonconductive materials with dissipative or conductive materials and grounding all conductors are the principle methods of controlling static electricity in the workplace, regardless of the activity." (ESD Handbook ESD TR20.20 section 2.4 Sources of Static Electricity)

Item	Description	Height*
35270	6 oz. (180mL) Bottle, One-Touch Pump	4.2" (106.7 mm)
35271	6 oz. (180mL) Acetone Printed Bottle, One-Touch Pump	4.2" (106.7 mm)
35272	6 oz. (180mL) IPA Printed Bottle, One-Touch Pump	4.2" (106.7 mm)
35597	6 oz. (180mL) Flux Remover Printed Bottle, One-Touch Pump	4.2" (106.7 mm)

*NOTE: Heights include the bottle with the dispenser



Made in the United States of America

durAstatic™ Orange Dissipative Bottles

Specifications and procedures subject to change without notice.

3651 WALNUT AVE., CHINO, CA 91710

PHONE: (909) 627-2453 WEBSITE: MendaPump.com

Unless otherwise noted, tolerance ± 10%

DRAWING NUMBER 35270 July 2013