

Company Information:

Manufacturer : Premier Farnell

150 Armley Road Leeds LS12 2QQ

Tel.: +44 (0) 870 129 8608

Emergency Contacts : +44 (0) 870 202530

1. Product Identification

Product Name : Tip Tinner

Product Description : Tinning or solder coating soldering iron tips

2. Composition Information on Ingredients

NA-Not Applicable NE- Not Established

Hazardous Ingredients (1% or greater carcinogens 0.1% or greater)	WT.%	C.A.S Number	OSHA PEL	ACGIH TIV	Other Limits Recommended	%Optional
Tin	36	7440-31-5	2.0MG/M3	2.0MG/M3	NA	50
Ammonium Phosphate	12.1	7722-76-1	NE	NE	NA	NE
Diamonium Phosphate	18	7783-28-0	NE	NE	NA	NE
Non-Hazardous Ingredients			_			
		7757-82-6.				

Non-Hazardous Ingredients		
Surfactant	<1	7757-82-6, 7732-18-5, 91-20-3

3. Hazardous Identification Information

Emergency Overview : Hot s	older can irritate and burn skin and eves
----------------------------	---

Potential Health Effects:

Inhalation : Fumes during use may cause irritated mucous membrane and respiratory system

Eyes : May cause eye irritation

Skin : May cause mild skin irritation on prolonged contact

Ingestion : May be harmful if swallowed

Health Hazards (Acute and Chronic):

Fumes Emitted During use can cause headache and irritation of Mucous Membranes in the eyes and Respiratory System

Primary Routes of Entry : ___ Skin __X Eyes __X Inhalation __X Ingestion

Carcinogenicity : NTP OSHA IARC ACGH X Not Listed

Medical Conditions Generally Aggravated by Exposure: Chemical hypersensitivity can cause asthma and

respiratory conditions

4. First Aid Measures

Eyes : Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Skin : Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing. Ingestion : If swallowed, do no induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

Inhalation: If exposed to excessive levels of dusts or fumes remove and get medical attention if cough or other

symptoms develop.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com





5. Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
NONE	N/A	N/A	N/A

Extinguishing Media : Dry Chemical or Equivalent Type Suitable for Metal Type Fires

Special Fire Fighting Procedures : If Tin is involved in Fire, Use Full Protective Clothing and NIOSH/MSHA.

Approx Self Contained Breathing Apparatus Operated in Positive Pressure Mode.

Unusual Fire and Explosion Hazards : None

6. Accidental Release Measures

General Procedures	: Scoop or sweep up material and place in disposal container.
Steps to be taken in Case Material is Released or Spilled	: Scoop or sweep up material and place in disposal container.
Waste Disposal Method	: According to Local Regulations, Tin May Have Value on Recycle Basis if disposed of in a Permitted Disposal Site in Accordance with all Federal, Staten and Local Disposal Regulations
General Comments	: Dispose of in a manner consistent with federal, state, and local regulations.

7. Precautions for Safe Handling and Use

Storage	: Store in a cool place in original Container, protect from direct sunlight.
Storage Pressure	: Store at local atmospheric pressure.
Precautions to Be Taken in Handling and Storing	: Avoid Temperatures >110F
Other Precautions	: Avoid Breathing Fumes Generated During Use.

8. Exposure Control/Personal Protection

Respiratory Protection	: Usually not required but when ventilation is not adequate a safety approved respirator or self-contained breathing apparatus should be worn.
Ventilation	: Provide adequate ventilation if necessary to meet exposure requirements
Local Exhaust	: Provide adequate ventilation to minimize smoke and fumes in the workplace
Mechanical (General)	
Protective Gloves	: Usually not required
Eye Protection	: Safety glasses or goggles should be used
Other Protective Clothing or Equipment	: N/A
Other	: Wash Hands Thoroughly Before Eating or Smoking. Avoid contact with eyes and skin







9. Physical and Chemical Properties

Boiling Point	: 260C	Specific Gravity (H 2 O= 1) Solid	
Melting Point	: 232C, 450 F	Vapor Pressure (mm Hg): N/A	
Vapor Density (AIR =1)	: MMHGAT 20<0.01	PH: 6	
Evaporation Rate (Butyl Acetate = 1)	: N/A		
Solubility in Water	: Tin-Insoluble, Ammonium Phosphate-Water Soluble		
Appearance and Odor	: Grey Solid, Low Odor When Heated		

10. Stability and Reactivity

Stability	:Unstable X Stable
Incompatible Materials and Conditions to Avoid	: Strong oxidizing materials
Hazardous Decomposition Products	: When heated to solder melting temperature, thermal degradation products may include ammonia, aliphatic aldehydes and acids.
Conditions to Avoid	: N/A
Evaporation	: Open Containers may change concentrations
Hazardous Polymerization	:May Occur X Will Not Occur

11. Toxicology Information

Not determined for this product. See section 2 for ingredients

12. Ecological Information

No data available

13. Disposal Information

Disposal Method : Federal, State and Local laws governing disposal of materials can differ. Ensu with proper authorities before disposal.	
General Comments	: Dispose of in a manner consistent with federal, state, and local regulations.

14. Transport Information

DOT (Department of Transportation):

Proper Shipping Name : Non-Regulated Primary Hazard Class/Division : No Classification

Un/Na Number : N/A
Packing Number : N/A

Air:

Proper Shipping Name : Non-Regulated Primary Hazard Class/Division : No Classification

Un/Na Number : N/A
Packing Number : N/A





Vessel:

Proper Shipping Name : Non-Regulated Primary Hazard Class/Division : No Classification

UN/NA Number : N/A
Packing Number : N/A

Tdg Canada : Not Regulated

15. Regulatory Information

USA:

All chemical substances in this product are listed in the EPA (Environmental Protection Agency) and the TSCA (Toxic Substances Control Act) Inventory)

SARA Hazardous Category:

This product has been reviewed according to the EPA hazard categories under Section 311 & 312 of the Superfund Amendment and Reorganization Act of 1986 and is considered under applicable definitions to meet the following category: Not to have met any hazardous category.

TOXIC Substance Control Act (TSCA):

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

California Prop 65 : None

Canada:

WHMIS Regulations

The Canadian workplace hazardous materials information system classification for this product is, "This product has been classified in accordance with the hazard criteria of the Canadian Controlled Product Regulations (CPR) and the SDS contains all the information required by the CPR.

EU:

REACH SVHC (Substances of Very High Concern):

Dangerous Substances Hazard Classification- X Irritant

R-Phases (Risks to Humans or the Environment)

-R36/37-Irritating to eyes and respiratory system.

S-Phases (Safety Precautions for storing, handling and using the product)

- -S 2- Keep out of the reach of children
- -S 25/25- Avoid contact with skin and eyes
- -S 26- Incase of contact with eyes, rinse immediately with plenty of water and seek medical advice

16. Other Information

NFPA Codes:

Health	Flammability	Physical Hazard	Personal Protection
1	0	0	0

Part Number
1471
1472

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. @ Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com

