



Purpose of Field Service Kit

To create a temporary ESD Protected Area (EPA). An EPA is a working space where electrostatic discharge sensitive devices (ESDS) may be unpacked, handled and packed with the minimum risk of being damaged by static electricity. The Field Service Kit can be used when connection to ground is not possible utilizing equipotential bonding and a common point ground system for connecting ESD control elements including operator, working surface, and equipment. When properly connected, the Field Service Kit mat will share the charge from conductive objects when they are placed on the surface.

Properties

- Wrist Strap Coiled Cord (1 megohm resistor at each end): 8×10^5 to $< 3 \times 10^6$ ohms
- Size when open 590x545mm
- Total weight of kit: 0.4kg
- Meets working surface and wrist strap required limits of EN 61340-5-1
- Field Service Kit includes: flexible working surface, wrist strap, ground cord, alligator clip, and pouch.

Item	Description
VER-26993	Portable Field Service Kit

“All field work shall adhere to the requirements specified for permanent EPA with respect to the material quality, training, labelling, packaging and personal responsibilities. The operator, any temporary work surface and flooring and the equipment being serviced shall be bonded and, where practical, connected to EPA ground. When ESDS are removed from equipment and transferred to a temporary work surface away from the equipment, the ESDS shall be placed in protective packaging as in table 2. Faulty ESDS which may be required for failure analysis or repair shall be placed in protective packaging prior to removal from the EPA.” (EN 61340-5-1 clause 5.4 Field work)

Specifications and procedures subject to change without notice.



Vermason

Portable Field Service Kit - Heavy Duty

VERMASON
UNIT C, 4TH DIMENSION, FOURTH AVENUE, LETCHWORTH,
HERTS, SG6 2TD UK
PHONE: +44 (0) 1462-672005, FAX: +44 (0) 1462-670440
E-MAIL: Service@Vermason.co.uk, INTERNET: Vermason.co.uk

Drawing Number
VER-26993

DATE:
October 2015