



ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS			DOC. NO. SPC-F005 * Effective: 12/21/98 * DCP No: 680					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
1090	A	RELEASED	HYO	11/13/01	JWM	11/13/01	DJC	11/13/01



Specifications:

1. Material: Carbon filled hi-impact plastic
2. Built in accordance with guidelines of DOD-HDT3K-263 to bleed off any static charges at a safe controlled rate when properly connected to a ground
3. Meets ASTM Standard D257 for volume and surface resistivity
4. Meets MIL B81705 for Static decay

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
HISHAM ODISH	11/13/01
CHECKED BY:	DATE:
JEFF MCWICKER	11/13/01
APPROVED BY:	DATE:
DANIEL CAREY	11/13/01

DRAWING TITLE:
CONDUCTIVE PARTS BOX, 18 COMPARTMENTS



SPC TECHNOLOGY

SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	CB-6018	87N2414.DWG	A
SCALE:	NTS	U.O.M.: INCHES	SHEET: 1 OF 1