

Condulet® Stainless Steel Conduit Bodies and Boxes

The Ultimate in Corrosion Resistance and Durability

Cooper Crouse-Hinds Condulet® Stainless Steel fittings deliver power where you need it, saving you time and money throughout the life of your facility.

Superior resistance to corrosion and heat, combined with unmatched strength, make stainless steel Condulet bodies and boxes a long term solution for even the most extreme environments.

Five times the strength and three times the lifespan of a typical cast aluminum fitting.

Cooper Crouse-Hinds Stainless Steel fittings are manufactured using high grade 316 stainless steel. Even in the most caustic environments, they are virtually immune to rust, corrosion, and discoloration, greatly lowering cost of ownership through maintenance reduction.

The fittings are even “self-healing”. If scratched, the chromium in the stainless steel will combine with oxygen to reseal its protective layer and maintain its corrosion protection properties.

This long-life, low-maintenance solution is ideal for:

- Food and beverage manufacturing
- Pharmaceutical manufacturing
- Healthcare facilities
- Wastewater treatment plants
- Marine applications
- Mining applications



TB Outlet Body



FDX Device Box



Features and Benefits

Unbeatable Corrosion Resistance

- In environments like Food and Beverage, corrosion must be avoided to limit contamination
- Smooth finish on fittings enhance the corrosion protection
- Self healing properties of stainless steel fittings help reduce the penetration of rust/corrosion and eliminate damage to the fitting
- Perfect for highly corrosive environments like mining, marine, and wastewater treatment plants

Extreme Strength/Impact Resistance

- Stainless steel fittings retain their strength in extreme heat and extreme cold conditions

Aesthetic Appeal

- Fitting surface is easy to maintain and keep clean
- Stainless steel fittings provide a modern and attractive look throughout the facility

Wash Down Capabilities

- Easy cleaning capabilities make these fittings perfect for food processing and other hygienic areas where washdowns are common

Cost of Ownership

- Superior strength and durability greatly reduce replacement of fittings. This will lower your total cost of ownership and increase your return on investment

100% Recyclable / Environmentally Friendly


- Stainless steel fittings do not require harsh environment-damaging cleaners to keep them looking like new
- Provides an opportunity for your facility to *think green!*



C Outlet Body, Gasket and Cover

Condulet® Stainless Steel Conduit Bodies, Covers and Gaskets

One hundred years after the introduction of the Condulet®, Cooper Crouse-Hinds remains the leader in conduit outlet bodies and boxes



Features:

- Conduit hubs have tapered threads and feature integral bushing for protection of wire insulation
- Outlet bodies designed to match conduit size for neat, compact installations

Application:

Conduit outlet bodies are installed in conduit systems to:

- Act as pull outlets for conductors being installed
- Provide openings for making splices and taps in conductors
- Act as mounting outlets for lighting fixtures and wiring devices
- Connect conduit sections
- Provide taps for branch conduit runs
- Make 90° bends in conduit runs
- Provide for access to conductors for maintenance and future system changes

Standard Materials:

- Bodies - 316 stainless steel
- Covers - 316 stainless steel
- Cover Screws - 316 stainless steel
- Gasket - neoprene

Certifications and Compliances:

- UL rated E15022 425B
- Raintight - when installed with cover and gasket



	Dimension
A	Overall length
B	Overall height
C	Overall width
D	Width of opening
E	Length of opening

Ordering information - Conduit body supplied with cover and gasket

T Conduit Body, Cover and Gasket



Catalog Number	Trade Size	A	B	C	D	E
T18SS	1/2"	5.56	1.75	1.31	1.02	3.15
T28SS	3/4"	6.61	2.00	1.63	1.27	3.92
T38SS	1"	7.53	2.31	1.78	1.42	4.61
T58SS	1 1/2"	9.37	2.75	2.47	2.03	6.12
T68SS	2"	11.50	3.38	3.13	2.50	8.00

LB Conduit Body, Cover and Gasket



Catalog Number	Trade Size	A	B	C	D	E
LB18SS	1/2"	4.86	1.35	1.31	1.02	3.15
LB28SS	3/4"	5.75	1.63	1.63	1.27	3.94
LB38SS	1"	6.48	2.00	1.78	1.42	4.55
LB58SS	1 1/2"	8.38	2.75	2.47	2.03	6.13
LB68SS	2"	10.50	3.38	3.13	2.50	8.00

TB Conduit Body, Cover and Gasket



Catalog Number	Trade Size	A	B	C	D	E
TB28SS	3/4"	6.61	2.88	1.63	1.27	3.95
TB38SS	1"	7.53	3.23	1.78	1.42	4.61
TB58SS	1 1/2"	9.37	3.75	2.47	2.03	6.12
TB68SS	2"	11.50	4.38	3.13	2.50	8.00

C Conduit Body, Cover and Gasket



Catalog Number	Trade Size	A	B	C	D	E
C18SS	1/2"	5.56	1.38	1.31	1.02	3.15
C28SS	3/4"	6.56	1.63	1.63	1.27	3.94
C38SS	1"	7.50	2.00	1.78	1.42	4.61

LL Conduit Body, Cover and Gasket



Catalog Number	Trade Size	A	B	C	D	E
LL28SS	3/4"	5.72	1.63	1.63	1.27	3.95
LL38SS	1"	6.59	2.00	1.78	1.42	4.61

LR Conduit Body, Cover and Gasket



Catalog Number	Trade Size	A	B	C	D	E
LR28SS	3/4"	5.72	1.63	1.63	1.27	3.95
LR38SS	1"	6.59	2.00	1.78	1.42	4.61

Condulet® Stainless Steel Device Boxes, Covers and Gaskets

One hundred years after the introduction of the Condulet®, Cooper Crouse-Hinds remains the leader in conduit outlet bodies and boxes



Features:

- Internal green grounding screw - standard
- Tapered threads for protection of wire insulation
- Wide selection of covers available
- Single or double conduit entry
- Ample wiring room provided for easy installations

Application:

Cast device boxes are installed in conduit systems to:

- Accommodate wiring devices
- Act as pull boxes for conductors in a conduit system
- Provide openings to make splices and taps in conductors
- Provide access to conductors for maintenance and future system changes
- Connect conduit systems

Standard Materials:

- Bodies - 316 stainless steel
- Covers - 316 stainless steel
- Cover Screws - 316 stainless steel
- Gasket - neoprene



	Dimension
A	Length of box
B	Overall length (including hubs)
C	Width of box
D	Overall width (including hubs)
E	Height of box
F	Overall height (including hubs)

Ordering information

FDC Device Body



Catalog Number	Trade Size	A	B	C	D	E	F
FDC2SS	¾"	4.63	6.19	2.94	2.94	3.03	3.03

FDS Device Body



Catalog Number	Trade Size	A	B	C	D	E	F
FDS2SS	¾"	4.63	5.41	2.94	2.94	3.03	3.03

FDA Device Body



Catalog Number	Trade Size	A	B	C	D	E	F
FDA2SS	¾"	4.63	4.63	2.94	2.94	3.03	3.80

FDX Device Body



Catalog Number	Trade Size	A	B	C	D	E	F
FDX2SS	¾"	4.63	6.19	2.94	4.50	3.03	3.03

Ordering Information - Device Box Cover and Gasket

Blank Cover



Catalog Number
DS7000BC

Blank Formed Cover



Catalog Number
DS7000BF

Switch Formed Cover



Catalog Number
DS7000SF

Receptacle Formed Cover



Catalog Number
DS7000RF

For more information:

If further assistance is required, please contact an authorized Cooper Crouse-Hinds Distributor, Sales Office, or Customer Service Department.

U.S. (Global Headquarters):

Cooper Crouse-Hinds
Wolf & Seventh North Streets
Syracuse, NY 13221
(866) 764-5454
FAX: (315) 477-5179
FAX Orders Only: (866) 653-0640
crouse.customerctr@cooperindustries.com

Canada:

Cooper Crouse-Hinds Canada
Toll Free: 800-265-0502
FAX: (800) 263-9504
FAX Orders only: (866) 653-0645

Mexico/Latin America/Caribbean:

Cooper Crouse-Hinds, S.A. de C.V.
52-555-804-4000
FAX: 52-555-804-4020
mxmercadotecnia@cooperindustries.com

Europe (Germany):

Cooper Crouse-Hinds GmbH
49 (0) 6271 806-500
49 (0) 6271 806-476
info-ex@ceag.de

Middle East (Dubai):

Cooper Crouse-Hinds LLC
971 4 4272500
FAX: 971 4 4298521

Singapore:

Cooper Crouse-Hinds Pte. Ltd.
65-6297-4849
FAX: 65-6297-4819
sales@cchspore.com.sg

China:

Cooper Crouse-Hinds Pte. Ltd.
86-21-2899-3600
FAX: 86-21-2899-4055
cchsales@cooperindustries.com

Korea:

Cooper Crouse-Hinds Korea
82-2-3484-6783
82-2-3484-6778

Australia:

Cooper Electrical Australia
61-2-8787-2777
FAX: 61-2-9609-2342
sales@cooperelctrical.com.au

India:

Cooper Crouse-Hinds India
91-22-6504-5150
FAX: 91-22-2404-1811

www.crouse-hinds.com

Cooper Crouse-Hinds is a registered trademark of Cooper Industries, Inc.
©2008 Cooper Industries, Inc.

Your Authorized Cooper Crouse-Hinds Distributor is:



Cooper Industries, Ltd.
600 Travis, Ste. 5800
Houston, TX 77002-1001
P: 713-209-8400
www.cooperindustries.com