Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

29.09.2017

Safety data sheet according to 1907/2006/EC, Article 31

Trade	e name: FL88B	FLUXI Flux brush dispenser with NO-CLEAN-flux, waterbased	Solid Content: 4,5 % Type 2.1.3.A DIN EN 29454
1.)	IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1.)	Product identifier		
	Trade name:	Flux FL88B	
1.2.)	Relevant identified uses of the substance or mixture and uses advised against	No further relevant information availa	uble.
	Application of the substance / the preparation:	Soldering flux	
1.3.)	Details of the supplier of the safety data sheet		
	Manufacturer / Supplier: Address:	3	09342 – 6413 : 09342 – 6417
	Informing department:	Sales Tel.	09342 – 6413
1.4.)	Emergency telephone number	As above or next toxicological information centre.	
2.)	HAZARDS IDENTIFICATION		
2.1.)	Classification of the substance or mixture		
	Classification according to Regulation (EC) No 1272/2008:	GHS07	
		Eye Irrit. 2 H319 Caus	es serious eye irritation.
	Classification according to Directive 67/548/EEC or Directive 1999/45/EC:	Void.	
2.2.)	Label elements		
	Labelling according to Regulation (EC) No 1272/2008:	The product is classified and labelled	according to the CLP regulation.
	Hazard pictograms:	GHS07	
	Signal word:	Warning.	

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	Hazard statements:		H319	Causes serious eye irritation.	
	Precautionary statements:		P280	Wear protective gloves/protective protection/face protection.	clothing/eye
			P303+P361+P353	IF ON SKIN (or hair): Remove/Tal all contaminated clothing. Rinse s shower.	
			P305+P351+P338	IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, to do. Continue rinsing.	
			P337+P313	If eye irritation persists: Get medic	cal advice/attention.
			P403+P235	Store in a well-ventilated place. K	eep cool.
			P501	Dispose of contents/container in a local/regional/national/international	
2.3.)	Other hazards				
	Results of PBT and vPvE	3 assessment:			
	PBT: vPvB:		Not applicable. Not applicable.		
3.)	COMPOSITION/INFORMATION ON INGREDIENTS				
3.2.)	Chemical characterization		Mixtures		
	Description:				
	Description:		Aqueous solution.		
	Description: Dangerous components:		Aqueous solution.		
	•	Succinic acid	Aqueous solution.	Xi R41 Eye Dam. 1, H318	≤ 2,5%
	Dangerous components:		Aqueous solution.		≤ 2,5% ≤ 2,5%
	Dangerous components: CAS: 110-15-6 EINECS: 203-740-4 CAS: 110-94-1	Succinic acid Glutaric acid		Eye Dam. 1, H318 Xi R36 Eye Irrit. 2, H319	
4.)	Dangerous components: CAS: 110-15-6 EINECS: 203-740-4 CAS: 110-94-1 EINECS: 203-817-2	Succinic acid Glutaric acid		Eye Dam. 1, H318 Xi R36 Eye Irrit. 2, H319	
4.)	CAS: 110-15-6 EINECS: 203-740-4 CAS: 110-94-1 EINECS: 203-817-2 Additional information: F	Succinic acid Glutaric acid For the wording of		Eye Dam. 1, H318 Xi R36 Eye Irrit. 2, H319	
	Dangerous components: CAS: 110-15-6 EINECS: 203-740-4 CAS: 110-94-1 EINECS: 203-817-2 Additional information: F	Succinic acid Glutaric acid For the wording of		Eye Dam. 1, H318 Xi R36 Eye Irrit. 2, H319 ses refer to section 16.	
	Dangerous components: CAS: 110-15-6 EINECS: 203-740-4 CAS: 110-94-1 EINECS: 203-817-2 Additional information: F FIRST AID MEASURES Description of first aid m	Succinic acid Glutaric acid For the wording of	of the listed risk phra	Eye Dam. 1, H318 Xi R36 Eye Irrit. 2, H319 ses refer to section 16.	

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Use eye protection. Remove contact lenses, if present and easy to do.
	After swallowing:	Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.
4.2.)	Most important symptoms and effects, both acute and delayed	No further relevant information available.
4.3.)	Indication of any immediate medical attention and special treatment needed	Symptomatic treatment.
5.)	FIREFIGHTING MEASURES	
5.1.)	Extinguishing media	
	Suitable extinguishing agents:	Product does not burn – take extinguishing measures according to fire conditions. Carbon dioxide (CO_2), extinguishing powder or water spray/fog. Fight larger fires with water spray/fog or alcohol-resistant foam.
	For safety reasons unsuitable extinguishing agents:	Water with a full water jet.
5.2.)	Special hazards arising from the substance or mixture	Carbon monoxide (CO) and Carbon dioxide (CO ₂).
5.3.)	Advice for firefighters	
	Protective equipment:	Wear self-contained breathing apparatus.
	Additional information:	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
6.)	ACCIDENTAL RELEASE MEASURES	
6.1.)	Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.2.)	Environmental precautions	Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil.
6.3.)	Methods and material for containment and cleaning up	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable containers. Dispose of the material collected according to regulations. Ensure adequate ventilation.
6.4.)	Reference to other sections	See Section 8 for information on personal protection equipment.

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

7.)	HANDLING AND STORAGE		
	<u> </u>		
7.1.)	Precautions for safe handling	Ensure good ventilation/exhaustion at the workplace. Avoid contact with eyes. Avoid prolonged or repeated skin contact. Wear personal protection equipment. Do not breathe vapour/spray. The product is not flammable.	
	Information about protection against explosions and fires:		
7.2.) Conditions for safe storage, including any incompatibilities			
	STORAGE Requirements to be met by storerooms and containers:	Observe all local and national regulations for storage of water polluting products.	
	Information about storage in one common storage facility:	Store away from foodstuffs.	
	Further information about storage conditions:	Keep container tightly sealed. Protect from heat and direct sunlight. Protect from frost. Minimum storage temperature: 3 ℃.	
7.3.)	Specific end use(s)	No further relevant information available.	
8.)	EXPOSURE CONTROLS/PERSONAL PROTECTION		
	Additional information about design of technical systems:	No further data; see item 7.	
8.1.)	Control parameters		
	Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
	Additional information:	The lists that were valid during the compilation were used as basis.	
8.2.)	Exposure controls		
	Personal protective equipment:		
	General protective and hygienic measures:	Keep away from foodstuffs, beverages and food. Instantly remove any contaminated garments. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid close or long term contact with the skin. Wash hands during breaks and at the end of the work. Use skin protection cream for preventive skin protection.	
	Breathing equipment::	Not necessary if room is well-ventilated. If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.	
	Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.	

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

29.09.2017

The glove material has to be impermeable and resistant to the product / the substance / the preparation.

Check the permeability prior to each renewed use of the glove.

To avoid skin problems reduce the wearing of gloves to the required minimum.

Material of gloves

Nitrile rubber - NBR

Recommended thickness of the material ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Penetration time: ≥ 8 hours

Protective gloves should be replaced at first signs of wear. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed safety glasses.

Light weight protective clothing. Body protection must be chosen Body protection:

depending on activity and possible exposure.

Limitation and supervision of exposure into the environment

Do not allow to enter drainage system, surface or ground water.

9.) PHYSICAL AND CHEMICAL **PROPERTIES**

9.1.) Information on basic physical and chemical properties

General information

Appearance:

Form:

liquid Colour:

colourless to yellowish Smell: odourless

Odour threshold: not applicable

pH-value: not determined

Change in condition

not determined Melting point/Melting range: ~ 100℃ Boiling point/Boiling range:

Flash point: not applicable not applicable Inflammability (solid, gaseous): not determined Ignition temperature: Decomposition temperature: not determined

Product is not selfigniting. Self-inflammability: Danger of explosion: Product is not explosive.

not applicable Critical values for explosion, lower: not applicable Critical values for explosion, upper:

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

29.09.2017

Oxidizing properties: Vapour pressure: Density at 24 ℃: Relative density: Vapour density (AIR = 1):

Evaporation rate:

Solubility in / Miscibility with water:

Partition coefficient (n-octanol/water):

Viscosity dynamic: Viscosity kinematic:

9.2.) Other information

not classified as oxidising

not determined 0,999 - 1,001 g/cm³ not determined not determined not determined fully miscible

not determined not determined not determined

No further relevant information available.

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

10.)	STABILITY AND REA	<u>ACTIVITY</u>		
10.1.)	Reactivity		No further relevant information available.	
10.2.)	Chemical stability			
	Thermal decomposition / conditions to be avoided:		No decomposition if used according to specifications.	
10.3.)	Possibility of hazard	lous reactions	No dangerous reactions known.	
10.4.)	Conditions to avoid		No further relevant information available.	
10.5.)	Incompatible materia	als	Strong oxidizing agents.	
10.6.)	Hazardous decompo	sition products	Carbon monoxide (CO) and Carbon dioxide (CO ₂).	
11.)	TOXICOLOGICAL IN	FORMATION		
11.1.)	Information on toxic	ological effects		
	Acute toxicity:		l	
	LD/LC50 values that a	are relevant for classi	fication:	
	110-15-6 Succinic	acid		
	Oral	LD50	2260 mg/kg (rat)	
	Dermal LD50		1000 mg/kg (guinea pig)	
	110-94-1 Glutaric acid		C000 mg/kg /mg/gg)	
	Oral LD50		6000 mg/kg (mouse)	
		_		
	Primary irritant effect	<u>>t</u>		
	on the skin:		No irritant effect known.	
	on the eye:		Causes serious eye irritation.	
	Subacute to chronic to	oxicity:	no data / no sufficient data available.	
	Additional toxicological information: Sensitisation: Repeated dose toxicity: CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):		When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.	
			No sensitizing effect known.	
			According to information currently no known toxic effects.	
			According to present knowledge no CMR-effects known.	
]				

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

12.)	ECOLOGICAL INFORMATION		
12.1.)	Toxicity		
	Aquatic toxicity:		
	110-15-6 Succinic acid		
	EC50/48 h	374,2 mg/l (water flea (daphnia magna))	
	110-94-1 Glutaric acid		
	EC10/16 h EC50/48 h IC50/96 h	63 mg/l (pseudomonas putida) 88,4 mg/l (water flea (daphnia magna)) 35 mg/l (algae (Desmodesmus subspicatus))	
12.2.)	Persistence and degradability	No further relevant information available.	
	Other information:	The product is easily biodegradable.	
12.3.)	Bioaccumulative potential	No further relevant information available.	
12.4.)	Mobility in soil	No further relevant information available.	
	Additional ecological information		
	Chemical Oxygen Demand (COD-value):	Not determined.	
	Biochemical Oxygen Demand (BOD5-value):	Not determined.	
	According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:	The product does not contain heavy metals.	
	General notes:		
	Water hazard class 1 (Self-assessment):	slightly hazardous for water.	
12.5.)	Results of PBT and vPvB assessment		
	PBT:	Not applicable.	
	vPvB:	Not applicable.	
12.6.)	Other adverse effects	No further relevant information available.	
13.)	DISPOSAL CONSIDERATIONS		
13.1.)	Waste treatment methods		
	Recommendation:	Disposal must be made according to official regulations.	
	Waste disposal key number:	According to local/national regulations.	

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	European waste catalogue:	Waste disposal key numbers from EWC have to be assigned depending on origin and processing. For that reason waste disposal key numbers different from that listed below may be possible.
		16 10 01 aqueous liquid wastes containing dangerous substances
	Uncleaned packagings:	
	Recommendation: Recommended cleaning agent:	Disposal must be made according to official regulations. Water, if necessary with cleaning agent.
14.)	TRANSPORT INFORMATION	
14.1.)	UN-Number ADR, IMDG, IATA	Void.
14.2.)	UN proper shipping name ADR, IMDG, IATA	Void.
14.3.)	Transport hazard class(es) ADR, IMDG, IATA Class	Void.
14.4.)	Packing group ADR, IMDG, IATA	Void.
14.5.)	Special precautions for user	Not applicable.
14.6.)	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC-Code	Not applicable.
	Transport/Additional information:	Not dangerous according to the above specifications.
	UN "Model Regulation":	-
15.)	REGULATORY INFORMATION	
15.1.)	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	National regulations	
	Information about limitation of use:	Employment restrictions concerning young persons must be observed.
	Decree to be applied in case of technical fault:	Directive 96/82/EC does not apply.
	Water hazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.
	Other regulations, limitations and prohibitive regulations	
	Substances of very high concern (SVHC) according to REACH, Article 57:	This mixture does not contain any substances, that are included in the candidate list for eventual authorisation.

Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

15.2.)	Chemical safety assessment	A chemical Safety Assessment has not been carried out.	
16.)	OTHER INFORMATION	These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The Material Safety Data Sheet has been revised. Changes in classification and labelling.	
	Reasons for changes:		
	Relevant phrases:	H318 H319	Causes serious eye damage. Causes serious eye irritation.
		R36 R41	Irritating to eyes. Risk of serious damage to eyes.
	Department issuing MSDS:		
	Abbreviations and acronyms:	ADR	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).
		IMDG: IATA GHS	International Maritime Code for Dangerous Goods. International Air Transport Association. Globally Harmonized System of Classification and Labelling of Chemicals.
		EINECS	European Inventory of Existing Commercial Chemical Substances.
		ELINCS CAS	European List of Notified Chemical Substances. Chemical Abstracts Service (division of the American Chemical Society).
		LC50 LD50	Lethal concentration, 50 percent Lethal dose, 50 percent.
	Sources:	These data are based on information submitted by pre-suppliers.	
	Data compared to the previous version altered:		
	Revision date:	20.03.2016	
	Version:	4	