
Product data sheet Characteristics

LXD3D7

TeSys D - contactor coil - LXD3 - 42 V AC 50/60 Hz for 40... 65 A contactor

Product availability: Non-Stock - Not normally stocked in distribution facility



Range of product	TeSys D	
Range	TeSys	
Product or component type	Contactor coil	
Device short name	LXD3	<u> </u>
Control circuit type	AC 50/60 Hz	
[Uc] control circuit voltage	42 V AC 50/60 Hz	
Average resistance	6.18 Ohm at 68 °F (20 °C)	#
Inductance of closed circuit	0.37 H	:-
Product compatibility	LC1D40AD65A LC1DT80A LC1DT60A	ability or n
Mechanical durability	6 Mcycles	
Operating rate	3600 cyc/h at <= 140 °F (60 °C)	

Complementary

Coil technology	Without built-in suppressor module	
Control circuit voltage limits	0.30.6 Uc at 140 °F (60 °C) drop-out 50/60 Hz 0.81.1 Uc at 140 °F (60 °C) operational 50 Hz 0.851.1 Uc at 140 °F (60 °C) operational 60 Hz	
Inrush power in VA	160 VA at 68 °F (20 °C) (cos φ 0.75) 60 Hz 160 VA at 68 °F (20 °C) (cos φ 0.75) 50 Hz	
Hold-in power consumption in VA	15 VA at 68 °F (20 °C) (cos φ 0.3) 50 Hz 15 VA at 68 °F (20 °C) (cos φ 0.3) 60 Hz	
Heat dissipation	45 W at 50/60 Hz	

Environment

Ambient air temperature for operation	23140 °F (-560 °C)
Product weight	0.15 lb(US) (0.07 kg)

Ordering and shipping details

Category	22341 - CONTACTOR.D.K.&F ACCESS

Discount Schedule	112
Nbr. of units in pkg.	1
Package weight(Lbs)	0.3500000000000003
Returnability	N
Country of origin	FR

Contractual warranty

Warranty period	18 months	