# **SAFETY DATA SHEET**



Circuitworks® Lead-Free Tacky Flux CW8700

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Flux CW8700

: Circuitworks® Lead-Free Tacky
: CW8700, CW8710
: Fluxing agents
: Liquid.
: Fluxing agents soldering

**1.2 Relevant identified uses of the substance or mixture and uses advised against** Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer Chemtronics 8125 Cobb Center Drive Kennesaw, GA 30152 Tel. 770-424-4888 or toll free 800-645-5244

Distributor

Importer ITW Contamination Control BV Saffierlaan 5 VZ-2132 Hoofddorp The Netherlands

Email: info@itw-cc.com

Tel: +31 88 1307 400 FAX: +31 88 1307 499

e-mail address of person

responsible for this SDS

: askchemtronics@chemtronics.com

#### National contact

ITW Contamination Control BV Saffierlaan 5 VZ-2132 Hoofddorp The Netherlands

Email: info@itw-cc.com

Tel: +31 88 1307 400 FAX: +31 88 1307 499

### **1.4 Emergency telephone number**

## National advisory body/Poison Centre

- Telephone number
- . ..

: EMERGENCY HEALTH INFORMATION: Chemtrec - 1-800-424-9300 or collect 703-527-3887

**Supplier** 

: 7/25/2016

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Telephone number	: Chemtronics Product Information: 800-TECH-401 (800-832-4401) Chemtronics Customer Service: 800-645-5244 Chemtrec 800-424-9300
Hours of operation	: Chemtrec - 1-800-424-9300 or collect 703-527-3887 For emergency responders 24/7
Information limitations	: EMERGENCY HEALTH INFORMATION: EMERGENCY SPILL INFORMATION: Transport information

# **SECTION 2: Hazards identification**

2.1 Classification of the subst	ance or mixture
Product definition	: Mixture
Classification according to F Acute Tox. 3, H301 Eye Irrit. 2, H319 Carc. 1B, H350	Regulation (EC) No. 1272/2008 [CLP/GHS]
The product is classified as ha	zardous according to Regulation (EC) 1272/2008 as amended.
Ingredients of unknown toxicity	: 63 percent of the mixture consists of component(s) of unknown toxicity
Ingredients of unknown ecotoxicity	: Contains 48 % of components with unknown hazards to the aquatic environment
Classification according to E	<u>)irective 1999/45/EC [DPD]</u>
The product is classified as d	angerous according to Directive 1999/45/EC and its amendments.
Classification	: Carc. Cat. 2; R45 Xi; R36, R37, R38
Human health hazards	: May cause cancer. May cause sensitisation by skin contact. Very toxic if swallowed.
See Section 16 for the full text	of the R phrases or H statements declared above.
See Section 11 for more detail	ed information on health effects and symptoms.

### 2.2 Label elements

Hazard pictograms



Signal word	: Danger
Hazard statements	: Toxic if swallowed. Causes serious eye irritation. May cause cancer.
Precautionary statements	
Prevention	: Obtain special instructions before use. Wear protective gloves. Wear eye or face protection. Wear protective clothing.
Response	: IF exposed or concerned: Get medical attention. IF SWALLOWED: Immediately call a POISON CENTER or physician.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: Distillates (petroleum), hydrotreated middle
Supplemental label elements	: Comply with the safety instructions. FOR INDUSTRIAL USE ONLY

Date of issue/Date of revision

## **SECTION 2: Hazards identification**

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Restricted to professional users.
Special packaging requirem	ients
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	

Other hazards which do : None known. not result in classification

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture				
			<u>Classi</u>	fication	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Poly(oxy-1,2-ethanediyl ),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	EC: 500-038-2 CAS: 25322-68-3	≥50 - <75	Not classified.	Eye Irrit. 2, H319	[1]
Distillates (petroleum), hydrotreated middle	EC: 265-148-2 CAS: 64742-46-7 Index: 649-221-00-X	≥10 - <25	Carc. Cat. 2; R45	Acute Tox. 2, H300 Carc. 1B, H350	[1]
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

- Eye contact
- : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Circuitworks® Lead-Free Tacky Flux CW8700

## **SECTION 4: First aid measures**

Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

## 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health ef	fects
Eye contact	: MAY CAUSE EYE AND SKIN IRRITATION.
Inhalation	<ul> <li>soldering FUMES MAY BE HARMFUL MAY CAUSE RESPIRATORY TRACT IRRITATION. May cause sensitisation by inhalation.</li> </ul>
Skin contact	: May cause skin sensitisation. May cause skin irritation.
Ingestion	: Harmful if swallowed. Aspiration hazard if swallowed. Can enter lungs and cause damage.
Over-exposure signs/sy	<u>mptoms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness watering
Inhalation	: Adverse symptoms may include the following: dizziness/vertigo drowsiness/fatigue headache May cause sensitisation by inhalation. muscle weakness respiratory tract irritation
Skin contact	: Adverse symptoms may include the following: May cause allergic reactions in certain individuals. sensitiser irritation redness
Ingestion	: Adverse symptoms may include the following: Irritating to mouth, throat and stomach.
4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	: Treat symptomatically Contact poison treatment specialist immediately if large

Notes to physician		tomatically. Contact pois ave been ingested or inh		alist immediately if large	
Date of issue/Date of revision	: 7/25/2016	Date of previous issue	: 7/25/2016	Version : 1.01 4/	13

Circuitworks® Lead-Free Tacky Flux CW8700

## **SECTION 4: First aid measures**

**Specific treatments** : No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	-	None known.
5.2 Special hazards arising f	rom	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.

Circuitworks® Lead-Free Tacky Flux CW8700

## SECTION 6: Accidental release measures

2

```
6.4 Reference to other sections
```

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

information on hygiene measures.

### 7.3 Specific end use(s) Recommendations

: Not available.

Industrial sector specific solutions

: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

No DNELs/DMELs available.

# **SECTION 8: Exposure controls/personal protection**

## **PNECs**

No PNECs available

8.2 Exposure controls	
Appropriate engineering controls	<ul> <li>If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.</li> </ul>
Individual protection meas	ures de la constante de la cons
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

: Not available.	
: Closed cup: >93.3°C	
: Not available.	
: 183°C	
: Not available.	
: Not available.	
: Mild. Solvent.	
: Yellow.	
: Liquid. [Paste.]	
	<ul> <li>Yellow.</li> <li>Mild. Solvent.</li> <li>Not available.</li> <li>Not available.</li> <li>183°C</li> <li>Not available.</li> <li>Closed cup: &gt;93.3°C</li> </ul>

# **SECTION 9: Physical and chemical properties**

		NI ( 11 I I
Flammability (solid, gas)	÷	Not available.
Upper/lower flammability or	1	Not available.
explosive limits		
Vapour pressure	:	Not available.
Vapour density	:	Not available.
Relative density	:	1.5
Solubility(ies)	1	Not available.
Partition coefficient: n-octanol/	1	Not available.
water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	1	Not available.
Explosive properties	1	Not available.
Oxidising properties	;	Not available.

## 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: The product is stable.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: No specific data.	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), hydrotreated middle	LD50 Oral	Rat - Male	50 mg/kg	-

## **Conclusion/Summary** : Not available.

#### Acute toxicity estimates

	Route	ATE value
Oral		200 mg/kg

Irritation/Corrosion

# **SECTION 11: Toxicological information**

S	SECTION 11: Toxicological information					
	Product/ingredient name	Result	Species	Score	Exposure	Observation
	Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2 -diol, ethoxylated	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
		Eyes - Mild irritant	Rabbit	-	500 milligrams	-
		Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
		Skin - Mild irritant	Rabbit	-	500 milligrams	-
	Conclusion/Summary Sensitisation	: Not available.		ł		
	Conclusion/Summary	: Not available.				
	<u>Mutagenicity</u> Conclusion/Summary	: Not available.				
	<u>Carcinogenicity</u> Conclusion/Summary	: Not available.				
	Reproductive toxicity	. National States				
	Conclusion/Summary <u>Teratogenicity</u>	: Not available.				
	Conclusion/Summary	: Not available.				
	Specific target organ toxicity	<u>y (single exposure)</u>				
	Not available.					
	Specific target organ toxicity Not available.	<u>y (repeated exposure)</u>				
	Aspiration hazard					
	Not available.					
	nformation on likely routes f exposure	: Not available.				
P	otential acute health effects					
	Eye contact	: MAY CAUSE EYE AND SKIN	IRRITATION.			
	Inhalation	: soldering FUMES MAY BE H. IRRITATION. May cause sen			RESPIRATOR	Y TRACT
	Skin contact	•	: May cause skin sensitisation. May cause skin irritation.			
	Ingestion	: Harmful if swallowed. Aspirati damage.	on hazard if sw	allowed.	Can enter lung	s and cause
		sical, chemical and toxicologic				
	Eye contact	: Adverse symptoms may inclu irritation redness watering	de the following	g:		
	Inhalation	: Adverse symptoms may inclu dizziness/vertigo drowsiness/fatigue headache May cause sensitisation by in muscle weakness respiratory tract irritation		g:		

Skin contact	: Adverse symptoms may include the following: May cause allergic reactions in certain individuals. sensitiser irritation redness
Ingestion	: Adverse symptoms may include the following: Irritating to mouth, throat and stomach.
Delayed and immediate effect	ts as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff Not available.	ects
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

#### Other information

: Not available.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2 -diol, ethoxylated	Acute LC50 >1000000 µg/l Fresh water	Fish - Salmo salar - Parr	96 hours
Conclusion/Summary	: Not available.		

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

#### **12.3 Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2 -diol, ethoxylated	-	3.2	low

## **12.4 Mobility in soil**

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

Date of issue/Date of revision

: 7/25/2016 Date of previous issue

# **SECTION 12: Ecological information**

## 12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	Adhesives Sealants Adhesives Sealants		Adhesives Sealants	Adhesives Sealants
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision

Circuitworks® Lead-Free Tacky Flux CW8700

## SECTION 14: Transport information

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Restricted to professional users.

on the manufacture,

placing on the market and use of certain dangerous substances,

mixtures and articles

## **Other EU regulations**

### Europe inventory

: All components are listed or exempted.

Product/ingredient name	Carcinogenic effects	Mutagenic effects	Developmental effects	Fertility effects
Distillates (petroleum), hydrotreated middle	Carc. 1B, H350	-	-	-

## Ozone depleting substances (1005/2009/EU)

Not listed.

## Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

## Montreal Protocol (Annexes A, B, C, E)

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

## Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

## **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

<u>International lists</u> <u>National inventory</u>	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.

# **SECTION 15: Regulatory information**

15.2 Chemical safety assessment	: This product contains substances for which Chemical Safety Assessments are still required.
United States	: All components are listed or exempted.
Turkey	: Not determined.
Taiwan	: Not determined.
Republic of Korea	: All components are listed or exempted.
Philippines	: Not determined.
New Zealand	: Not determined.
Malaysia	: Not determined.

## **SECTION 16: Other information**

Indicates information	n that has changed from previously issued version.
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate</li> <li>CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.</li> </ul>
deronyms	
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

## Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification			Justification
Acute Tox. 3, H301 Eye Irrit. 2, H319 Carc. 1B, H350			Calculation method Calculation method Calculation method
Full text of abbreviated H statements	:	H300 H301 H319 H350	Fatal if swallowed. Toxic if swallowed. Causes serious eye irritation. May cause cancer.
Full text of classifications [CLP/GHS]	:	Acute Tox. 2, H300 Acute Tox. 3, H301 Carc. 1B, H350 Eye Irrit. 2, H319	ACUTE TOXICITY (oral) - Category 2 ACUTE TOXICITY (oral) - Category 3 CARCINOGENICITY - Category 1B SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Full text of abbreviated R phrases	:	R45- May cause cancer.	
Full text of classifications [DSD/DPD]	:	Carc. Cat. 2 - Carcinogen	a category 2
Date of printing	1	7/25/2016	
Date of issue/ Date of revision	:	7/25/2016	
Date of previous issue	:	7/25/2016	
Version	:	1.01	
Notice to reader			

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

 Date of issue/Date of revision
 : 7/25/2016
 Date of previous issue
 : 7/25/2016
 Ve