

# TECHNICAL DATA SHEET

**PRO-ELEC**

## Zipper Braided Wrap CB19673-CB19676

**RoHS  
Compliant**

Specification	
Material	Polyester
Operating range	-50°C~150°C
Melting point	240±10°C
Standard colour	Black
Certification	RoHS
Flammability	VW-1

### Conditions of use

1. Zipper Braided Wrap can install a sleeving on the cable easily just like zipping up a coat. It is designed to provide a professional finish to wiring installations and offer additional protection against flame and abrasion. Installing or un-installing wire and cables very quickly and easily due to its special structure.
2. Most commonly used on wires, wiring bundles and harnesses, cable assemblies, flat ribbon cables, tubes and hoses to provide a tough, durable protection in home, office and factory.

Nominal Size (mm)	Max bundle dia (mm)	Packing (L)
12	8	On Request
20	15	
30	20	
50	35	
64	45	



Description	Code
Zipper Braided Wrap 30mm Black 2M	BZW302M
Zipper Braided Wrap 50mm Black 2M	BZW502M
Zipper Braided Wrap 30mm Black 1M	BZW301M
Zipper Braided Wrap 50mm Black 1M	BZW501M

**Important Notice** : This data sheet and its contents (the "Information") belong to pro-ELEC. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but pro-ELEC assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where pro-ELEC was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict pro-ELEC's liability for death or personal injury resulting from its negligence.

**PRO-ELEC**