

L-Keys for Hexagon Socket Screws



EAN:	4013288180841	Size:	234x88x30 mm
Part number:	05022089001	Weight:	572 g
Article number:	950/9 Hex-Plus Multicolour 1	Country of origin:	CZ
		Customs tariff number:	82054000

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant size marking
- Wear-resistant clip material for enhanced durability

L-keys with thermoplastic sleeve (SPKL) out of easy-to-grip circular material. The sleeve ensures that work is pleasant and easy on the fingers even at low temperatures. All L-keys are quickly to hand thanks to their colour coding and size markings. The wear-resistant clip material ensures secure storage of the L-keys as well as simple removal. For hexagonal socket screws.

Web link

http://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_1.html

Wera - 950/9 Hex-Plus Multicolour 1
05022089001 - 4013288180841

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Set contents:



950 SPKL Multicolour

05022600001	1 x 1.5x90
05022602001	1 x 2.0x101
05022606001	1 x 3.0x123
05022608001	1 x 4.0x137
05022610001	1 x 5.0x154
05022612001	1 x 6.0x172
05022614001	1 x 8.0x195
05022616001	1 x 10.0x224
05022604001	1 x 2.5x112

SPKL L-keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened – and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, “around-the-corner” screwdriving jobs.

Web link

http://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_1.html

Wera - 950/9 Hex-Plus Multicolour 1
05022089001 - 4013288180841

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link

http://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_1.html

Wera - 950/9 Hex-Plus Multicolour 1
05022089001 - 4013288180841

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de