

967 SPKL/9 TORX® B0 Multicolour L-key set for tamper-proof TORX® screws,
BlackLaser, 9 pieces
L-Keys for TORX® Screws



BALL
END



ERGONOMIC
SLEEVE

967 SPKL/9 TORX® B0
Multicolour

9 tlg./pcs.



Web link

http://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_bo_multicolour_1_sb_sis.html

Wera - 967 SPKL/9 TORX® B0 Multicolour SiS
05073599001 - 4013288170125

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

**967 SPKL/9 TORX® BO Multicolour L-key set for tamper-proof TORX® screws,
BlackLaser, 9 pieces
L-Keys for TORX® Screws**



EAN:	4013288170125	Size:	150x80x30 mm
Part number:	05073599001	Weight:	245 g
Article number:	967 SPKL/9 TORX® BO Multicolour SiS	Country of origin:	CZ
		Customs tariff number:	82054000

- L-keys for TORX® BO screws to loosen safety connections
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures
- BlackLaser tempered offers optimum surface protection for a long service life
- The ballpoint allows offset working
- Wear-resistant inscription of the sizes of the L-keys contained on the clip

L-keys with thermoplastic sleeve (SPKL) out of easy-to-grip circular material. The sleeve ensures that work is pleasant and easy on the fingers even at low temperatures. All L-keys are quickly to hand thanks to their colour coding and size markings. The wear-resistant clip material ensures secure storage of the L-keys as well as simple removal. For TORX® and TORX® BO (with bore hole) connections.

Web link

http://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_bo_multicolour_1_sb_sis.html

Wera - 967 SPKL/9 TORX® BO Multicolour SiS
05073599001 - 4013288170125

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

**967 SPKL/9 TORX® B0 Multicolour L-key set for tamper-proof TORX® screws,
BlackLaser, 9 pieces
L-Keys for TORX® Screws**

Set contents:



967 SPKL TORX® B0 Multicolour

- 05024351001¹⁾ 1 x TX 9x79
- 05024350001¹⁾ 1 x TX 8x76
- 05024352001²⁾ 1 x TX 10x85
- 05024353001 1 x TX 15x90
- 05024354001 1 x TX 20x96
- 05024355001 1 x TX 25x104
- 05024357001 1 x TX 30x122
- 05024358001 1 x TX 40x132
- 05024356001 1 x TX 27x112

1) Product without bore hole at the short and without ball-end at the long arm.

2) Product without ball-end at the long arm.

TORX® with borehole (B0)



L-key for TORX® socket screws with safety pin



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that “normal” TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

TORX® ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, “around-the-corner” screwdriving jobs.

Magnetiser/Demagnetiser



For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash.

Web link

http://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_bo_multicolour_1_sb_sis.html

Wera - 967 SPKL/9 TORX® B0 Multicolour SiS
05073599001 - 4013288170125

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Magnetising



Demagnetising



Size identification



The size of each L-key has been engraved by a laser. In addition SPKL L-keys have a colour coding according to sizes – for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Web link

http://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_bo_multicolour_1_sb_sis.html

Wera - 967 SPKL/9 TORX® B0 Multicolour SiS
05073599001 - 4013288170125

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de