### Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

04.09.2019

### Safety data sheet according to 1907/2006/EC, Article 31

Trade	e name: FL33B	FLUXI Flux dispenser with NO-CLEAN-flux, waterbased	Solid Content: 4,5 % Type 2.1.3.A DIN EN 29454
1.)	IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1.)	Product identifier		
	Trade name:	FL33B	
1.2.)	Relevant identified uses of the substance or mixture and uses advised against	No further relevant information availa	able.
	Application of the substance / the preparation:	Soldering flux	
1.3.)	Details of the supplier of the safety data sheet		
	Manufacturer / Supplier: Address:	3	. 09342 – 6413 c: 09342 – 6417
	Informing department:	QS Tel.	09342 – 6413
1.4.)	Emergency telephone number	closed hospital	
2.)	HAZARDS IDENTIFICATION		
2.1.)	Classification of the substance or mixture		
	Classification according to Regulation (EC) No 1272/2008:	GHS07	
		Eye Irrit. 2 H319 Caus	es serious eye irritation.
	Classification according to Directive 67/548/EEC or Directive 1999/45/EC:	Void.	
2.2.)	Label elements		
	Labelling according to Regulation (EC) No 1272/2008:	The product is classified and labelled	d according to the CLP regulation.
	Hazard pictograms:	GHS07	
	Signal word:	Warning.	

## Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	Hazard statements:		H319	Causes serious eye irritation.	
	Precautionary statements:		P280	Wear protective gloves/protective protection/face protection.	clothing/eye
			P303+P361+P353	IF ON SKIN (or hair): Remove/Ta all contaminated clothing. Rinse s shower.	ke off immediately kin with water/
			P305+P351+P338	IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, to do. Continue rinsing.	
			P337+P313	If eye irritation persists: Get media	cal advice/attention.
			P403+P235	Store in a well-ventilated place. K	eep cool.
			P501	Dispose of contents/container in a local/regional/national/international	
2.3.)	Other hazards				
	Results of PBT and vPvE	3 assessment:			
	PBT: vPvB:		Not applicable. Not applicable.		
3.)	COMPOSITION/INFORMATION ON INGREDIENTS				
3.2.)	Chemical characterization	nical characterization			
	Description:		Aqueous solution.		
	Dangerous components:	; :			
	CAS: 110-15-6 EINECS: 203-740-4	Succinic acid		Xi R41 Eye Dam. 1, H318	≤ 2,5%
	CAS: 110-94-1 EINECS: 203-817-2	Glutaric acid		Xi R36 Eye Irrit. 2, H319	≤ 2,5%
	Additional information: F	For the wording o	of the listed risk phras	ses refer to section 16.	
4.)	FIRST AID MEASURES				
4.1.)	Description of first aid m	easures			
	General information:		Remove contamina	ted clothing.	
	After inhalation:		Supply fresh air; co	nsult doctor in case of symptoms.	
	After skin contact:		Wash with soap and	d water. If skin irritation continues,	consult a doctor.

## Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Use eye protection. Remove contact lenses, if present and easy to do.	
	After swallowing:	Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.	
4.2.)	Most important symptoms and effects, both acute and delayed	No further relevant information available.	
4.3.)	Indication of any immediate medical attention and special treatment needed	Symptomatic treatment.	
5.)	FIREFIGHTING MEASURES		
5.1.)	Extinguishing media		
	Suitable extinguishing agents:	Product does not burn – take extinguishing measures according to fire conditions. Carbon dioxide ( $CO_2$ ), extinguishing powder or water spray/fog. Fight larger fires with water spray/fog or alcohol-resistant foam.	
	For safety reasons unsuitable extinguishing agents:	Water with a full water jet.	
5.2.)	Special hazards arising from the substance or mixture	Carbon monoxide (CO) and Carbon dioxide (CO <sub>2</sub> ).	
5.3.)	Advice for firefighters		
	Protective equipment:	Wear self-contained breathing apparatus.	
	Additional information:	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.	
6.)	ACCIDENTAL RELEASE MEASURES		
6.1.)	Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.2.)	Environmental precautions	Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil.	
6.)	Methods and material for containment and cleaning up	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable containers. Dispose of the material collected according to regulations. Ensure adequate ventilation.	
6.4.)	Reference to other sections	See Section 8 for information on personal protection equipment.	

## Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

7.)	HANDLING AND STORAGE		
7.1.)	Precautions for safe handling	Ensure good ventilation/exhaustion at the workplace. Avoid contact with eyes. Avoid prolonged or repeated skin contact. Wear personal protection equipment. Do not breathe vapour/spray.	
	Information about protection against explosions and fires:	The product is not flammable.	
7.2.)	Conditions for safe storage, including any incompatibilities		
	STORAGE Requirements to be met by storerooms and containers:	Observe all local and national regulations for storage of water polluting products.	
	Information about storage in one common storage facility:	Store away from foodstuffs.	
	Further information about storage conditions:	Keep container tightly sealed. Protect from heat and direct sunlight. Protect from frost. Minimum storage temperature: 3 ℃.	
7.3.)	Specific end use(s)	No further relevant information available.	
8.)	EXPOSURE CONTROLS/PERSONAL PROTECTION		
	Additional information about design of technical systems:	No further data; see item 7.	
8.1.)	Control parameters		
	Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
	Additional information:	The lists that were valid during the compilation were used as basis.	
8.2.)	Exposure controls		
	Personal protective equipment:		
	General protective and hygienic measures:	Keep away from foodstuffs, beverages and food. Instantly remove any contaminated garments. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid close or long term contact with the skin. Wash hands during breaks and at the end of the work. Use skin protection cream for preventive skin protection.	
	Breathing equipment::	Not necessary if room is well-ventilated. If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.	
	Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.	

### Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

04.09.2019

The glove material has to be impermeable and resistant to the product / the substance / the preparation.

Check the permeability prior to each renewed use of the glove.

To avoid skin problems reduce the wearing of gloves to the required minimum.

### Material of gloves

Nitrile rubber - NBR

Recommended thickness of the material ≥ 0,11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

Penetration time: ≥ 8 hours

Protective gloves should be replaced at first signs of wear. The exact break through time has to be found out by the manufacturer of the

protective gloves and has to be observed.

Eye protection: Tightly sealed safety glasses.

Light weight protective clothing. Body protection must be chosen Body protection:

depending on activity and possible exposure.

Limitation and supervision of exposure into the environment

Do not allow to enter drainage system, surface or ground water.

#### 9.) PHYSICAL AND CHEMICAL **PROPERTIES**

#### 9.1.) Information on basic physical and chemical properties

### **General information**

Appearance:

Form:

colourless to yellowish Colour:

Smell: odourless Odour threshold: not applicable

pH-value: not determined

### Change in condition

not determined Melting point/Melting range: ~ 100℃ Boiling point/Boiling range:

not applicable Flash point: Inflammability (solid, gaseous): not applicable not determined Ignition temperature: not determined

Decomposition temperature: Product is not selfigniting. Self-inflammability: Product is not explosive. Danger of explosion:

Critical values for explosion, lower: not applicable not applicable Critical values for explosion, upper:

liquid

### Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

04.09.2019

	Oxidizing properties: Vapour pressure: Density at 24 °C: Relative density: Vapour density (AIR = 1): Evaporation rate: Solubility in / Miscibility with water:	not classified as oxidising not determined 0,999 – 1,001 g/cm³ not determined not determined not determined fully miscible
	Partition coefficient (n-octanol/water):	not determined
	Viscosity dynamic:	not determined
	Viscosity kinematic:	not determined
9.2.)	Other information	No further relevant information available.
10.)	STABILITY AND REACTIVITY	
10.1.)	Reactivity	No further relevant information available.
10.2.)	Chemical stability	
	Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
10.3.)	Possibility of hazardous reactions	No dangerous reactions known.
10.4.)	Conditions to avoid	No further relevant information available.
10.5.)	Incompatible materials	Strong oxidizing agents.
10.6.)	Hazardous decomposition products	Carbon monoxide (CO) and Carbon dioxide (CO <sub>2</sub> ).
11.)	TOXICOLOGICAL INFORMATION	
11.1.)	Information on toxicological effects	

LD/LC50 values that are relevant for classification:

110-15-6 Succinic acid		
Oral	LD50	2260 mg/kg (rat)
Dermal	LD50	1000 mg/kg (guinea pig)

110-94-1 Glutaric acid		
Oral	LD50	6000 mg/kg (mouse)

### Primary irritant effect

Acute toxicity:

on the skin: No irritant effect known.

on the eye: Causes serious eye irritation.

Subacute to chronic toxicity: no data / no sufficient data available.

Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the

information provided to us.

## Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	Sensitisation:	No sensitizing effect known.
	Repeated dose toxicity:	According to information currently no known toxic effects.
	CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):	According to present knowledge no CMR-effects known.
12.)	ECOLOGICAL INFORMATION	
12.1.)	Toxicity	
	Aquatic toxicity:	
	110-15-6 Succinic acid	
	EC50/48 h	374,2 mg/l (water flea (daphnia magna))
	110-94-1 Glutaric acid	
	EC10/16 h	63 mg/l (pseudomonas putida)
	EC50/48 h IC50/96 h	88,4 mg/l (water flea (daphnia magna)) 35 mg/l (algae (Desmodesmus subspicatus))
12.2.)	Persistence and degradability	No further relevant information available.
	Other information:	The product is easily biodegradable.
12.3.)	Bioaccumulative potential	No further relevant information available.
12.4.)	Mobility in soil	No further relevant information available.
	Additional ecological information	
	Chemical Oxygen Demand (COD-value):	Not determined.
	Biochemical Oxygen Demand (BOD5-value):	Not determined.
	According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:	The product does not contain heavy metals.
	General notes:	
	Water hazard class 1 (Self-assessment):	slightly hazardous for water.
12.5.)	Results of PBT and vPvB assessment	
	PBT:	Not applicable.
	vPvB:	Not applicable.
12.6.)	Other adverse effects	No further relevant information available.

## Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

13.)	DISPOSAL CONSIDERATIONS		
13.1.)	Waste treatment methods		
	Recommendation:	Disposal must be made according to official regulations.	
	Waste disposal key number:	According to local/national regulations.	
	European waste catalogue:	Waste disposal key numbers from EWC have to be assigned depending on origin and processing. For that reason waste disposal key numbers different from that listed below may be possible.	
		16 10 01 aqueous liquid wastes containing dangerous substances	
	Uncleaned packaging's:		
	Recommendation: Recommended cleaning agent:	Disposal must be made according to official regulations. Water, if necessary with cleaning agent.	
14.)	TRANSPORT INFORMATION		
14.1.)	<b>UN-Number</b> ADR, IMDG, IATA	Void.	
14.2.)	<b>UN proper shipping name</b> ADR, IMDG, IATA	Void.	
14.3.)	<b>Transport hazard class(es)</b> ADR, IMDG, IATA Class	Void.	
14.4.)	Packing group ADR, IMDG, IATA	Void.	
14.5.)	Special precautions for user	Not applicable.	
14.6.)	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC-Code	Not applicable.	
	Transport/Additional information:	Not dangerous according to the above specifications.	
	UN "Model Regulation":	-	
15.)	REGULATORY INFORMATION		
15.1.)	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	National regulations		
	Information about limitation of use:	Employment restrictions concerning young persons must be observed.	
	Decree to be applied in case of technical fault:	Directive 96/82/EC does not apply.	

## Zentrum für Löt- und Entlötsysteme



EDSYN GMBH EUROPA, Postfach 1169, D-97888 Kreuzwertheim

	Water hazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.		
	Other regulations, limitations and prohibitive regulations			
	Substances of very high concern (SVHC) according to REACH, Article 57:		This mixture does not contain any substances, that are included in the candidate list for eventual authorisation.	
15.2.)	Chemical safety assessment	A chemical Safety	y Assessment has not been carried out.	
16.)	OTHER INFORMATION	These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.		
	Reasons for changes:		The Material Safety Data Sheet has been revised. Changes in classification and labelling.	
	Relevant phrases:	H318 H319	Causes serious eye damage. Causes serious eye irritation.	
		R36 R41	Irritating to eyes. Risk of serious damage to eyes.	
	Department issuing MSDS:			
	Abbreviations and acronyms:	ADR	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous	
		IMDG: IATA GHS	Goods by Road). International Maritime Code for Dangerous Goods. International Air Transport Association. Globally Harmonized System of Classification and Labelling of Chemicals.	
		EINECS ELINCS CAS	European Inventory of Existing Commercial Chemical Substances. European List of Notified Chemical Substances. Chemical Abstracts Service (division of the American Chemical Society).	
		LC50 LD50	Lethal concentration, 50 percent Lethal dose, 50 percent.	
	Sources:	These data are based on information submitted by pre-suppliers.		
	Data compared to the previous version altered:			
	Revision date:	20.03.2016 / 19.04.2016 / 08.06.2016		
	Version:	4		