



Relays, Contactors & Switches > Switches > DIP & SIP Switches



Product Type: **Switch**

Contact Mating Area Plating Material: **Gold Flash**

Housing Color: **Black**

Housing Material: **Polyphenylene Sulfide (PPS)**

Auto-Insertable: **Yes**

Features

Product Type Features

Product Type	Switch
Sealed	Yes
Switch Type	DIP
Actuator Style	Flush, Slide

Configuration Features

Number of Positions	4
Number of Switches	4
Configuration (Pole-Throw)	Single Pole - Single Throw

Electrical Characteristics

Voltage Rating	5 VDC
----------------	-------

Body Features

Seal Type	Tape
Actuator Color	White

Contact Features

Solder Tail Contact Plating	Gold over Nickel
	1.2 μin
Contact Mating Area Plating Material	Gold Flash
Auto-Insertable	Yes
Contact Current Rating	1 A



Contact Base Material	Copper Alloy
-----------------------	--------------

Termination Features

Termination Post Length	4 mm[.157 in]
-------------------------	---------------

Mechanical Attachment

Mounting Angle	Vertical
Mounting Type	Through Hole

Housing Features

Housing Color	Black
Housing Material	Polyphenylene Sulfide (PPS)
Centerline	2.54 mm[.1 in]

Dimensions

Height	4 mm[.138 in]
Length	12.14 mm[.477 in]

Usage Conditions

Operating Temperature Range	-30 – 85 °C
-----------------------------	-------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tube
Packaging Quantity	35

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUN 2016 (169) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201)



	Candidate List Declared Against: JUN 2016 (169)
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Wave solder capable to 265°C




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts

			
TE Model / Part # 4-1825059-2 ADF08STTR04=DIP S, FLUSH,SMT-GW	TE Model / Part # 1-1825059-3 ADF04S04=DIP SWT, FLUSH,SMT-GW	TE Model / Part # 1-1825059-8 ADF04STTR04=DIP S, FLUSH,SMT-GW	TE Model / Part # 5-1825059-4 ADF10STTR04=DIP S, FLUSH,SMT-GW

Also in the Series | [Alcoswitch DIP](#)

		
DIP & SIP Switches(256)	Rotary Switches(34)	Switch Boots & Accessories (1)

Also in the Series | [Alcoswitch DIP ADF](#)



DIP & SIP Switches(49)

Customers Also Bought



TE Model / Part #4-1437580-9
MSSA211NG=SLIDE W/PC
TERMINALS



TE Model / Part #7-1393740-1
V42254A2216B215=SUB D
FEDERLEI



TE Model / Part #4-338309-2
9P.HDP20 PLUG ASSY



TE Model / Part #4-338310-2
15POS.HD20 PLUG ASS'Y




TE Model / Part #826647-2
2P AMPMODU II STIFT LEI



TE Model / Part #2-1879207-6
RN 0603 360R 0.1% 10PPM
CUT LENGTH



TE Model / Part #1-84982-2
1MM FFC SMT V ASSY
12P EMBOSS



TE Model / Part #5646728-1
2MM HM,ASY,T-D/E,REC



TE Model / Part #2-1614352-9
RN 0603 255R 0.1% 10PPM
CUT LENGTH



TE Model / Part #1676351-3
RN 0805 48K7 0.1% 10PPM
5KRL

Documents

Product Drawings

ADF04T04=DIP SWT,FLUSH,THRU/HL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1825002-6_O.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_1825002-6_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1825002-6_O.3d_stp.zip](#)

English

Datasheets & Catalog Pages

[SWITCHES_CORE_PROGRAM_CATALOG](#)

English

Product Environmental Compliance

[TE Material Declaration](#)

English