You can view this page in:

EN DE SV FI CS DA EL ES FR HU IT JA KO NL NO PL PT RU SK TR ZH

## Detailed information for: TS16/24

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

## TS16/24

General Information	
Extended Product Type:	TS16/24
Product ID:	2CSM228615R0812
EAN:	8012542286158
Catalog Description:	TS16/24 Non-inherently short-circuit proof bell transformer
Long Description:	These transformers with secondary in very low safety voltage for feeding bells are available in 3 series: non-inherently short-circuit proof (TS8), non-inherently short-circuit proof with switch (TS8/SW), non-inherently short-circuit proof (TS16/TS24).

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Command and Signalling devices » Bells and safety transformers

Ordering	
EAN:	8012542286158
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85043121
Dimensions	
Product Net Width:	35 mm
Product Net Height:	0.085 m
Product Net Length:	65 mm
Product Net Depth / Length:	0.065 m
Product Net Weight:	0.350 kg
Container Informatior	า
Package Level 1 Units:	6 piece
Package Level 1 Width:	0.09 m
Package Level 1 Height:	0.08 m
Package Level 1 Depth / Length:	0.216 m
Package Level 1 Gross Weight:	2.1 kg
Package Level 1 EAN:	8012542286165
Environmental	
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Additional Informatio	n
Options Provided:	None

Output Current Maximum (I <sub>out</sub> ):	0,66 A
Power Loss:	Maximum 4 W
Power Supply:	16 V·A
Primary Voltage:	230 V
Product Main Type:	TS
Product Name:	Non-inherently short-circuit proof bell transformer
RoHS Date:	25/06/2009 0.00.00
Secondary Voltage:	24 V AC
Certificates and Decla	rations (Document Number)
Data Sheet, Technical Information:	2CSC00001D0202
Declaration of Conformity - CE:	2CSC446002D2702
Instructions and Manuals:	<u>on the product body</u>
<b>RoHS Information:</b>	<u>2CSC446004K0201</u>
Classifications	
ETIM 4:	EC001547 - Bell transformer
ETIM 5:	EC001547 - Bell transformer
ETIM 6:	EC001547 - Bell transformer
ETIM 7:	EC001547 - Bell transformer
<b>Object Classification Code:</b>	Т
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

11/29/2019

ABB TS16/2	4	0,67 A	
5 24	V ~ 16VA	6	<u>ک</u> AC
3~50	/60Hz 230		

## **Contact us**

Submit your inquiry and we will contact you



Or contact your ABB Contact Center

© Copyright 2019 ABB