

21-Oct-2019 **PCN** #:E-19-015400

Subject:Changing the current splice method to paper splice for ease of operation and efficiency improvement for customers

Description of Change: Following part numbers are changed the current splice methods to paper splice for ease the operation and efficiency improvement for customers

Reason: Product Improvement. Product Improvement. Dear Customer, because of our continuous strive for improving our product quality and customer process efficiency, we hereby inform you about the changing the current splice method to paper splice method. The new splice method is changed by following a strict procedure, which guarantees quality, ability to supply and form-fit-function of the concerned products. The new splice method is under a certified quality management system according the standard industry requirements. An internal release based on our specifications will be executed before any parts will be delivered, which guarantees the performance.

Key Dates:

Contact By Date: 18-Nov-2019

Implementation Date:18-Nov-2019

Product Affected

62935-3

1217973-2

62935-6

62935-1

928770-2

62897-1

926852-2

63658-4

Product Affected

- 62833-4
- 62438-1
- 62420-1
- 62935-2
- 62131-3
- 62431-7
- 62833-1
- 62833-2
- 62429-5
- 62431-1
- 63659-1
- 62429-1
- 926850-2
- 926850-1
- 62429-2

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.