

TSE392-C

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name: TSE392-C

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: For industrial use only.

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials GmbH  
Chempark Leverkusen Gebaeude V7  
DE - 51368 Leverkusen  
Germany

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
00800.4321.1000 (Customer Service Centre)

**1.4 Emergency telephone number** : Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

**Classification according to Regulation (EC) No 1272/2008 as amended.**

#### Health Hazards

|                        |            |                                      |
|------------------------|------------|--------------------------------------|
| Serious eye irritation | Category 2 | H319: Causes serious eye irritation. |
|------------------------|------------|--------------------------------------|

#### Environmental Hazards

|  |            |  |
|--|------------|--|
| Chronic hazards to the aquatic environment | Category 3 | H412: Harmful to aquatic life with long lasting effects. |
|--|------------|--|

### 2.2 Label Elements



**Signal Words:** Warning

**Hazard Statement(s):** H319: Causes serious eye irritation.  
H412: Harmful to aquatic life with long lasting effects.

**TSE392-C**

**Precautionary Statements**

- Prevention:** P264: Wash thoroughly after handling.  
 P273: Avoid release to the environment.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
- Response:** P337+P313: If eye irritation persists: Get medical advice/attention.
- Disposal:** P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Supplemental label information**

EUH208: Contains (3-Aminopropyltriethoxysilane, Dibutyltin Dilaurate). May produce an allergic reaction.

**Unknown toxicity - Health**

- Acute toxicity, oral 0,33 %  
 Acute toxicity, dermal 0,33 %  
 Acute toxicity, inhalation, vapor 0,33 %  
 Acute toxicity, inhalation, dust or mist 0,33 %

**Unknown toxicity - Environment**

- Acute hazards to the aquatic environment 0 %  
 Chronic hazards to the aquatic environment 0 %  
 Acute hazards to the aquatic environment 0,33 %  
 Chronic hazards to the aquatic environment 0,33 %

**Additional Information:** No data available.

**2.3 Other hazards** No data available.

**SECTION 3: Composition/information on ingredients**

**Chemical nature:** Silicone sealant

**3.2 Mixtures**

**General information:** No data available.

| Chemical name                               | Concentration | CAS-No.     | EC No. | REACH Registration No. | M-Factor:          | Notes |
|---|---------------|-------------|--------|------------------------|--------------------|-------|
| CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER | 1 - <3%       | 134759-20-9 |        | No data available.     | No data available. |       |

**TSE392-C**

|                                |            |          |           |                       |                    |      |
|--------------------------------|------------|----------|-----------|-----------------------|--------------------|------|
| , METHOXY TERMINATED           |            |          |           |                       |                    |      |
| 3-Aminopropyltriethoxysilane   | 0,1 - <1%  | 919-30-2 | 213-048-4 | 01-2119480479-24-0002 | No data available. |      |
| Dibutyltin Dilaurate           | 0,25 - <1% | 77-58-7  | 201-039-8 | 01-2119496068-27-0001 | 1                  | #    |
| Dodecamethyl cyclohexasiloxane | 0,1 - <1%  | 540-97-6 | 208-762-8 | 01-2119517435-42-0001 | No data available. | vPvB |
| Decamethyl cyclopentasiloxane  | 0,1 - <1%  | 541-02-6 | 208-764-9 | 01-2119511367-43-0002 | No data available. | vPvB |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# # This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

**Classification**

| Chemical name  | Classification  | Notes                                    |
|--|---|--|
| CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED | Eye Dam.: 1: H318; Skin Corr.: 2: H315;   |  |
| 3-Aminopropyltriethoxysilane                                     | Skin Sens.: 1: H317; Acute Tox.: 4: H302; Skin Corr.: 1B: H314; Eye Dam.: 1: H318;  | No data available.                       |
| Dibutyltin Dilaurate   | STOT SE: 1: H370; Skin Corr.: 1C: H314; STOT RE: 1: H372; Skin Sens.: 1: H317; Eye Dam.: 1: H318; Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400; | No data available.<br>No data available. |
| Dodecamethylcyclohexasiloxane                                    | No data available.  |  |
| Decamethylcyclopentasiloxane                                     | No data available.  |  |

CLP: Regulation No. 1272/2008.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- Inhalation:** Move into fresh air and keep at rest. Get medical attention if symptoms occur.
- Eye contact:** Rinse the eye with water immediately. If eye irritation persists: Get medical advice/attention.
- Skin Contact:** After contact with skin, remove product mechanically. Wash area with soap and water.
- Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth. Consult a physician for specific advice.

**TSE392-C**

- 4.2 Most important symptoms and effects, both acute and delayed:** Product may hydrolyse upon contact with body fluids in the gastrointestinal tract to produce additional methanol; therefore, consider the signs/symptoms of methanol poisoning and also observe the known latency period of several days!
- 4.3 Indication of any immediate medical attention and special treatment needed**
- Hazards:** No data available.
- Treatment:** If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed, rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis, dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle damage) should be recognized.

**SECTION 5: Firefighting measures**

- General Fire Hazards:** Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
- 5.1 Extinguishing media**
- Suitable extinguishing media:** All standard extinguishing agents are suitable.
- Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.
- 5.2 Special hazards arising from the substance or mixture:** In case of fire, carbon monoxide and carbon dioxide may be formed.
- 5.3 Advice for firefighters**
- Special fire fighting procedures:** Product may charge electrostatically during pouring or filling. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.
- Special protective equipment for fire-fighters:** Use standard firefighting procedures and consider the hazards of other involved materials. Self-contained breathing apparatus.

**SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures:** Provide adequate ventilation. Use personal protective equipment. Keep container tightly closed and in a well-ventilated place. Caution: Contaminated surfaces may be slippery.
- 6.2 Environmental Precautions:** Prevent runoff from entering drains, sewers, or streams.
- 6.3 Methods and material for containment and cleaning up:** Use mechanical handling equipment. Shovel up and place in a container for salvage or disposal.
- 6.4 Reference to other sections:** Remove sources of ignition.

**SECTION 7: Handling and storage:**

- 7.1 Precautions for safe handling:** Methanol is formed during processing. Wear appropriate personal protective equipment.

**TSE392-C**

**Storage conditions:** Keep away from sources of ignition - No smoking. Store in original container.

**7.2 Conditions for safe storage, including any incompatibilities:** Keep container tightly closed in a cool, well-ventilated place.

**Storage Stability:** Material is stable under normal conditions.

**7.3 Specific end use(s):** No data available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control Parameters**

**Occupational Exposure Limits**

| Chemical name                | Type | Exposure Limit Values | Source  |
|------------------------------|------|-----------------------|---|
| Dibutyltin Dilaurate - as Sn | TWA  | 0,1 mg/m <sup>3</sup> | UK. EH40 Workplace Exposure Limits (WELs) (12 2011) |
|                              | STEL | 0,2 mg/m <sup>3</sup> | UK. EH40 Workplace Exposure Limits (WELs) (12 2011) |

**Biological Limit Values**

None.

**DNEL-Values**

| Critical component   | Type      | Route of Exposure |                         | Remarks |
|----------------------|-----------|-------------------|-------------------------|---------|
| Dibutyltin Dilaurate | Workers   | Dermal            | 1 mg/kg bw/day          |         |
|                      |           | Inhalation        | 0,07 mg/m <sup>3</sup>  |         |
|                      | Consumers | Dermal            | 0,2 mg/kg bw/day        |         |
|                      |           | Inhalation        | 0,01 mg/m <sup>3</sup>  |         |
|                      | Consumers | Dermal            | 0,5 mg/kg bw/day        |         |
|                      |           | Inhalation        | 0,02 mg/m <sup>3</sup>  |         |
|                      |           | Ingestion         | 0,01 mg/kg bw/day       |         |
|                      |           | Dermal            | 0,08 mg/kg bw/day       |         |
|                      |           | Inhalation        | 0,003 mg/m <sup>3</sup> |         |
|                      |           | Ingestion         | 0,002 mg/kg bw/day      |         |

**PNEC-Values**

| Critical component   | Environmental compartment |              | Remarks  |
|----------------------|---------------------------|--------------|--|
| Dibutyltin Dilaurate | Water                     | 0,463 µg/l   |  |
|                      | Seawater                  | 0,0463 µg/l  |  |
|                      | Intermittent release      | 4,63 µg/l    |  |
|                      | freshwater sediment       | 0,05 mg/kg   | Derived from PNEC(freshwater) using the equilibrium partitioning method. |
|                      | Saltwater Sediment        | 0,005 mg/kg  | Derived from PNEC(freshwater) using the equilibrium partitioning method. |
|                      | soil                      | 0,0407 mg/kg |  |
|                      | Sewage treatment plant    | 100 mg/l     |  |
|                      | Oral                      | 0,2 mg/kg    |  |

**8.2 Exposure controls**

**Appropriate Engineering Controls:** Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

**Individual protection measures, such as personal protective equipment**

**General information:** Wear suitable gloves and eye/face protection.

**TSE392-C**

|   |  |
|---|--|
| <b>Eye/face protection:</b>             | Safety glasses with side-shields conforming to EN166   |
| <b>Skin protection</b>                  |  |
| <b>Hand Protection:</b>                 | Advice: This recommendation is valid only for our Product as delivered. If this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email: <a href="mailto:vertrieb@kcl.de">vertrieb@kcl.de</a> ).<br>Material: 730 Camatril<br>Glove thickness: 0,4 mm<br>Guideline: EN 374 |
| <b>Other:</b>                           | Wear suitable protective clothing.   |
| <b>Respiratory Protection:</b>          | In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection mask with Filtertype ABEK   |
| <b>Hygiene measures:</b>                | Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat or drink.  |
| <b>Environmental exposure controls:</b> | No data available.   |

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

|   |   |
|---|---|
| <b>Physical state:</b>                                  | solid   |
| <b>Form:</b>  | Paste   |
| <b>Color:</b>   | Colorless   |
| <b>Odor:</b>  | Faint   |
| <b>Odor Threshold:</b>                                  | No data available.                                  |
| <b>pH:</b>  | No data available.                                  |
| <b>Melting Point:</b>                                   | No data available.                                  |
| <b>Boiling Point:</b>                                   | Not applicable                                      |
| <b>Flash Point:</b>                                     | 144 °C  |
| <b>Evaporation Rate:</b>                                | No data available.                                  |
| <b>Flammability (solid, gas):</b>                       | No data available.                                  |
| <b>Flammability Limit - Upper (%):</b>                  | No data available.                                  |
| <b>Flammability Limit - Lower (%):</b>                  | No data available.                                  |
| <b>Vapor pressure:</b>                                  | No data available.                                  |
| <b>Vapor density (air=1):</b>                           | No data available.                                  |
| <b>Density:</b>   | No data available.                                  |
| <b>Relative density:</b>                                | No data available.                                  |
| <b>Solubility(ies)</b>                                  |   |
| <b>Solubility in Water:</b>                             | Insoluble   |
| <b>Solubility (other):</b>                              | No data available.                                  |
| <b>Partition coefficient (n-octanol/water) Log Pow:</b> | No data available.                                  |
| <b>Autoignition Temperature:</b>                        | No data available.                                  |
| <b>Decomposition Temperature:</b>                       | No decomposition if stored and applied as directed. |
| <b>SADT:</b>  | No data available.                                  |
| <b>Viscosity, dynamic:</b>                              | No data available.                                  |

**TSE392-C**

|                              |                                   |
|------------------------------|-----------------------------------|
| <b>Viscosity, kinematic:</b> | > 20,5 mm <sup>2</sup> /s (40 °C) |
| <b>Explosive properties:</b> | No data available.                |
| <b>Oxidizing properties:</b> | No data available.                |

**SECTION 10: Stability and reactivity**

|   |  |
|---|--|
| <b>10.1 Reactivity:</b>                         | Material is stable under normal conditions.  |
| <b>10.2 Chemical Stability:</b>                 | Material is stable under normal conditions.  |
| <b>10.3 Possibility of hazardous reactions:</b> | Hazardous polymerization does not occur. Avoid contact with: Moisture.   |
| <b>10.4 Conditions to avoid:</b>                | Keep away from heat, sparks and open flame.  |
| <b>10.5 Incompatible Materials:</b>             | Moisture. Strong Acids, Strong Bases   |
| <b>10.6 Hazardous Decomposition Products:</b>   | Carbon oxides Oxides of silicon. Generates methanol during cure. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation. |

**SECTION 11: Toxicological information**

**General information:** In serious cases absorption of methanol in the body may lead to damage to the eyesight.

**Information on likely routes of exposure**

|                      |                    |
|----------------------|--------------------|
| <b>Inhalation:</b>   | No data available. |
| <b>Ingestion:</b>    | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |

**11.1 Information on toxicological effects**

**Acute toxicity**

**Oral**

**Product:** Not classified for acute toxicity based on available data.  
 Not classified for acute toxicity based on available data.

**Specified substance(s)**

|   |                          |
|---|--------------------------|
| CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED | LD 50 (Rat): 4.666 mg/kg |
| 3-Aminopropyltriethoxysilane                                    | LD 50 (Rat): 1.570 mg/kg |
| Dibutyltin Dilaurate  | LD 50 (Rat): 2.071 mg/kg |
| Dodecamethylcyclohexasiloxane                                   | LD 50 (Rat): 2.000 mg/kg |
| Decamethylcyclopentasiloxane                                    | No data available.       |

**TSE392-C**

**Dermal**

**Product:** Not classified for acute toxicity based on available data.  
 Not classified for acute toxicity based on available data.

**Specified substance(s)**

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED 3-Aminopropyltriethoxysilane  
 LD 50 (Rabbit): 4.290 mg/kg

Dibutyltin Dilaurate  
 LD 50 (Rat): > 2.000 mg/kg

Dodecamethylcyclohexasiloxane  
 LD 50 (Rat): 2.000 mg/kg

Decamethylcyclopentasiloxane  
 LD 50 (Rabbit): > 2.000 mg/kg

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.  
 Not classified for acute toxicity based on available data.

**Specified substance(s)**

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED 3-Aminopropyltriethoxysilane  
 No data available.  
 LC50 (Rat, 6 h):  
 LC50 (Rat, 6 h):

Dibutyltin Dilaurate  
 No data available.

Dodecamethylcyclohexasiloxane  
 No data available.

Decamethylcyclopentasiloxane  
 LC50 (Rat, 4 h): 8,67 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED 3-Aminopropyltriethoxysilane  
 No data available.  
 NOAEL (Rat, Oral, 90 d): 200 mg/kg  
 LOAEL (Rat, Oral, 90 d): 600 mg/kg

Dibutyltin Dilaurate  
 NOAEL (Rat(male and female), Oral, 28 d): 0,3 - 0,4 mg/l  
 NOAEL (Rat(males), Oral, 28 d): 1,9 - 2,3 mg/l  
 NOAEL (Rat(female), Oral, 28 d): 1,7 - 2,3 mg/l

Dodecamethylcyclohexasiloxane  
 NOAEL (Rat(male and female), Oral): 1.000 mg/kg

Decamethylcyclopentasiloxane  
 NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg  
 NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg  
 NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

**Skin Corrosion/Irritation:**



**TSE392-C**

**Product:** No data available.

**Specified substance(s)**

|  |   |
|--|---|
| CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED 3-Aminopropyltriethoxysilane | Draize (Rabbit, 4 h): Slightly irritating.  |
| Dibutyltin Dilaurate   | (Rabbit): Severe skin irritation.   |
| Dodecamethylcyclohexasiloxane  | OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation |
| Decamethylcyclopentasiloxane   | OECD Test Guideline 404 (Rabbit, 72 h): Non irritating                                    |

**Serious Eye Damage/Eye Irritation:**

**Product:** No data available.

**Specified substance(s)**

|  |  |
|--|--|
| CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED 3-Aminopropyltriethoxysilane | Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.                                     |
| Dibutyltin Dilaurate   | OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): Strongly irritating.             |
| Dodecamethylcyclohexasiloxane  | OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to eyes.                     |
| Decamethylcyclopentasiloxane   | OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating |
|  | OECD Test Guideline 405 (Rabbit, 72 h): Non irritating   |

**Respiratory or Skin Sensitization:**

**Product:** No data available.

**Specified substance(s)**

|  |  |
|--|--|
| CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED 3-Aminopropyltriethoxysilane | No data available.   |
| Dibutyltin Dilaurate   | (Guinea Pig)positive   |
| Dodecamethylcyclohexasiloxane  | Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer                |
| Decamethylcyclopentasiloxane   | Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative  |
|  | LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing. |

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**TSE392-C**

**Specified substance(s)**

|  |   |
|--|---|
| CYCLOPENTYLSILAZAN<br>E-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED<br>3-<br>Aminopropyltriethoxysilane<br>Dibutyltin Dilaurate | No data available.  |
| Dodecamethylcyclohexasiloxane<br>Decamethylcyclopentasiloxane  | Ames-Test: negative<br>Chinese Hamster Ovary (CHO): negative<br>Chromosomal aberration: negative<br>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)<br>Mammalian cytogenicity test (OECD 476): negative<br>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative<br>Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)<br>Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic)<br>Chromosomal aberration (OECD 473): negative (not mutagenic) |

**In vivo**

**Product:** No data available.

**Specified substance(s)**

|  |   |
|--|---|
| CYCLOPENTYLSILAZAN<br>E-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED<br>3-<br>Aminopropyltriethoxysilane<br>Dibutyltin Dilaurate | No data available.  |
| Dodecamethylcyclohexasiloxane<br>Decamethylcyclopentasiloxane  | No data available.<br><br>(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral (Mouse)positive The health hazard evaluation is based on the toxicological properties of a similar material.<br>OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative<br>(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor. |

**Carcinogenicity**

**Product:** No data available.

**Specified substance(s)**

|   |  |
|---|--|
| CYCLOPENTYLSILAZAN<br>E-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED<br>3-<br>Aminopropyltriethoxysilane<br>Dibutyltin Dilaurate<br>Dodecamethylcyclohexasiloxane<br>Decamethylcyclopentasiloxane | No data available.<br><br>No data available.<br>No data available.<br>No data available.<br>No data available. |
|---|--|

**Reproductive toxicity**

**Product:** No data available.

**TSE392-C**

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
E-AMINOSILOXANE  
COPOLYMER,  
METHOXY  
TERMINATED  
3-  
Aminopropyltriethoxysilan  
e  
Dibutyltin Dilaurate No data available.  
Dodecamethylcyclohexas  
iloxane No data available.  
Decamethylcyclopentasil  
oxane No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
E-AMINOSILOXANE  
COPOLYMER,  
METHOXY  
TERMINATED  
3-  
Aminopropyltriethoxysilan  
e  
Dibutyltin Dilaurate No data available.  
Dodecamethylcyclohexas  
iloxane No data available.  
Decamethylcyclopentasil  
oxane No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
E-AMINOSILOXANE  
COPOLYMER,  
METHOXY  
TERMINATED  
3-  
Aminopropyltriethoxysilan  
e  
Dibutyltin Dilaurate No data available.  
Dodecamethylcyclohexas  
iloxane No data available.  
Decamethylcyclopentasil  
oxane No data available.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
E-AMINOSILOXANE  
COPOLYMER,  
METHOXY  
TERMINATED

**TSE392-C**

|                                  |                    |
|----------------------------------|--------------------|
| 3-<br>Aminopropyltriethoxysilane | No data available. |
| Dibutyltin Dilaurate             | No data available. |
| Dodecamethylcyclohexasilo-xane   | No data available. |
| Decamethylcyclopentasiloxane     | No data available. |

**Other effects:** No data available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Acute toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZA  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED

3-  
Aminopropyltriethoxysilane LC50 (Brachydanio rerio, 96 h): > 934 mg/l (OECD Test Guideline 203)

Dibutyltin Dilaurate No data available.  
 Dodecamethylcyclohexasilo-xane No data available.

Decamethylcyclopentasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZA  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED

3-  
Aminopropyltriethoxysilane EC50 (Daphnia magna, 48 h): 331 mg/l (OECD-Guideline 202)

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test Guideline 202)  
 Fresh water  
 Dodecamethylcyclohexasilo-xane No data available.

Decamethylcyclopentasiloxane EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

**Chronic Toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

**TSE392-C**

|  |   |
|--|---|
| CYCLOPENTYLSILAZA<br>NE-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED | No data available.  |
| 3-<br>Aminopropyltriethoxysilane   | No data available.  |
| Dibutyltin Dilaurate   | No data available.  |
| Dodecamethylcyclohexasiloxane  | NOEC (Pimephales promelas, 49 d): 0,0044 mg/l   |
| Decamethylcyclopentasiloxane   | NOEC (Oncorhynchus mykiss, 90 d): $\geq 0,0014$ mg/l (OECD-Guideline 210)<br>LOEC (Oncorhynchus mykiss, 90 d): $> 0,0014$ mg/l (OECD-Guideline 210) |

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s)**

|  |  |
|--|--|
| CYCLOPENTYLSILAZA<br>NE-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED | No data available.   |
| 3-<br>Aminopropyltriethoxysilane   | No data available.   |
| Dibutyltin Dilaurate   | No data available.   |
| Dodecamethylcyclohexasiloxane  | NOEC (Daphnia magna, 21 d): 0,0046 mg/l<br>EC50 (Sediment Invertebrate, 28 d): $> 420$ mg/l<br>LOEC (Sediment Invertebrate, 28 d): $\geq 420$ mg/l |
| Decamethylcyclopentasiloxane   | NOEC (Daphnia magna, 21 d): $\geq 0,0015$ mg/l (OECD-Guideline 211)<br>LOEC (Daphnia magna, 21 d): $> 0,0015$ mg/l                                 |

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s)**

|  |   |
|--|---|
| CYCLOPENTYLSILAZA<br>NE-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED | No data available.  |
| 3-<br>Aminopropyltriethoxysilane   | EC50 (Desmodesmus subspicatus (green algae), 72 h): $> 1.000$ mg/l<br>NOEC (Desmodesmus subspicatus (green algae), 72 h): 1,3 mg/l  |
| Dibutyltin Dilaurate   | EC50 (Desmodesmus subspicatus (green algae), 72 h): $> 1$ mg/l (OECD Test Guideline 201) Fresh water  |
| Dodecamethylcyclohexasiloxane  | EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): $> 0,002$ mg/l (OECD Test Guideline 201)<br>NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): $\geq 0,002$ mg/l (OECD Test Guideline 201) |
| Decamethylcyclopentasiloxane   | EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): $> 0,0012$ mg/l (OECD Test Guideline 201)<br>NOEC : $\geq 0,0012$ mg/l<br>EC10 : $> 0,0012$ mg/l  |

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s)**

**TSE392-C**

|  |   |
|--|---|
| CYCLOPENTYLSILAZAN<br>E-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED | No data available.  |
| 3-<br>Aminopropyltriethoxysilan<br>e<br>Dibutyltin Dilaurate                 | (28 d): 67 % Not readily degradable. hydrolyses   |
| Dodecamethylcyclohexas<br>iloxane  | Biological degradability (39 d): 23 % The product is not readily biodegradable.   |
| Decamethylcyclopentasil<br>oxane   | No data available.  |
|  | activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable. |

**BOD/COD Ratio**

**Product** No data available.

**Specified substance(s)**

|  |                    |
|--|--------------------|
| CYCLOPENTYLSILAZAN<br>E-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED | No data available. |
| 3-<br>Aminopropyltriethoxysilan<br>e<br>Dibutyltin Dilaurate                 | No data available. |
| Dodecamethylcyclohexas<br>iloxane  | No data available. |
| Decamethylcyclopentasil<br>oxane   | No data available. |

**12.3 Bioaccumulative potential**

**Product:** No data available.

**Specified substance(s)**

|  |  |
|--|--|
| CYCLOPENTYLSILAZAN<br>E-AMINOSILOXANE<br>COPOLYMER,<br>METHOXY<br>TERMINATED | No data available.   |
| 3-<br>Aminopropyltriethoxysilan<br>e<br>Dibutyltin Dilaurate                 | Cyprinus carpio, Bioconcentration Factor (BCF): 3,4 (Measured) The product is not bioaccumulating. |
| Dodecamethylcyclohexas<br>iloxane  | The product is not bioaccumulating.  |
| Decamethylcyclopentasil<br>oxane   | No data available.   |
|  | Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)                     |

**12.4 Mobility in soil:**

No data available.

**Known or predicted distribution to environmental compartments**

|   |                    |
|---|--------------------|
| CYCLOPENTYLSILAZANE<br>-AMINOSILOXANE<br>COPOLYMER, METHOXY<br>TERMINATED | No data available. |
| 3-<br>Aminopropyltriethoxysilane<br>Dibutyltin Dilaurate                  | No data available. |
| Dodecamethylcyclohexasilo<br>xane   | No data available. |

**TSE392-C**

|   |   |   |
|---|---|---|
| Decamethylcyclopentasiloxane                                    | No data available.  |   |
| <b>12.5 Results of PBT and vPvB assessment:</b>                 | vPvB: very persistent and very bioaccumulative substance.   |   |
| CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED | No data available.  |   |
| 3-Aminopropyltriethoxysilane                                    | Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria, Not fulfilling vPvB (very persistent/very bioaccumulative) criteria |   |
| Dibutyltin Dilaurate  | No data available.  |   |
| Dodecamethylcyclohexasiloxane                                   | vPvB: very persistent and very bioaccumulative substance.   | Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i> |
| Decamethylcyclopentasiloxane                                    | vPvB: very persistent and very bioaccumulative substance.   | Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i> |
| <b>12.6 Other adverse effects:</b>                              | No data available.  |   |

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**TSE392-C**

**General information:** The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

**SECTION 14: Transport information**

**ADR**

Not regulated.

**ADN**

Not regulated.

**RID**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**14.6 Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive materials

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code :**

Not applicable

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**EU Regulations**

**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:** none

**Regulation (EC) No. 850/2004 on persistent organic pollutants:** none

**Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:**

| Chemical name        | CAS-No. | Concentration |
|----------------------|---------|---------------|
| Dibutyltin Dilaurate | 77-58-7 | 0,1 - 1,0%    |

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:** none

**EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):**



**TSE392-C**

| Chemical name                 | CAS-No.  | Concentration |
|-------------------------------|----------|---------------|
| Dodecamethylcyclohexasiloxane | 540-97-6 | 0 - <=0,2%    |
| Decamethylcyclopentasiloxane  | 541-02-6 | 0 - <=0,2%    |

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:**

| Chemical name                | CAS-No.  | Concentration |
|------------------------------|----------|---------------|
| Dibutyltin Dilaurate         | 77-58-7  | 0,1 - 1,0%    |
| Decamethylcyclopentasiloxane | 541-02-6 | 0,1 - 1,0%    |

**Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:** none

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:** none

**Directive 96/82/EC (Seveso III): on the control of major accident hazards involving dangerous substances:** none

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:**

| Chemical name        | CAS-No. | Concentration |
|----------------------|---------|---------------|
| Dibutyltin Dilaurate | 77-58-7 | 0,1 - 1,0%    |

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

| Chemical name                | CAS-No.  | Concentration |
|------------------------------|----------|---------------|
| 3-Aminopropyltriethoxysilane | 919-30-2 | 0,1 - 1,0%    |

**15.2 Chemical safety assessment:**

No Chemical Safety Assessment has been carried out.

**Inventory Status**

|  |  |                |
|--|--|----------------|
| Australia AICS:                          | T (temporary special case)             | Remarks: None. |
| Canada DSL Inventory List:               | Q (quantity restricted)                | Remarks: None. |
| EINECS, ELINCS or NLP:                   | On or in compliance with the inventory | Remarks: None. |
| Japan (ENCS) List:                       | On or in compliance with the inventory | Remarks: None. |
| China Inv. Existing Chemical Substances: | On or in compliance with the inventory | Remarks: None. |
| Korea Existing Chemicals Inv. (KECI):    | On or in compliance with the inventory | Remarks: None. |
| Canada NDSL Inventory:                   | Not in compliance with the inventory.  | Remarks: None. |
| Philippines PICCS:                       | On or in compliance with the inventory | Remarks: None. |
| US TSCA Inventory:                       | On or in compliance with the inventory | Remarks: None. |
| New Zealand Inventory of Chemicals:      | Not in compliance with the inventory.  | Remarks: None. |
| Taiwan Chemical Substance Inventory:     | On or in compliance with the inventory | Remarks: None. |

**TSE392-C**

REACH: If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.

Remarks: None.

## SECTION 16: Other information

**Revision Information:** Not relevant.

**Key literature references and sources for data:** No data available.

### Wording of the H-statements in section 2 and 3

|      |   |
|------|---|
| H302 | Harmful if swallowed.   |
| H314 | Causes severe skin burns and eye damage.                        |
| H315 | Causes skin irritation.   |
| H317 | May cause an allergic skin reaction.                            |
| H318 | Causes serious eye damage.                                      |
| H319 | Causes serious eye irritation.                                  |
| H370 | Causes damage to organs.  |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                     |
| H410 | Very toxic to aquatic life with long lasting effects.           |
| H412 | Harmful to aquatic life with long lasting effects.              |

**Training information:** No data available.

**Issue Date:** 04.07.2019

**TSE392-C**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.