



LA1LC030 has not been replaced. Please contact your customer care center for more information.

ⓘ Discontinued

Main

Range	TeSys
Device short name	LA1LC
Product or component type	Auxiliary contact
Product compatibility	LD4
Range compatibility	TeSys Integral LD4LD contactor breaker
Auxiliary contacts operation	Instantaneous
Pole contact composition	1 NO
Connections - terminals	screw clamp terminals 2 0.00 in ² (1.5 mm ²) screw clamp terminals 1 0.00 in ² (2.5 mm ²)

Complementary

Mounting location	Left side
[Ui] rated insulation voltage	690 V
[Ith] conventional free air thermal current	3 A
Rated operational power in VA	160 VA 48 V AC-15 1500000 cycles 280 VA 440 V AC-15 1500000 cycles 300 VA 110...127 V AC-15 1500000 cycles 300 VA 48 V AC-15 1000000 cycles 330 VA 220...240 V AC-15 1500000 cycles 500 VA 110...127 V AC-15 1000000 cycles 500 VA 440 V AC-15 1000000 cycles 520 VA 380...415 V AC-15 1000000 cycles 600 VA 220...240 V AC-15 1000000 cycles
Rated operational power in W	120 W 24 V DC-13 1000000 cycles 150 W 48 V DC-13 1500000 cycles 28 W 440 V DC-13 1500000 cycles 33 W 220 V DC-13 1500000 cycles 38 W 110 V DC-13 1500000 cycles 61 W 440 V DC-13 1000000 cycles 68 W 220 V DC-13 1000000 cycles 70 W 24 V DC-13 1500000 cycles 75 W 110 V DC-13 1000000 cycles 90 W 48 V DC-13 1000000 cycles
Net weight	0.08 lb(US) (0.035 kg)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

Environmental characteristic	Standard environment
------------------------------	----------------------

Ordering and shipping details

Category	22384-STARTERS,INTEGRAL,ACCESS
Discount Schedule	I11
GTIN	00785901257110
Returnability	No
Country of origin	CZ

Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Contractual warranty

Warranty	18 months
----------	-----------