

# PCN# 20200331001.1 Qualification of MIHO8 as an additional Fab site option for select devices Change Notification / Sample Request

Date: April 01, 2020 To: PREMIER FARNELL PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

Texas Instruments requires acknowledgement of receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If samples or additional data are required, requests must be received within **30 days** of this notification.

The changes discussed within this PCN will not take effect any earlier than the proposed first ship date on Page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice or to provide acknowledgement of this PCN, you may contact your local Field Sales Representative or the PCN Team (<u>PCN ww admin team@list.ti.com</u>). For sample requests or sample related questions, contact your local Field Sales Representative.

Sincerely,

PCN Team SC Business Services

# 20200331001.1 Attachment: 1

# **Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

# DEVICE

BQ24780SRUYT

**CUSTOMER PART NUMBER** 

null

Technical details of this Product Change follow on the next page(s).

	h e u	2020	00001 1		-				wil 1 2020	
PCN Num		00331001.1		PCN Date: April 1, 2020						
Title: Qualification of MIHO8 as an additional Fab site option for select devices								ces		
Customer	<b>Contact</b>	:	PCN Manager			ept:			uality Services	
Proposed	1 <sup>st</sup> Ship	Date:	July 2, 2020		Estimate		mp		Date provided at	
Change T			-		Availabi	iity:		50	mple request.	
Change T				. Due ee ee				A = = = =	hly Materiala	
	nbly Site		Assembly						embly Materials	
Desig					cification				nical Specification	
Test S		to.			ping/Labeling				rocess	
	Bump Site	le			Material				Bump Process	
	Fab Site							water	Fab Process	
			Part num							
Descriptio	on of Cha	ngoi	PC	N Deta	alis					
Descriptio			a announce the		ation of ite		<u> </u>	Shricati	on facility as an	
	Wafer Fat	o source for	the selected o		sted in the	"Pro	duc	t Affecte	ed" section.	
		ent Fab Si				dditi	ona	al Fab S		
Current		Process			ditional	P	Process		Wafer	
Site			Diameter		Site			<u> </u>	Diameter	
RFAE	5	LBC7	300 mm		4IHO8		LB	C7	200 mm	
			e Qual Data Se	ction.						
Reason fo	or Change	e:								
Continuity	of supply									
Anticipate	ed impac	t on Form	. Fit. Functior	n, Oualit	v or Relia	bility	/ ( p	ositive	/ negative):	
None				/					, -3,	
Changes t	to produ	ct identific	ation resulti	ng from	this PCN:					
Current:										
Current Chip Site Chip Site		Origin Code (20	0L) Ch	ip Site Cou	ntrv	Cod	e (21L)	Chip Site City		
RFAB			RFB	- , -	•	JSA		- ( )	Richardson	
									Richardson	
New Fab	Site:									
New Ch		Chip Site (	Origin Code (2	0L) Ch	ip Site Cou	intry	Cod	e (21L)	Chip Site City	
MIHO8			MH8		JPN				Ibaraki	
		ning label	(not actual pro	duct lab						
MADE IN: 2DC: MSL 2 /2 MSL 1 /2 OPT: ITEM: LBL:	AS MENTS 20: 60C/1 YEA 35C/UNLIM	G4		(FMC	(1P) SN7 (Q) 200 (31T)L01 (4W) TKY (P) (2P) REV: (20L) CSO: (22L) ASO:	0 (1T) SHE	( 959 ) 7 ( <u>v</u> )	D) ()33 047ML 523483 L) CC0:	A 3512 <sup>317</sup>	
Product A	ttected:									
				1						
BQ24780S		SN28	50RUYR	SN	2867RUYR			SN28	57RUYT	

#### **Qualification Report**

### Approve Date 27-Mar-2020

#### Qualification Results Data Displayed as: Number of lots / Total sample size / Total failed

Туре	Test Name / Condition	Duration	Qual Device: <u>BQ24780SRUY</u>	QBS Product Reference: <u>BQ24780SRUY</u>	QBS Process Reference: <u>TPS62110RSA</u>	QBS Package Reference: <u>430F2132IRHBR</u>	QBS Package Reference: <u>TPS51285BRUKR</u>
HTOL	Life Test, 140C	480 Hours	-	-	3/231/0	-	-
ELFR	Early Life Failure Rate, 140C	48 Hours	-	-	3/1881/0	-	-
HTSL	High Temp Storage Bake 170C	420 Hours	-	-	3/231/0		
AC	Autoclave 121C	96 Hours	-	1/77/0	3/231/0	3/231/0	3/231/0
TC	Temperature Cycle, -65/150C	500 Cycles	-	1/77/0	3/231/0	3/231/0	3/231/0
HAST	Biased HAST, 130C/85%RH	96 Hours	-	-	3/231/0	-	-
CDM	ESD - CDM	1500 V	1/3/0	-	-	-	-
HBM	ESD - HBM	4000 V	1/3/0	-	-	-	-
LU	Latch-up	(per JESD78)	1/6/0	-	3/15/0	-	-

- QBS: Qual By Similarity

- Qual Device BQ24780SRUY is qualified at LEVEL2-260CG

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable

- The following are equivalent HTOL options based on an activation energy of 0.7 eV: 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours

- The following are equivalent HTSL options based on an activation energy of 0.7eV: 150C/1k Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47:-55C/125C/700 Cycles and -65C/150C/500 Cycles Quality and Environmental data is available at TI's external Web site: http://www.ti.com/

Green/Pb-free Status:

Qualified Pb-Free (SMT) and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below, or you can contact your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
WW PCN Team	PCN ww admin team@list.ti.com

### IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<u>www.ti.com/legal/termsofsale.html</u>) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision

of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.