

PRODUCT-DETAILS

ABL/S2.1

ABL/S2.1 Application Unit Logic, MDRC



General Information

Extended Product Type	ABL/S2.1
Product ID	2CDG110073R0011
EAN	4016779652643
Catalog Description	ABL/S2.1 Application Unit Logic, MDRC
Long Description	<p>Allows the development of complex logical functions by simply combining different logic elements and gates using a graphical user interface as an ETS plug-in from ETS3. No additional software is required. There are 50 logical elements (AND, OR, 1ofN), 50 uni- and bidirectional gates, 30 timer modules (On- /Off delay, impuls duration, and stairway light controller), 10 comparators, 200 worksheets, 250 Marker and 254 In- and Outputs are available. No additional power supply required, the device is powered from KNX bus.</p>

Ordering

EAN	4016779652643
Customs Tariff Number	85389091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405670105
E-Number (Sweden)	1750093

Dimensions

Product Net Depth / Length	64.5 mm
Product Net Height	90 mm

Product Net Width	36 mm
Product Net Weight	0.1 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779652643
Package Level 1 Depth / Length	41 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.12 kg

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC509037D0201
Instructions and Manuals	2CDG941030P0004
Declaration of Conformity - CE	2CDK509046D2701
RoHS Information	2CDK509046D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC000676 - Logic component for bus system
ETIM 6	EC000676 - Logic component for bus system
ETIM 7	EC000676 - Logic component for bus system
eClass	7.0 27143103
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	32151705
IDEA Granular Category Code (IGCC)	3567 >> PLC function/technology module

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Automation, Logic and Time Control → Logic and Application Controllers

