

AC, 50/60 Hz.

**PRODUCT-DETAILS** 

## SV/S 30.640.3.1

## SV/S30.640.3.1 Power Supply, 640 mA, MDRC



General Information	
Extended Product Type	SV/S 30.640.3.1
Product ID	2CDG110167R0011
EAN	4016779906210
Catalog Description	SV/S30.640.3.1 Power Supply, 640 mA, MDRC
Long Description	KNX power supplies 640 mA generate and monitor the KNX system voltage (SELV). The bus line is decoupled from the power supply by an integrated choke. The voltage output is short-circuit and overload protected. The two-color LED indicates device output status. Device type SV/S 30.640.3.1 has an additional 30 V DC short-circuit and overload protected voltage output that can be used to power an additional bus line (in combination with a separate choke). With two-coloured status indicator and wide range input from 85265 V

 Ordering
 4016779906210

 Customs Tariff Number
 85044090

 Minimum Order Quantity
 1 piece

 E-Number (Switzerland)
 405800615

 E-Number (Sweden)
 1738579

## **Dimensions**

Product Net Depth / Length	64.5 mm
Product Net Height	90 mm
Product Net Width	72 mm
Product Net Weight	0.26 kg

Container Information		
Package Level 1 Units	box 1 piece	
Package Level 1 EAN	4016779906210	
Package Level 1 Depth / Length	77 mm	
Package Level 1 Height	65 mm	
Package Level 1 Width	93 mm	
Package Level 1 Gross Weight	0.3 kg	

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	2CDC501067D0201
Instructions and Manuals	2CDG941137P0003
Declaration of Conformity - CE	2CDK501055D2701
RoHS Information	2CDK501055D2701

Environmental	
RoHS Status	Following EU Directive 2011/65/EU

Classifications	
ETIM 5	EC000675 - Power supply for bus system
ETIM 6	EC000675 - Power supply for bus system
ETIM 7	EC000675 - Power supply for bus system
eClass	7.0 27143114
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	39121004
IDEA Granular Category Code (IGCC)	4127 >> Power supply units

## Categories

SV/S 30.640.3.1 3

