PCB Connector, Header



RoHS Compliant



Specifications:

Pitch : 5mm

Poles : 2 to 24Poles Housing Material : PA 66

Pin Dimensions : Brass, Tin Plated

PCB Hole Diameter : 1.5mm

Operating Temperature : -40°C to +105°C

Technical Data:

Nominal Current I_N : 16A


Nominal Cross Section :
Maximum Load Current : 16A


Insulating Material : PA

Nominal Voltage : 300V


Nominal Current : 16A

Diagram









Dimensions: Millimetres (Inches)

Part Number Table

Description	Part Number
Term Block, Header, 5mm	MCTE-03C02
	MCTE-03C09
	MCTE-03C11
	ME030-50003
	ME030-50004
	ME030-50005
	ME030-50006
	ME030-50007
	ME030-50008
	ME030-50010
	ME030-50012

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



08/09/20 V1.0