

Quick Ship

Work Center Solutions

Featuring

- ▶ ergonomics
- ▶ adjustability
- ▶ ESD options

...all shipped within 5–10 days!









Welcome to Quick Ship, IAC's speedy procurement system.

Products ordered from this catalog are shipped on, or before, the tenth working day (quantities of 10 or fewer) after receiving an order (typically shipped on the fifth day). The Quick Ship collection is based on IAC's most popular products and accessory options.

IAC products are proudly made in Arizona, USA, and are the finest industrial furnishings and productivity equipment available.

To Order please call 714.990.8997

Product Series		Page
	Dimension 4 Workstations	3-5
	Pro Series Adjustable Height Workbenches	6-7
	Workmaster™ Workbenches	8-9
	Instrument Shelving	10
	Multi-Task System MTS-I (3 post) & MTS-II (2 post) Upper Structures for Workbenches	11-14
	Quick Value 4-Leg Workbenches	15-17
General Purpose Options		18
Terms and Conditions		19

* Due to printing limitations, some color swatches represented in this catalog may not accurately match true paint color.

Dimension 4 Modular Workstations



Dimension 4 (D4) workstations are the most versatile and adaptable workstations in the industry. D4 vertical uprights enable each worker to set their worksurface, upper and lower productivity and storage accessories at desired height, for ideal personal comfort, ergonomics and efficiency.

The Single Sided Starter is the beginning building block to set the foundation for your Dimension 4 layout. You will receive two uprights and a worksurface with 180-degree rolled front edge. ESD worksurfaces and accessory options are available.




Options Shown:


- Light Fixture
- Tool Trolley
- 12" Shelf
- Parts Cup Stringer
- Electrical Channel
- Flat Panel Display Arm
- FPD Keyboard/Mouse
- Holder
- Swing Arm Pegboard
- 6" Drawer (includes lock)
- 12" Drawer (includes lock)
- CPU Holder
- Footrest Tube
- Foot Pan























Starter Units

	UNIT TYPE	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
	Starter, Single Sided	30"D x 60"L x 72"H Workstation	185 lbs.	QS-2000044	QS-2000344
		30"D x 72"L x 72"H Workstation	210 lbs.	QS-2000074	QS-2000374




Add-On Units

	UNIT TYPE	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
	Add-on, Single Sided	30"D x 60"L x 72"H Workstation	150 lbs.	QS-2001044	QS-2001344
		30"D x 72"L x 72"H Workstation	175 lbs.	QS-2001074	QS-2001374

Options

		COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
6" Drawer  12" Drawer 	<ul style="list-style-type: none"> Constructed of heavy-gauge steel and equipped with full-extension, 100-lb. capacity metal ball bearing drawer slides May be mounted left or right and stacked for multiple drawer units Safety recessed handles Lock included. Multiple drawers can be keyed alike, upon request. Powder coat paint finish 	Textured Gray 	6"H x 20"D x 15"W	30 lbs.	QS-2050002
		Textured Gray 	12"H x 20"D x 15"W	35 lbs.	QS-2050004
12" Shelving  	<ul style="list-style-type: none"> Adjustable Height, Depth, Angle Front lip included 	Textured Gray Laminate: Dove Gray 	12"D x 60"L	30 lbs.	QS-2011922
			12"D x 72"L	36 lbs.	QS-2011932
		Textured Gray ESD Laminate: Gray 	12" x 60" ESD	30 lbs.	QS-2011962
			12" x 72" ESD	36 lbs.	QS-2011972
Light Fixture  	<ul style="list-style-type: none"> Mounts to the uprights and adjusts up/down and in/out, as well as angle-adjustable Accepts two (2) T8 tube lights (not included) Standard prismatic diffuser 8-ft. power cord with on/off switch 	Ivory (C) 	60"	35 lbs.	QS-2012302
			72"	42 lbs.	QS-2012303
Tool Trolley 	<ul style="list-style-type: none"> Tool Trolley assembly includes one sliding Tool Trolley Hanger 	Textured Gray 	60"	20 lbs.	QS-2012452
			72"	25 lbs.	QS-2012453
Tool Trolley Hanger 	<ul style="list-style-type: none"> Additional Tool Trolley Hanger for multiple tools or replacement 	No Finish		2 lbs.	QS-2012459
Electrical Assembly  	<ul style="list-style-type: none"> Includes three (3) duplex outlets, on/off switch with pilot light, 15-amp circuit breaker and molded 8-ft power cord 	Textured Gray Trim: Apollo Blue 	60"	15 lbs.	QS-2012212
			72"	20 lbs.	QS-2012213
Parts Cup Stringer 	<ul style="list-style-type: none"> Adjusts up/down and in/out; accepts standard parts cup and other accessories; ESD includes ground cord 	Textured Black 	60"	10 lbs.	QS-2012172
			72"	14 lbs.	QS-2012173
		ESD Black 	60" ESD	10 lbs.	QS-2012182
			72" ESD	14 lbs.	QS-2012183

Options (continued)

		COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Footrest Tube  <ul style="list-style-type: none"> Footrest Tube assembly can be used alone or with Foot Pan (ordered separately) 		Bright Zinc	60"	10 lbs.	QS-2012122
			72"	16 lbs.	QS-2012123
Foot Pan  <ul style="list-style-type: none"> 36" Foot Pan w/non-skid surface provides full foot support Rounded safety corners 		Textured Black 	For 60" or 72" Footrest Tubes	10 lbs.	QS-2012158
Slide-Out Universal CPU Holder  <ul style="list-style-type: none"> Safely suspends the CPU beneath the worksurface; Saves valuable workspace Slide mechanism permits easy access to CPU Keeps CPU off of floor for easier housekeeping Rugged metal construction; durable powder coated paint finish 		Textured Black 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-2012639
CRT Platform and Keyboard Holder  <p>CRT Platform</p> <ul style="list-style-type: none"> Rotates 360° on a swing arm Mounts to the inside or outside of vertical uprights of the workstation Weight Capacity: 75 lbs. Edged in Black T-mold <p>Keyboard Holder</p> <ul style="list-style-type: none"> Attaches to bottom of CRT platform Adjustable front to rear Weight Capacity: 5 lbs. 		Laminate: Dove Gray 	CRT Platform 15" x 15" x 1.25" thick	20 lbs.	QS-2012622
		Textured Black 	Keyboard Holder 18"W x 2-3/4"H x 9 1/4"D (useable area)	3 lbs.	QS-2012633
Flat Panel Display Arm and Keyboard/Mouse Holder  <p>Flat Panel Display Arm</p> <ul style="list-style-type: none"> Provides positioning in two planes for optimum viewing angles Universal display mount complies with VESA MIS-D 100/75mm interface standards <p>Keyboard/Mouse Holder</p> <ul style="list-style-type: none"> This keyboard holder mounts to the Flat Panel Display Arm shown above. It adjusts up and down and includes comfortable angle adjustment. Tray is supplied with a mat to secure both the keyboard and mouse. 		Textured Black 	Flat Panel Display Arm 26" Fully Extended	18 lbs.	QS-2012632
		Textured Black 	Keyboard/Mouse Holder 22"W x 8.5"D (keyboard tray)	18 lbs.	QS-1022918
Swing Arm Pegboard  <ul style="list-style-type: none"> Accepts standard pegboard pegs Organizes hand tools and other accessories 		Textured Black 	16"W x 16"H with lip	20 lbs.	QS-2012629
Parts Cup Rack  <ul style="list-style-type: none"> 12-cup capacity (on four 13" rails) Mounts to inside or outside of uprights Swivels on swing arm 		Textured Black 	Rack: 13"W x 14-3/8"H Swing Arm: 12"L	20 lbs.	QS-2012626

For additional options, please refer to page 22.

Call to Order: 714.990.8997 • Or build your own online: www.IACindustries.com/Configurator

Pro Series Adjustable Height Workbenches

The ergonomically designed 930/940 Pro Series delivers the efficiency and convenience of height adjustability at a remarkable price. We've engineered these workbenches for quality performance. A cantilever support system, housing the hydraulic lifters, provides maximum leg room, while the bolted steel channel frame delivers a full 500-pound evenly-distributed load capacity. You can easily move up or down to the efficient functionality of a height adjustable worksurface.

Features:

- 12-inch adjustment range, from 30" to 42" worksurface height
- 1-1/4" thick worksurface with 180° rolled front edge for comfort. Surfaces are available in Standard or ESD laminate, with a wide variety of colors.
- Welded steel frame, finished in a choice of durable, baked-on powder-coat paint.
- Available options for suspended drawers/cabinets, electrical channels, and upper utility structures with shelving and lighting offer endless configurations.

Options Shown:

- MTS-I
- Light Fixture
- Tool Trolley
- 12" Shelf
- Multi Bin Panel
- Electrical Channel
- Swing Arm Pegboard



930 Pro Series

Height adjustment is manually controlled by a rotating hand crank positioned on the right or left side under the worksurface support frame and . The crank handle folds out of the way when not in use.



940 Pro Series

Height adjustment is electrically actuated via Up/Down pushbuttons. This controller is positioned on the right or left side, under the worksurface support frame.







Color

Paint	Contrast Paint	Standard Laminate	ESD Laminate
Sky Blue	White	LoGlare White	White









- OR -

Paint	Contrast Paint	Standard Laminate	ESD Laminate
EZE Blue	None	LoGlare White	White

Base Workbench

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
930 Pro Series Hand Crank Workbench  <ul style="list-style-type: none"> • Hydraulic hand-operated crank moves worksurface up or down • Height Adjustability Range: Approx. 12" • 180° rolled front edge • Weight Capacity: 500 lbs. evenly distributed; 600 lbs. static load 	Sky Blue 	30"D x 60"L	170 lbs.	QS-1005802-D	QS-1011802-D
	EZE Blue 	30"D x 60"L	170 lbs.	QS-1005802-BL	QS-1011802-BL
940 Pro Series Motorized Hydraulic Workbench  <ul style="list-style-type: none"> • Hydraulic motorized actuator moves worksurface up or down • Height Adjustability Range: Approx. 12" • 180° rolled front edge • Weight Capacity: 500 lbs. evenly distributed; 600 lbs. static load 	Sky Blue 	30"D x 60"L	185 lbs.	QS-1005822-D	QS-1011822-D
	EZE Blue 	30"D x 60"L	185 lbs.	QS-1005822-BL	QS-1011822-BL

Options

Drawers and Cabinets		COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none">• Drawers are constructed of a heavy-gauge steel and are equipped with full extension, 100-lb. capacity metal ball bearing drawer slides• May be mounted left or right and stacked for multiple-drawer/cabinet combinations• Safety recessed handles• Locks are optional. Multiple drawers can be keyed alike, upon request.	Sky Blue with White contrast on face of drawer or cabinet 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-D	
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-D	
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-D	
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-D	
		Lock (optional)	1 lb.	QS-1050033	
	EZE Blue (No contrast on face of drawer or cabinet) 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-BL	
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-BL	
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-BL	
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-BL	
		Lock (optional)	1 lb.	QS-1050033	
Electrical Channel  <ul style="list-style-type: none">• Four (4) 15-amp, 60-Hz duplexes, circuit breaker and 8-ft. cord• Electrical channels may be mounted (1) top/rear of worksurface, (2) under shelf front or rear, or (3) top rear of shelf• Engineered and manufactured by IAC to meet rigid UL requirements and are ETL (Electric Testing Lab) approved	Sky Blue 	60"L Electrical Channel	15 lbs.	QS-1022122-D	
	EZE Blue 	60"L Electrical Channel	15 lbs.	QS-1022122-BL	
Slide-Out Universal CPU Holder  <ul style="list-style-type: none">• Safely suspends the CPU beneath the worksurface; Saves valuable workspace• Slide mechanism permits easy access to CPU• Keeps CPU off of floor for easier housekeeping	Textured Black 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-1021659	

Versatile "above the worksurface" options.

Instrument Shelves on page 10



Multi-Task Systems on page 11



Workmaster™ Workbenches

IAC's Workmaster Workbenches are a foundation for you to build on; easy to assemble and versatile enough for any application. Whether you need a basic bench or an option-loaded technician's or lab bench, our Workmaster 4-Leg workbench is perfect for any application.



Basic Bench



Basic Bench shown with Instrument Shelf options (page 10)



Basic Bench shown with MTS-I options (page 11)

The workbenches above feature Sky Blue paint; drawers and cabinets are Sky Blue with white contrast.
Note: EZE Blue Paint will NOT have a drawer front contrast, the front of the drawers will be painted same as bench.


Color

Paint	Contrast Paint	Standard Laminate	ESD Laminate
Sky Blue	White	LoGlar White	White


- or -

Paint	Contrast Paint	Standard Laminate	ESD Laminate
EZE Blue	None	LoGlar White	White

Base Workbench





Standard Bench

















ESD Bench

- Load Capacity is 1,500 evenly distributed
- Bolt-on heavy-duty leg extensions accept floor glides
- Adjustable Leg Extender Kit included
- Worksurface height 30"; adjusts to 32", 34", and 36" high
- Front and rear heavy-gauge top support beams allow 1500 lbs. distributed weight on worksurface
- Worksurface is laminated over industrial-grade particle board to a full 1-1/4" thickness; metal threaded inserts are installed in sealed underside for easy installation and strength
- Assembly hardware: All attachment points have pre-installed inserts for easy assembly and high-strength connections
- ESD includes dual ground studs and a 10-ft. ground cord
- 180° rolled front edge standard on all worksurfaces
- Powder coat paint finish

COLOR	DIMENSIONS	SHIP. WT.	PART NUMBERS	
			STANDARD VERSION	ESD VERSION
Sky Blue 	30"D x 48"L	100 lbs.	QS-1000001-D	QS-1006001-D
	30"D x 60"L	125 lbs.	QS-1000002-D	QS-1006002-D
	30"D x 72"L	140 lbs.	QS-1000003-D	QS-1006003-D
	30"D x 96"L	178 lbs.	QS-1000005-D	QS-1006005-D
	36"D x 72"L	144 lbs.	QS-1000013-D	QS-1006013-D
	36"D x 96"L	185 lbs.	QS-1000015-D	QS-1006015-D
EZE Blue 	30"D x 48"L	100 lbs.	QS-1000001-BL	QS-1006001-BL
	30"D x 60"L	125 lbs.	QS-1000002-BL	QS-1006002-BL
	30"D x 72"L	140 lbs.	QS-1000003-BL	QS-1006003-BL
	30"D x 96"L	178 lbs.	QS-1000005-BL	QS-1006005-BL
	36"D x 72"L	144 lbs.	QS-1000013-BL	QS-1006013-BL
	36"D x 96"L	185 lbs.	QS-1000015-BL	QS-1006015-BL


See pages 10 for Instrument Shelves and page 11 for Multi-Task System (MTS) —Versatile "above the worksurface" options.

Options

Drawers and Cabinets		COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none">• Drawers are constructed of a heavy-gauge steel and are equipped with full extension, 100-lb. capacity metal ball bearing drawer slides• May be mounted left or right and stacked for multiple-drawer/cabinet combinations• Safety recessed handles• Locks are optional. Multiple drawers can be keyed alike, upon request.	Sky Blue with White contrast on face of drawer or cabinet 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-D	
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-D	
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-D	
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-D	
		Lock (optional)	1 lb.	QS-1050033	
	EZE Blue (No contrast on face of drawer or cabinet) 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-BL	
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-BL	
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-BL	
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-BL	
		Lock (optional)	1 lb.	QS-1050033	
Electrical Channel  <ul style="list-style-type: none">• Four (4) 15-amp, 60-Hz duplexes, circuit breaker and 8-ft. cord• Electrical channels may be mounted (1) top/rear of worksurface, (2) under shelf front or rear, or (3) top rear of shelf• Engineered and manufactured by IAC to meet rigid UL requirements and are ETL (Electric Testing Lab) approved.	Sky Blue 	48"L Electrical Channel	13 lbs.	QS-1022121-D	
		60"L Electrical Channel	15 lbs.	QS-1022122-D	
		72"L Electrical Channel	17 lbs.	QS-1022123-D	
		96"L Electrical Channel	23 lbs.	QS-1022125-D	
	EZE Blue 	48"L Electrical Channel	13 lbs.	QS-1022121-BL	
		60"L Electrical Channel	15 lbs.	QS-1022122-BL	
		72"L Electrical Channel	17 lbs.	QS-1022123-BL	
		96"L Electrical Channel	23 lbs.	QS-1022125-BL	
Footrest Tube  <ul style="list-style-type: none">• Heavy-duty tubular design• Adjusts front to rear	Bright Zinc (Finish)	48"L Footrest Assembly	4 lbs.	QS-1021501	
		60"L Footrest Assembly	5 lbs.	QS-1021502	
		72"L Footrest Assembly	6 lbs.	QS-1021503	
		96"L Footrest Assembly	9 lbs.	QS-1021505	
Foot Pan  <ul style="list-style-type: none">• Attaches to Footrest Tube• Non-skid surface	Textured Black 	24"L	7 lbs.	QS-1021622	
Slide-Out Universal CPU Holder  <ul style="list-style-type: none">• Safely suspends the CPU beneath the worksurface; Saves valuable workspace• Slide mechanism permits easy access to CPU• Lifts CPU off of floor	Textured Black 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-1021659	
Leg Extender Caster Kit  <ul style="list-style-type: none">• 4 leg extenders per kit• 4 locking wheel casters• With Casters installed, worksurface height begins at 34.25".	Sky Blue 	Leg Extender 4" Caster Kit	18 lbs.	QS-1050509-D	
	EZE Blue 	Leg Extender 4" Caster Kit	18 lbs.	QS-1050509-BL	




Instrument Shelving

If heavy scopes, monitors or other equipment are being used at the workbench, an instrument shelf is a must. Workmaster™ Instrument Shelves **may be added to any Workmaster™ workbench or Pro Series Workstation**. All instrument shelf units are available in lengths to fit any basic, pedestal or cantilever bench.









Instrument Shelf shown with Sky Blue paint and White Laminate. Bench shown with Sky Blue paint and White contrast.

Instrument Shelves

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
 <p>Standard Shelf</p> <p>ESD Shelf</p> <p>Grounding Studs</p> <ul style="list-style-type: none"> Heavy-gauge, formed steel risers clamp onto work surface and attach to underside Access covers detach for installation of optional Riser Electrical Panels Full-length under-shelf channel support beams allow up to 500 lbs. distributed weight on worksurface Shelf is constructed in same manner as worksurface with matching low-glare white laminate and pre-installed threaded inserts ESD includes dual ground studs and 5-ft. coiled ground cord Powder coat paint finish 18"H shelves have a clearance height of 13.75" 21.25"H shelves have a clearance height of 17.5" 	Sky Blue with LoGlare White Laminate Top 	18"H x 15"D x 48"L	65 lbs.	QS-1020001-D	QS-1020101-D
		18"H x 15"D x 60"L	75 lbs.	QS-1020002-D	QS-1020102-D
		18"H x 15"D x 72"L	85 lbs.	QS-1020003-D	QS-1020103-D
		18"H x 15"D x 96"L	105 lbs.	QS-1020005-D	QS-1020105-D
		21.25"H x 15"D x 48"L	65 lbs.	QS-1020091-D	QS-1020191-D
		21.25"H x 15"D x 60"L	75 lbs.	QS-1020092-D	QS-1020192-D
		21.25"H x 15"D x 72"L	85 lbs.	QS-1020093-D	QS-1020193-D
		21.25"H x 15"D x 96"L	105 lbs.	QS-1020095-D	QS-1020195-D
	EZE Blue with LoGlare White Laminate Top 	18"H x 15"D x 48"L	65 lbs.	QS-1020001-BL	QS-1020101-BL
		18"H x 15"D x 60"L	75 lbs.	QS-1020002-BL	QS-1020102-BL
		18"H x 15"D x 72"L	85 lbs.	QS-1020003-BL	QS-1020103-BL
		18"H x 15"D x 96"L	105 lbs.	QS-1020005-BL	QS-1020105-BL
		21.25"H x 15"D x 48"L	65 lbs.	QS-1020091-BL	QS-1020191-BL
		21.25"H x 15"D x 60"L	75 lbs.	QS-1020092-BL	QS-1020192-BL
		21.25"H x 15"D x 72"L	85 lbs.	QS-1020093-BL	QS-1020193-BL
		21.25"H x 15"D x 96"L	105 lbs.	QS-1020095-BL	QS-1020195-BL

Options

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Riser Electrical Panel   <ul style="list-style-type: none"> Four (4) 115v, 15-amp, 60-Hz duplexes with switch and cord; 15-amp pilot light switch/circuit breaker combination Replaces a riser cover on Instrument Shelf – sold individually 	Sky Blue 	Fits 18" Riser Box on Instrument Shelf	10 lbs.	QS-1022161-D
		Fits 21.25" Riser Box on Instrument Shelf	10 lbs.	QS-1022167-D
	EZE Blue 	Fits 18" Riser Box on Instrument Shelf	10 lbs.	QS-1022161-BL
		Fits 21.25" Riser Box on Instrument Shelf	10 lbs.	QS-1022167-BL
Undershelf Light  <ul style="list-style-type: none"> Long-life LEDs with on/off switch mounts under the Instrument Shelf Includes LED tube, wrap-around diffuser, single outlet and 5-ft cord 	White 	36"L; use with 48" Instrument Shelf	2 lbs.	QS-1022325
		48"L; use with 60"L, 72"L or 96"L Instrument Shelf	3 lbs.	QS-1022326

Multi-Task System Upper Structure

The Multi-Task System enables users to configure above-the-worksurface storage and options on an existing workbench. Perfect for upgrading on a budget!

The MTS is available in two models: MTS-I with three uprights for side-by-side shelves and options, and MTS-II with two uprights that allow full width shelves and options. Each twelve-gauge steel, double slotted upright is 48" x 2" wide x 1-7/8" deep. Heavy gauge, steel c-clamp mountings provide secure fastening to the worksurface with heavy duty thru-bolts. MTS upper structures will fit most benches, provided there is a clear 1.5" overhang in the rear.


Drilling and inserting will be required (a template will be supplied). If detailed specifications are required, please consult the factory.






MTS-I models provide three uprights for side-by-side mounting of half-width shelves and optional accessories






MTS-II models feature two uprights that allow full width shelves and optional accessories



MTS-I Upright Structures

 <ul style="list-style-type: none"> • 3 posts provide 2 side-by-side racks • 16 gauge tie beam at top of frame system • Mounts to a 1.25" or 1.75" work surface • Half length options are easy and convenient to adjust from shift-to-shift as needed • Options can be aligned or independently adjusted for maximum flexibility • Double slots allow all options to adjust in 1" increments • Template included with upright package • Retrofits to most other workbenches 	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
	Sky Blue 	60"L 3-Post Frame	50 lbs.	QS-1022532-D
		72"L 3-Post Frame	53 lbs.	QS-1022533-D
		96"L 3-Post Frame	60 lbs.	QS-1022535-D
	EZE Blue 	60"L 3-Post Frame	50 lbs.	QS-1022532-BL
		72"L 3-Post Frame	53 lbs.	QS-1022533-BL
		96"L 3-Post Frame	60 lbs.	QS-1022535-BL

MTS-II Upright Structures

 <ul style="list-style-type: none"> • 2 posts allow full length options • 16 gauge tie beam at top of frame system • Mounts to a 1.25" or 1.75" work surface • Options can be aligned or independently adjusted for maximum flexibility • Double slots allow all options to adjust in 1" increments • Template included with upright package • Retrofits to most other workbenches 	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
	Sky Blue 	48"L 2-Post Frame	48 lbs.	QS-1023131-D
		60"L 2-Post Frame	52 lbs.	QS-1023132-D
		72"L 2-Post Frame	56 lbs.	QS-1023133-D
	EZE Blue 	48"L 2-Post Frame	48 lbs.	QS-1023131-BL
		60"L 2-Post Frame	52 lbs.	QS-1023132-BL
		72"L 2-Post Frame	56 lbs.	QS-1023133-BL

MTS-I Options



3-Upright model



Utility Shelves




- The utility shelf provides off-the-worksurface storage
- ESD shelves are supplied with snap and coiled ground cord
- ESD shelves are topped with White ESD Laminate
- Shelf angle is adjustable from 0°-15° and is formed from 16-gauge steel; shelf lip acts as a parts rail






ESD Laminate Color
White

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBERS	
	BENCH LENGTH	SHELF LENGTH	SHELF DEPTH		STANDARD VERSION	ESD VERSION
Sky Blue 	60"	26"	12"	15 lbs.	QS-1022602-D	QS-1022622-D
	72"	32"	12"	17 lbs.	QS-1022603-D	QS-1022623-D
	96"	44"	12"	23 lbs.	QS-1022605-D	QS-1022625-D
EZE Blue 	60"	26"	12"	15 lbs.	QS-1022602-BL	QS-1022622-BL
	72"	32"	12"	17 lbs.	QS-1022603-BL	QS-1022623-BL
	96"	44"	12"	23 lbs.	QS-1022605-BL	QS-1022625-BL

Multi Bin Panel





- 18-gauge bin panel is welded to 14-gauge brackets
- 6 rails per section
- Accepts industry standard parts bins; ideal for stacking when a large number of bins are used
- 6 inch height

COLOR	DIMENSIONS		SHIP. WT.	PART NUMBER
	BENCH LENGTH	RAIL LENGTH		
Sky Blue 	60"	28"	15 lbs.	QS-1022722-D
	72"	34"	18 lbs.	QS-1022723-D
	96"	46"	20 lbs.	QS-1022725-D
EZE Blue 	60"	28"	15 lbs.	QS-1022722-BL
	72"	34"	18 lbs.	QS-1022723-BL
	96"	46"	20 lbs.	QS-1022725-BL
ESD Black 	60"	28"	15 lbs.	QS-1022732
	72"	34"	18 lbs.	QS-1022733
	96"	46"	20 lbs.	QS-1022735

Electrical Channel



- The MTS Electrical Channel is mounted to 14-gauge brackets and can be positioned where electrical access is needed: at the worksurface, above or below shelves for test equipment, etc., or anywhere along the uprights
- Includes an 8-ft. molded power cord and a 15-amp circuit breaker; wired for 15-amp, 120-volt AC; meets UL requirements and is ETL approved

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBER
	BENCH LENGTH	CHANNEL LENGTH	NO. OF OUTLETS		
Sky Blue 	60"	28"	6	12 lbs.	QS-1022742-D
	72"	34"	6	13 lbs.	QS-1022743-D
	96"	46"	8	15 lbs.	QS-1022745-D
EZE Blue 	60"	28"	6	12 lbs.	QS-1022742-BL
	72"	34"	6	13 lbs.	QS-1022743-BL
	96"	46"	8	15 lbs.	QS-1022745-BL

MTS-II Options





2-Upright model

Utility Shelves



- The utility shelf provides off-the-worksurface storage
- ESD shelves are supplied with snap and coiled ground cord
- ESD shelves are topped with White ESD Laminate
- Shelf angle is adjustable from 0°-15° and is formed from 16-gauge steel; shelf lip acts as a parts rail




ESD Laminate Color
White

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBERS	
	BENCH LENGTH	SHELF LENGTH	SHELF DEPTH		STANDARD VERSION	ESD VERSION
Sky Blue 	48"	43.5"	12"	23 lbs.	QS-1023201-D	QS-1023221-D
	60"	55.75"	12"	23 lbs.	QS-1023202-D	QS-1023222-D
	72"	67.75"	12"	27 lbs.	QS-1023203-D	QS-1023223-D
EZE Blue 	48"	43.5"	12"	23 lbs.	QS-1023201-BL	QS-1023221-BL
	60"	55.75"	12"	23 lbs.	QS-1023202-BL	QS-1023222-BL
	72"	67.75"	12"	27 lbs.	QS-1023203-BL	QS-1023223-BL


Multi Bin Panel





- 18-gauge bin panel is welded to 14-gauge brackets
- 6 rails per section
- Accepts industry standard parts bins; ideal for stacking when a large number of bins are used
- 6 inch height

COLOR	DIMENSIONS		SHIP. WT.	PART NUMBER
	BENCH LENGTH	RAIL LENGTH		
Sky Blue 	48"	45"	20 lbs.	QS-1023321-D
	60"	57"	25 lbs.	QS-1023322-D
	72"	69"	30 lbs.	QS-1023323-D
EZE Blue 	48"	45"	20 lbs.	QS-1023321-BL
	60"	57"	25 lbs.	QS-1023322-BL
	72"	69"	30 lbs.	QS-1023323-BL
ESD Black 	48"	45"	21 lbs.	QS-1023331
	60"	57"	26 lbs.	QS-1023332
	72"	69"	31 lbs.	QS-1023333

Electrical Channel
















- The MTS Electrical Channel is mounted to 14-gauge brackets and can be positioned where electrical access is needed: at the worksurface, above or below shelves for test equipment, etc., or anywhere along the uprights
- Includes an 8-ft. molded power cord and a 15-amp circuit breaker; wired for 15-amp, 120-volt AC; meets UL requirements and is ETL approved

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBER
	BENCH LENGTH	CHANNEL LENGTH	NO. OF OUTLETS		
Sky Blue 	48"	45.5"	8	15 lbs.	QS-1023341-D
	60"	57.5"	10	15 lbs.	QS-1023342-D
	72"	69.5"	10	15 lbs.	QS-1023343-D
EZE Blue 	48"	45.5"	8	15 lbs.	QS-1023341-BL
	60"	57.5"	10	15 lbs.	QS-1023342-BL
	72"	69.5"	10	15 lbs.	QS-1023343-BL

See next page for additional MTS-I and MTS-II options.

Common Options – MTS-I & MTS-II

		COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Top Mount Utilities  <p>Econo Light</p> <ul style="list-style-type: none"> Accepts two (2) T8 Tube lights (not included) 48" light mounted to a 48", 60", 72" or 96" support structure On/off switch in an 8-ft. power cord Brackets and supports are painted per color choices at right. Light fixture is painted white. <p>Tool Trolley</p> <ul style="list-style-type: none"> Mounts to Econo Light support brackets <p>Tool Trolley with Mounting Brackets</p> <ul style="list-style-type: none"> Includes brackets and supports For use without the Econo Light 		Sky Blue 	48"L Econo Light	33 lbs.	QS-1022971-D
			60"L Econo Light	35 lbs.	QS-1022972-D
			72"L Econo Light	40 lbs.	QS-1022973-D
			96"L Econo Light	48 lbs.	QS-1022975-D
		EZE Blue 	48"L Econo Light	33 lbs.	QS-1022971-BL
			60"L Econo Light	35 lbs.	QS-1022972-BL
			72"L Econo Light	40 lbs.	QS-1022973-BL
			96"L Econo Light	48 lbs.	QS-1022975-BL
		Textured Black 	48"L Tool Trolley	15 lbs.	QS-1022796
			60"L Tool Trolley	15 lbs.	QS-1022792
			72"L Tool Trolley	18 lbs.	QS-1022793
			96"L Tool Trolley	25 lbs.	QS-1022795
		Textured Black 	48"L Tool Trolley with Brackets	12 lbs.	QS-1022806
			60"L Tool Trolley with Brackets	12 lbs.	QS-1022802
			72"L Tool Trolley with Brackets	15 lbs.	QS-1022803
			96"L Tool Trolley with Brackets	22 lbs.	QS-1022805
CRT Platform and Keyboard Holder  <p>CRT Platform</p> <ul style="list-style-type: none"> Swing arm allows wide range of monitor locations Uses Grip-Tite 12-gauge bracket; adjusts on the inside or outside slot of upright Weight Capacity: 25 lbs. <p>Keyboard Holder</p> <ul style="list-style-type: none"> Attaches to bottom of CRT Platform (above) Adjustable front to rear Weight Capacity: 5 lbs. 		Laminate: LoGlare White 	CRT Platform 15" x 15" x 1.25" thick	20 lbs.	QS-1022911
		Textured Black 	Keyboard Holder 18"W x 9-1/4" x 2-3/4"H (useable area)	3 lbs.	QS-2012633
Flat Panel Display Arm and Keyboard/Mouse Holder  <p>Flat Panel Display Arm</p> <ul style="list-style-type: none"> Provides positioning in two planes for optimum viewing angles Universal display mount complies with VESA MIS-D 100/75mm interface standards <p>Keyboard/Mouse Holder</p> <ul style="list-style-type: none"> This keyboard holder mounts to the Flat Panel Display Arm shown above. It adjusts up and down and includes comfortable angle adjustment. Tray is supplied with a mat to secure both the keyboard and mouse. 		Textured Black 	Flat Panel Display Arm 26" Fully Extended	18 lbs.	QS-1022912
		Textured Black 	Keyboard/Mouse Holder 22"W x 8.5"D (keyboard tray)	10 lbs.	QS-1022918
Swing Arm Pegboard  <ul style="list-style-type: none"> Accepts standard pegboard pegs Organizes hand tools and other accessories 		Textured Black 	16"W x 16"H with lip	20 lbs.	QS-1012629

Quick Value 4-Leg Workbench

IAC's Quick Value 4-Leg Workbenches are an inexpensive way for you to purchase an IAC product at an economic price; easy to assemble and versatile enough for any application, maintaining the quality you expect from IAC. Whether you need a basic bench or an option-loaded technician's or lab bench, our Quick Value 4-Leg Workbench is perfect for any application.




Basic Bench shown with Instrument Shelf options



Basic Bench



Basic Bench shown with Quick Value Uprights (page 16)



Base Workbench

Standard Bench ESD Bench Bare Bench

- Surfaces are 1 inch thick and 45 PSI density, industrial grade particle board. Available as Bare (No Laminate) or Standard and ESD Laminates with T-Mold Edges (laminated back edge for accessory options)
- 1500-lb. load capacity when evenly distributed
- Fixed height of 30 inches with available options to purchase leg extenders for additional height purposes
- Powder coat finished with Sky Blue Texture
- Assembly instructions and hole pattern templates are provided for easy assembly and add-on accessory options
- Footrest options available
- ESD option includes a single ground stud and a 10-ft. ground cord








WORKSURFACE	DIMENSIONS	SHIP. WT.	PART NUMBERS
Standard Laminate	30"D x 60"L	125 lbs.	QV-1004002-DT
	30"D x 72"L	140 lbs.	QV-1004003-DT
	36"D x 72"L	144 lbs.	QV-1004013-DT
ESD Laminate	30"D x 60"L	125 lbs.	QV-1014002-DT
	30"D x 72"L	140 lbs.	QV-1014003-DT
	36"D x 72"L	144 lbs.	QV-1014013-DT
Bare Particle Board	30"D x 60"L	125 lbs.	QV-1004022-DT
	30"D x 72"L	140 lbs.	QV-1004023-DT
	36"D x 72"L	144 lbs.	QV-1004033-DT

Instrument Shelf








- 1 inch thick laminated top surface and laminated edges
- Frame construction is made of heavy-gauge powder coat finished steel
- Delivered with included hardware and template to secure to top surface of bench
- Top Surface full-length under-shelf channel support beams allow a weight load capacity of 250 lbs. evenly distributed
- ESD option includes a single ground stud and a 10-ft ground cord

LAMINATE	DIMENSIONS	SHIP. WT.	PART NUMBERS
Standard Laminate	15"D x 18"H x 60"L	75 lbs.	QV-1022002-DT
	15"D x 18"H x 72"L	85 lbs.	QV-1022003-DT
ESD Laminate	15"D x 18"H x 60"L	75 lbs.	QV-1022022-DT
	15"D x 18"H x 72"L	85 lbs.	QV-1022023-DT

Uprights

Quick Value 4-Leg Bench Uprights		DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none"> • 48 inch frame-mounted with included hardware and mounting template exclusively for the Quick Value 4-Leg Workbench • Uprights are constructed of 1-5/8 inches of heavy-duty square channel steel with 250-lb. load capacity when evenly distributed • Powder coat finished with Sky Blue Texture 		Unistrut Upright 48" High	18 lbs.	QV-08713-0001-DT
		Shelf - 6"H x 12"D x 60"L	25 lbs.	QV-01264-1260-DT
		Shelf - 6"H x 12"D x 72"L	30 lbs.	QV-01264-1272-DT
 <p>Upper Shelf:</p> <ul style="list-style-type: none"> • Requires Quick Value 4-Leg Workbench Uprights • Mount to uprights with provided brackets that double as shelf book ends • Weight capacity is 100 lbs., evenly distributed • Powder coat finished with Sky Blue Texture <p>Upper Shelf Divider:</p> <ul style="list-style-type: none"> • Requires Quick Value Upper Shelf • Order up to nine (9) dividers per shelf 		Divider - 6"H x 12"D	2 lbs.	QV-08402-0612-DT
 <ul style="list-style-type: none"> • Requires Quick Value 4-Leg Workbench Uprights • Hardware is included with the light • Includes an on/off switch located on the 8-ft power cord • The prismatic diffuser offers the widest angle of light diffusion • Accepts two (2) energy-efficient fluorescent tubes (not included) 		60"L Light Fixture	35 lbs.	QV-1004922
		72"L Light Fixture	40 lbs.	QV-1004923
 <ul style="list-style-type: none"> • Requires Quick Value 4-Leg Workbench Uprights • Mount to uprights with provided brackets that double as shelf book ends • Weight capacity is 100 lbs., evenly distributed • Powder coat finished with Sky Blue Texture 		60"L	12 lbs.	QV-01620-1660-DT
		72"L	15 lbs.	QV-01620-1672-DT
 <ul style="list-style-type: none"> • Requires Quick Value 4-Leg Workbench Uprights • Expands the full width of bench and accepts industry standard parts cups 		60"L	10 lbs.	QV-1004952
		72"L	14 lbs.	QV-1004953
 <p>Quick Value Flat Panel Display:</p> <ul style="list-style-type: none"> • Requires Quick Value 4-Leg Workbench Uprights • Provides positioning in two planes for optimum viewing angles • Universal display mount complies with VESA MIS-D 100/75mm interface standards <p>Quick Value Keyboard/Mouse Holder:</p> <ul style="list-style-type: none"> • Combines/mounts with Flat Panel Display Arm • The Keyboard/Mouse Holder adjusts up and down and includes comfortable angle adjustment 		Flat Panel Display Arm - 26" Fully Extended	18 lbs.	QV-1004902
		Keyboard/Mouse Holder - 22"W x 8.5"D (keyboard tray)	10 lbs.	QV-1004903
 <ul style="list-style-type: none"> • Requires Quick Value 4-Leg Workbench Uprights • Swing Arm pivots at bracket and at pan for maximum positioning options • Can be positioned anywhere up and down the uprights 		12"W x 14"H Document Holder	15 lbs.	QV-1004905

Options

Quick Value Electrical Channel		DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none">• 48 inches in length with eight 15 amp (8) Power outlets and a 6 foot cord• Constructed of eight (8) gauge Aluminum• Meets UL 1363 standards and are CSA approved	Electrical Channel 48”L 15 AMP	15 lbs.	QV-1004917	
Quick Value Drawers				
 <ul style="list-style-type: none">• Constructed of a heavy-gauge steel and are equipped with full extension• 100-lb. capacity metal ball bearing drawer slides• Safety recessed handles with locks• Multiple drawers can be keyed alike upon request• Mounting brackets and necessary hardware are included• Drawers may be mounted left or right and stacked for multiple drawer combinations	6”H X 15”W X 18”D Single Drawer	30 lbs.	QV-1050002-DT	
	12”H X 15”W X 18”D Single Drawer	35 lbs.	QV-1050004-DT	
Quick Value Lower Shelf				
 <p>Lower Shelf:</p> <ul style="list-style-type: none">• Mounts to bench legs• 22-inches deep; spans length of bench• Pre-drilled for up to six (6) shelf dividers• Finished in powder coat paint <p>Lower Shelf Divider:</p> <ul style="list-style-type: none">• 13-inches tall; 18-inches deep• Finished with powder coat paint• Order up to 6 dividers per shelf	Shelf - 30”D x 60”L	36 lbs.	QV-1021551-DT	
	Shelf - 30”D x 72”L	42 lbs.	QV-1021552-DT	
	Shelf - 36”D x 72”L	44 lbs.	QV-1021554-DT	
	Divider - 13”H x 18”D	4 lbs.	QV-08402-1318-DT	
Quick Value Footrest				
 <ul style="list-style-type: none">• Brackets are painted to selected choice and the footrest has a silver finish• Non-Skid tape along the top side of the footrest for foot security• Footrest has a Heavy Duty Tubular Design and adjusts front to rear• Hardware for easy installation is included	30”D x 60”L	5 lbs.	QV - 1021532-DT	
	30”D x 72”L	6 lbs.	QV - 1021533-DT	
	36”D x 72”L	6 lbs.	QV - 1021538-DT	
Quick Value Lower Paper Roll Holder				
 <ul style="list-style-type: none">• Overall weight capacity is approximately 50 lbs. when evenly distributed• Roll holder accommodates a roll diameter of 13 inches; 27 inches with addition of Leg Extenders or Casters – depending on the worksurface height setting• This accessory item is not compatible with the addition of a lower shelf	30”D x 60”L	20 lbs.	QV-1021541-DT	
	30”D x 72”L	25 lbs.	QV-1021542-DT	
	36”D x 72”L	27 lbs.	QV-1021544-DT	
Quick Value Leg Extender Kit				
 <ul style="list-style-type: none">• Provide height adjustability• Adjustable from 30 inches to 36 inches in 2-inch increments• 4 leg extenders per kit	Adjusts bench 30”H–36”H	15 lbs.	QV-1004099-DT	
Quick Value Leg Extender Caster Kit				
 <ul style="list-style-type: none">• Provides mobility and height adjustability• 4 leg extenders per kit• 4 swivel brake casters	Leg Extender 3” Caster Kit	30 lbs.	QV-1004089-DT	

General Purpose Options



The IAC Options featured on this page are useable in association with a wide range of workstations or workbenches, including those made by other companies.

- Free Standing Footrest adds comfort to any workstation or desk.
- Bin Rail accessories will attach to any standard bin rail.
- ESD accessories are suitable for any ESD protected worksurface.

General Options

Free Standing Footrest	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none"> • Independent adjustments for foot pan height and angle • Heavy-gauge steel base with non-skid rubber floor glides on base and non-slip V-ribbed black rubber surface on foot pan • Rounded safety corners 	Textured Black 	8-1/2"H x 29"W x 15"D	25 lbs.	QS-2012159
Tool Holder  <ul style="list-style-type: none"> • Holds pliers, screwdrivers and other tools • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	2-1/2"H x 10-1/2"W x 3-1/2"D	3 lbs.	QS-2012646
Solder Spool Holder  <ul style="list-style-type: none"> • Hold 1-lb. spools of wire solder • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	3"H x 3"W x 2"D – Single	2 lbs.	QS-2012608
		3"H x 6"W x 2"D – Double	2 lbs.	QS-2012609
Kimwipe® Holder  <ul style="list-style-type: none"> • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	3"H x 4"W x 4-3/4"D	3 lbs.	QS-2012641
Bottle Holder  <ul style="list-style-type: none"> • Holds solvent and flux bottles • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	2"H x 4 -3/4"W x 4-3/4"D	3 lbs.	QS-2012643

ESD Options

Personal Ground Block	DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none"> • Attaches to worksurface and is connected to ESD grounding lug on worksurface • Provides two banana jacks for personal grounding devices • Includes ground cord 	1/2"H x 1-1/8"W x 2-1/2"D	1 lbs.	QS-6-6A
Personal Grounding Kit  <ul style="list-style-type: none"> • Includes Ground Block, plus wrist strap and ground cord 	5-16"H x 1"W x 1-1/4"D	1 lbs.	QS-PGK

Terms and Conditions

Orders placed directly with the factory are due and payable net 30 days. The F.O.B. point is our factory in Goodyear, Arizona, and shipments are freight collect or 3rd party billing. The minimum order amount is \$100.00 net, and all cancelled orders are subject to a cancellation charge of up to 25% of the original order amount.

"Quick Ship" five-to-ten-day shipments will ship on or before the 10th working day ARO. Change orders received after 48 hours will not be accepted on five-day shipment orders. Quick Ship is subject to availability.

Shipment

In order to achieve the most economical cost for the transportation of your work stations, the product is shipped K.D.F. (knocked down freight), which means that it will arrive disassembled and palletized ready for assembly.

Damage in Transit

For your protection, examine each shipment carefully for external damage. If there is any evidence of damage or shortage in transit, insist that the delivery carrier make appropriate notation on the freight bill before you sign anything. If, after receipt, any internal (or concealed) damage is discovered, immediately notify the carrier and request an inspection report to support your claim. Claims for damage or shortage in transit must be filed with the delivery carrier. IAC industries will not accept any return of merchandise that has been damaged in transit.

YOUR RECOURSE IS WITH THE DELIVERY CARRIER.

Packaging

Our packaging does not contain ODC's.

Freight Policy

See our full Packing Information and Freight Policy at <https://www.iacindustries.com/customer-resources/freight-claims.asp>.

Return Merchandise

No goods are to be returned to IAC Industries without written factory authorization. A handling charge of 25% or \$50.00, whichever is greater, will be charged on all merchandise returned.

Specifications

IAC Industries reserves the right to make changes at any time, without notice, in color, prices, materials, equipment, specifications, and models. Although every effort has been made to insure the accuracy of all information contained in this brochure, IAC Industries cannot be held responsible for any omissions or errors in printing. Please check with your local IAC representative, or contact the factory direct, for the most complete and up-to-date information before ordering.

Warranty

IAC Industries' products are warranted to the original user to be free from defects in design, material and workmanship, given normal use and care, for a period of ten (10) years of single shift service, from the date of purchase.

With the exceptions noted below, IAC Industries, at its option, will repair or replace any product or part thereof which fails as a result of such a defect during the following warranty periods. (Pro-rated for multi-shift use.)

All IAC Industries' products (except as noted)	Ten years		
Operating components, functional mechanisms, high-wear parts such as chair pneumatic cylinders and casters.	Five years	Wood or wood/metal framed products	Two years
Textiles, covering materials, foam, finishes, exposed wood, fabrics, laminates, electrical components, and bench height adjustment cylinders and components	One year		
Exclusion — HEPA filters (all HEPA filters are inspected, installed, and tested at the factory and are certified to meet Federal Standard 209E).			

This warranty is limited to the replacement and/or repair only, of such defective part(s) authorized in writing to be returned to IAC Industries with transportation charges and costs prepaid by the purchaser, and provided that examination by IAC Industries discloses such defect. In no way shall IAC Industries be responsible for any damage caused by the carrier, abuse, negligence, misuse, user modifications, or customer's material. IAC Industries does not warrant the matching of color, grain, or texture.

Options, component parts, and laminates not manufactured by IAC Industries are warranted only to the extent of the original manufacturer's warranty.

IAC Industries will not accept unauthorized charges for expenses (i.e. labor and freight) incurred by the customer. Products which have been repaired or altered by anyone other than IAC Industries; or without IAC Industries' written authorization; or in IAC Industries' judgment have been subject to misuse, neglect, or accident; or use outside specifications by purchases; or others are excluded from this warranty.

This warranty is in lieu of any other expressed or implied warranty, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligations or liability on the part of IAC Industries.



Quick Ship Work Center Solutions

Go from “basic” to “fully loaded” in just days...
with our full complement of options!

Build any of these Quick Ship products online with
our convenient online configurators.

www.IACindustries.com/Configurator



3831 S. Bullard Avenue • Goodyear, AZ • 85338

Tel 714.990.8997 • Fax 714.990.0557

www.iacindustries.com

