# **TECHNICAL DATA**





# **BA40 SPECIALIST SOLVENT**

#### WATER SOLUBLE SOLVENT

BA40 is a powerful solvent developed specifically for the demands of the aviation industry for a cleaner to remove uncured polysulphide sealant. Powerful solvent for excellent penetration but with rapid evaporation for maximum efficiency, also removes other stubborn resudies such as: adhesives, inks, resins, varnishes and lacquers. The low pressure spray provides even coverage and prevents splashback in use, zero residue.

BA40 Solvent contains no CFCs or other chlorinated solvents and is an ideal alternative to 1,1,1 Trichloroethane.



Cleaners



Aerospace Approval

#### **PRODUCT CODES / FILL SIZES**



### **APPLICATIONS**

Suitable for use in the Aviation, Printing and Engineering industries. A highly effective cleaning solvent for the removal of numerous types of soiling, including:

- Uncured Polysulphides
- Varnishes

Adhesives

Lacquers

• Inks

• Some Rubbers

Resins

#### **DIRECTIONS**

- May affect certain plastics. Always test a small, inconspicuous area before general use.
- Ensure electrical equipment is switched off before cleaning.
- Evaporates quickly to leave a clean, dry surface.

# **TECHNICAL DATA**



### **TECHNICAL DATA (WITHOUT PROPELLANT)**

| Appearance            | Clear, colourless liquid                                       |
|-----------------------|--|
| Odour                 | Strong solvent odour   |
| SG @ 25°C             | 0.78   |
| Pressure @ 25°C       | 6 Bar  |
| Discharge rate        | 2 g/sec  |
| Initial boiling point | 56°C   |
| Evaporation rate      | 7.7 (with respect to Butyl Acetate)                            |
| Solubility            | Soluble in solvents and water                                  |
| Flammability          | Classified as extremely flammable under current EC Regulations |
| Flashpoint            | Not applicable in sealed aerosol                               |

### **MATERIALS COMPATIBILITY**

OK

**CAUTION** May affect certain plastics. Always test a small, inconspicuous area before general use

**NOT OK** 

## **STORAGE & SHELF LIFE**

The product may be stored at normal ambient temperatures and has a shelf life of not less than 6 years with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

### **HEALTH AND SAFETY**

A separate Safety Data Sheet (SDS) according to EC Regulation 73/404/EEC and 648/2004/EC is available from Ambersil.com or via info.uk@crcind.com

#### **MISREPRESENTATION ACT 1967**

#### **TRADE DESCRIPTIONS ACT 1968**

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

CRC Industries UK Ltd. Wylds Road, Bridgwater Somerset, TA6 4DD United Kingdom

Company Registered No. 04910479

t +44 (0)1278 727200

**f** +44 (0)1278 425644

e sales.uk@crcind.com

w www.ambersil.com

VAT No. GB 821 5195 42





Created: July 2019

Quality