

RoHS  
Compliant



## Features

- 500V DC automotive fuse
- Rated Current: 20A to 50A
- Rated Breaking Capacity: 20kA
- Time Constant: 1ms to 3ms
- Dimensions: 10mm × 38mm
- General purpose fuse for EV/HEV auxiliary protection
- Ref. to UL 248-20; ISO 8820-8; GB/T 31465.6
- Approval: TÜV and UL
- Recommended fuse holder: BH114


## Electrical Characteristics

Part Number	Rated Current (A)	Rated Voltage	Breaking capacity
MP006263	20A	500V DC	20kA @ 500V DC
MP006264	30A		
MP006265	50A		

## Time Vs Current Characteristic


Rated Current	110%	135%	150%	200%	300%	500%
20A to 50A	>4 h	150s - 1h	10-1000s	0.5-100s	0.1-15s	0.05-1 s

## Diagram



Dimensions : Millimetres

## Time Current Curve



## Part Number Table

Description	Part Number
Automotive EV Fuse, 20A, 500V DC, Stud Mount	MP006263
Automotive EV Fuse, 23A, 500V DC, Stud Mount	MP006264
Automotive EV Fuse, 50A, 500V DC, Stud Mount	MP006265

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.