IEC Inlet Class1, 2.5A

multicomp PRO



Specifications:

Rating : 2.5A at 250V AC

Insulation Resistance : More than $100M\Omega$ at 500V DC Dielectric Strength : 2,000V AC/minute

Operating Temperature : -25°C to +85°C

Soldering : 280° for 3Sec

Force Necessary to Insert and
Withdraw the Connector 1kg to 5kg

Gender : Plug
Connector Mounting : Panel

Contact Termination : Through Hole Right Angle


Connector Type : IEC


Contact Plating : Tin

No. of Outlets : 1

Termination Method : Solder

Diagram







Dimensions:	Millimetres

No.	Description	Material	Note	Finish
1	Body	Nylon 66	94V-2	+Resin Glass 15%
2	Cover			
3	Mandrel	Bsp1 - 1/2H	ф3.15	
4			ф2.35	Tin Plated
5	Tamain al		t = 0.6	TIN Plated
6	Terminal			

Part Number Table

Description:	Part Number
Inlet, Iec, Class1, 2.5A	JR-307[PCA]

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

