


**RoHS
Compliant**




Specifications:

Current Rating : 5A AC/DC
 Voltage Rating : 250V AC/DC
 Contact Resistance : 10mΩ Max.
 Insulation Resistance : 1,000MΩ Min.
 Withstanding Voltage : 1,500V AC/Minute
 Operating Temperature Range : -25°C to +105°C

Material and Finish:

Insulator : Nylon 66
 Insulation Colour : Black
 Contact : Phosphor Bronze
 Finish : Tin Plated
 Mating With : 5560T terminal

Diagram



Number of Position	A	B
10	12	15.85

Dimensions : Millimetres

Accessories - Crimp Socket



Specifications

Material : Phosphor Bronze
 Thickness : 0.2mm
 Applicable Wire : 20AWG to 24AWG
 Plating : Tin Plated

Accessories - Crimp Pin



Specifications

Current Rating	: 5A AC/DC
Voltage Rating	: 250V AC/DC
Max. Contact Resistance	: 10mΩ
Wire Range	: 20AWG to 24AWG
Max. Insulation O.D	: 1.85mm

Material and Finish:

Contact	: Phosphor Bronze
Plating	: Tin Plated

Part Number Table

Description	Part Number
Receptacle, 10 pos, 3mm Pin & Socket Connectors	MC34591
Crimp Pin, 20 AWG, Tin Plated Contact	2261(5561)T
Crimp Socket, 20 AWG, Tin Plated Contact	2260(5560)T

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.