KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2021

Version number 5

Revision: 22.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: Plastic Cleaner 3in1 RM 613
- UFI: TY30-F0HC-C00T-8J90
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture High pressure cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-2548 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 - Skin Irrit. 2 H315 Causes skin irritation.
 - Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

according to 1907/2006/EC, Article 31


Printing date 05.02.2021

KARCHER

Version number 5

Revision: 22.01.2020

Trade name: Plastic Cleaner 3in1 RM 613



· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Cleaning agent

· Dangerous components: CAS: 121617-08-1 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, ≥1-<2.5% EC number: 939-464-2 compounds with triethanolamine Reg.nr.: 01-2119971970-28-0001 Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 50 % Skin Irrit. 2; H315: 1 % ≤ C < 50 % · Regulation (EC) No 648/2004 on detergents / Labelling for contents anionic surfactants, non-ionic surfactants, preservation agents (PHENOXYETHANOL, <5% BENZISOTHIAZOLINONE (< 0,005%)) perfumes (LIMONENE) • Additional information For the wording of the listed hazard phrases refer to section 16. GB

(Contd. on page 3)

KARCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2021

Version number 5

Revision: 22.01.2020

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

(Contd. on page 4)

GB

according to 1907/2006/EC, Article 31

Printing date 05.02.2021

Version number 5

Revision: 22.01.2020

(Contd. of page 3)

Trade name: Plastic Cleaner 3in1 RM 613

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· Information about fire - and explosion protection: No special measures required.

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.

The product does not contain any relevant quantities of materials with critical values that have to be monitored

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Respiratory protection:


In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not necessary if room is well-ventilated.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

GB





according to 1907/2006/EC, Article 31

Printing date 05.02.2021

KÄRCHER

Version number 5

Revision: 22.01.2020

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical prope	erties
· 9.1 Information on basic physical and chemi	cal properties
· General Information	• •
· Physical state	Fluid
· Colour:	Orange
· Odour:	citrus-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling	
range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH at 20 °C	6.8
· pH-value 1 %:	7.4
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	390 mPas
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.008 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

(Contd. on page 6)

⁻ GB -

according to 1907/2006/EC, Article 31

Printing date 05.02.2021

KARCHER

Version number 5

Revision: 22.01.2020

Trade name: Plastic Cleaner 3in1 RM 613

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of h	ealth
and environment, and on safety.	
Ignition temperature:	not applicable
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0.6 %
VOC (EC)	0.14 %
Solids content:	3.9 %
Change in condition	
Evaporation rate	Not determined.
Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void Void Void Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
	volu

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.

according to 1907/2006/EC, Article 31

Printing date 05.02.2021

Version number 5

Revision: 22.01.2020

(Contd. of page 6)

Trade name: Plastic Cleaner 3in1 RM 613

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

121617-08-1 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with triethanolamine

Oral LD50 2,925 mg/kg (Rat) (OECD 401)

· Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity	
121617-08-1 Benz	enesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with triethanolamine
LC50/96 h	>1-10 mg/l (Brachydanio rerio) (OECD 203)
EC50/48 h (static)	>10-100 mg/l (Daphnia magna) (OECD 202)
EC50/72 h (static)	>10-100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC10/18 h	50 mg/l (Pseudomonas putida) (Wachstumshemmung; Bringmann & Kühn)
NOEC	2.8 mg/l (Daphnia magna) (OECD TG 202, Zeil 2)
	1 mg/l (Lepomis macrochirus)

• 12.2 Persistence and degradability No further relevant information available.

· Other information: The product is biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available.

- GB



according to 1907/2006/EC, Article 31

Printing date 05.02.2021

KÄRCHER

Version number 5

Revision: 22.01.2020

(Contd. of page 7)

Trade name: Plastic Cleaner 3in1 RM 613

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 34000 mg/l

· General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

Uncleaned packaging:

· Recommendation:

Packaging may be reused or recycled after cleaning.

Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport informatic	on	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
		(Contd. on page 9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2021

Version number 5

Revision: 22.01.2020

Trade name: Plastic Cleaner 3in1 RM 613

	(Contd. of p
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accord	ing to
IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	The classification of the mixture is generally based on the calculation
Serious eye damage/eye irritation	method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 10)

according to 1907/2006/EC, Article 31

Printing date 05.02.2021

KÄRCHER

Version number 5

Revision: 22.01.2020

Trade name: Plastic Cleaner 3in1 RM 613

		(Contd. of	page
Department issuing	SDS: CSD-D		
Contact:			
Department CSD-D			
Tel.: +49-7195-14-2548			
productsafety.managem	ent@de kaercher.com		
Version number of p			
Abbreviations and a			
	-	euses par Route (European Agreement concerning the International Car	riage
IMDG: International Maritime C	ode for Dangerous Goods		
IATA: International Air Transpo			
	tem of Classification and Labelling		
	f Existing Commercial Chemical Su	lbstances	
ELINCS: European List of Notif	ice (division of the American Chemi	ical Society)	
VOC: Volatile Organic Compou		ical Society)	
LC50: Lethal concentration, 50			
LD50: Lethal dose, 50 percent	percent		
PBT: Persistent, Bioaccumulati	ve and Toxic		
vPvB: very Persistent and very	Bioaccumulative		
Skin Corr. 1C: Skin corrosion/ir	ritation – Category 1C		
Skin Irrit. 2: Skin corrosion/irrita	tion – Category 2		
Eye Dam. 1: Serious eye dama			
Eye Irrit. 2: Serious eye damage			
	to the aquatic environment - long-te		
* Data compared to t	he previous version alt	iered.	
0.011-378.0	RM 613/5	2.283	