

# Product Notification Form


<b>PCN #:</b> PCN21-0021	<b>Rev:</b> 1.0	<b>Issue Date:</b> March 18, 2021
--------------------------	-----------------	-----------------------------------

**Reason for Notification:** Transport packaging change  
 minor /  major

**Detailed Description:**

Swissbit will introduce a new transport packaging tray for the M.2 form factor based product series. The new tray design has been improved for higher stability and product protection. There are **no** changes to the product itself (form, fit and function).

**Packaging M.2 2242**

	<b>Current tray packaging</b>	<b>New transport packaging</b>
		
		
		
Tray material	PET; transparent	PS; black
ESD safe	Yes, applied coating	Yes, permanent
Tray quantity	24 pcs ( 6x4 )	24 pcs (6x4)
Tray dimens.	136 x 323 mm	136 x 323 mm
Box quantity	20 trays x 24 pcs = 480 pcs (max.)	9 trays x 24 pcs = 216 pcs (max.)



Product Notification Form

Packaging M.2 2260

	Current tray packaging	New transport packaging
	 	 
Tray material	PET; transparent	PS; black
ESD safe	Yes, applied coating	Yes, permanent
Tray quantity	16 pcs ( 4x4 )	16 pcs (4x4)
Tray dimens.	136 x 323 mm	136 x 323 mm
Box quantity	19 trays x 16 pcs = 304 pcs (max.)	9 trays x 16 pcs = 144 pcs (max.)

Product Notification Form

Packaging M.2 2280

	Current tray packaging	New transport packaging
		
		
		
Tray material	PET; transparent	PS; black
ESD safe	Yes, applied coating	Yes, permanent
Tray quantity	12 pcs ( 4x3 )	12 pcs (4x3)
Tray dimens.	136 x 323 mm	136 x 323 mm
Box quantity	20 trays x 12 pcs = 240 pcs (max.)	9 trays x 12 pcs = 108 pcs (max.)

Quality impact:     minor /  major /  no

Reliability impact:     minor /  major /  no

## Product Notification Form

Products affected:		
Series	Part Number	New Part Number
X-600m2 / X-60m2 / X-66m2	SFSAddddMxAxT0-t-xx-xxx-xxx	No change, traceability over lot code
X-75m2 / X-76m2	SFSAddddMxAkxT0-t-xx-xxx-xxx	
X-80m2 / X-86m2	SFSAddddMxA0xT0-t-xx-xxx-xxx	
U-500m2 / U-56m2	SFU3dddMxAExT0-t-xx-xxx-xxx	
N-10m2 / N-16m2	SFPCdddMxAGxT0-t-xx-xxx-xxx	
N-12m2	SFPCdddMxAJxT0-t-xx-xxx-xxx	
N-20m2 / N-26m2	SFPCdddMxECxxx-t-xx-xxx-xxx SFPCdddMxEBxxx-t-xx-xxx-xxx	
d = drive capacity; t = temperature grade C or I; x = configuration and options		
<b>Implementation date:</b> Starting September 2021, floating transition based on stock		
<b>Recommended action:</b> No action required		
<p>Should you have any questions or concerns with the content of this change, please contact the Swissbit PCN team at <a href="mailto:customer.pcn@swissbit.com">customer.pcn@swissbit.com</a> within 30 days. No response will be deemed as customer's acceptance of the change and the change will be implemented pursuant to the implementation date set forth in this PCN.</p> <p style="text-align: center;"><b>IMPORTANT NOTE:</b>  <i>Swissbit – as a provider of industrial products – announces and informs about every change in the product hardware and firmware. We always test backwards compatibility and assure best quality, reliability and transparency for our customers. We apologize for any inconvenience caused.</i></p>		