

AX1800 VDSL Whole Home Mesh Wi-Fi 6 System



AX1800 VDSL Whole Home Mesh Wi-Fi 6 System





















Highlights

Superior Mesh Wi-Fi, Everywhere

Deco DSL = TP-Link Mesh Technology + Wi-Fi 6 + HomeShield + DSL Modem Router



Super VDSL Technology

Super VDSL (VDSL2 Profile 35b) is the next generation of VDSL technology with download speeds up to 350 Mbps.



Wi-Fi Dead-Zone Killer

Eliminate weak signal areas with clearer, stronger whole home Wi-Fi generated from Wi-Fi 6. No more searching around for a stable connection.



Seamless Roaming with One Wi-Fi Name

Deco units work together to form a unified network with a single network name. Walk through your home and stay connected with the fastest possible speeds.[‡]



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.§



Network Protection

Detect cyber threats to keep your privacy and connected devices well protected.



Parental Controls

Manage online time and block inappropriate content to keep families healthy online.



Quality of Service (QoS)

Prioritize your bandwidth needs to get a faster networking experience.



Comprehensive Reports

Gain full statistics and insights to help you know your home network better.

Features



Wi-Fi Speed

Faster Wi-Fi speed with stronger whole home Wi-Fi generated from Wi-Fi 6

- Superior Wireless Speed Combines wireless speeds up to 1201 Mbps over 5 GHz, and 574 Mbps over 2.4 GHz
- OFDMA Provides 4× greater capacity for more simultaneous connections
- More Devices Connected Connects over 150 Devices[†]
- Save Clients' Power Target Wake Time helps mobile devices, especially IoT devices, consume less power during data transmission cycles to prolong battery life⁴
- 1.5 GHz Quad-Core CPU Helps accelerate wired and wireless transmission simultaneously to keep your connections fast and uninterrupted.



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.§

- Network Protection Detects cyber threats to keep your privacy and connected devices well protected
- Parental Controls Manages online time and blocks inappropriate content to keep families healthy online
- Quality of Service (QoS) Prioritizes your bandwidth needs to get a faster networking experience
- · Comprehensive Reports— Gains full statistics and insights to help you know your home network better

Note: HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit https://www.tp-link/homeshield for more information.



Easy Setup by Deco App

Easily set up Decos and find the ideal spot to place each unit

- Auto Connection Test Tests the internet connection of your Decos and helps to identify a suitable location for them
- Remote Management Manages your Deco network from a smartphone or tablet via the app, no matter where you find yourself
- · Online Upgrade Keeps informed of the latest firmware updates



Security

Safeguard your home network with a firewall and wireless encryption

- Encryption for Secure Network WPA/WPA2/WPA3
 encryptions provide active protection against security threats
- · Firewall Protects your network devices from malicious attacks
- Blacklist Add specific devices to blacklist to protect your network from unauthorized users



Three Modes in One

Choose the DSL Modem Router, Wireless Router or Access Point mode for your network needs



Work with All Deco Models

Form a Mesh network with your desired Deco models


- · DSL Modem Router Mode Provides stable internet access with the features of both DSL modem and router
- Wireless Router Mode Creates an instant private wireless network
- Access Point Mode Creates Wi-Fi access for any existing wired network
- Compatible with All Deco Models All Deco models can work together. Just expand Mesh Wi-Fi coverage anytime by adding more Decos
- Deco Mesh Technology Eliminates dead zones and provides uninterrupted WiFi throughout your home

TP-Link AX1800 VDSL Whole Home Mesh Wi-Fi 6 System Deco X20-DSL

Specifications

Hardware

- · CPU: 1.5 GHz Quad-Core CPU
- · Ethernet Port: 4 Gigabit ports (WAN/LAN auto-sensing)
- · Compatibility: VDSL2 / ADSL2+ / ADSL2 / ADSL
- · Button: 1 RESET button on the underside
- · Antenna: 2 internal omni-directional antennas
- · Power Consumption (with power adapter): 16.07 W max
- · Dimensions (W × D × H): $4.13 \times 4.13 \times 6.57$ in (105 × 105 × 167mm)
- · Power Adapter Input: 100-240V~50-60Hz 0.6A
- · Power Adapter Output: 12V == 1.5A



Wireless

- · Wireless Standards: IEEE 802.11a/n/ac/ax 5GHz, IEEE 802.11b/g/n/ax 2.4GHz
- Mesh protocol: 802.11k/v/r[‡]
- · Frequency: 2.4GHz and 5GHz
- · Signal Rate: 574 Mbps on 2.4GHz, 1201 Mbps on 5GHz[†]
- Transmit Power: CE: ≤20 dBm (2.4GHz), ≤23 dBm (5GHz)
- · Wireless Security: WPA/WPA2-PSK/WPA3 encryptions

Software

- · Working Mode: DSL, Router, Access Point
- WAN Type: Dynamic IP/Static IP/PPPoE/L2TP/PPTP/PPPoA/IPoA/ DS-Lite
- · Protocols: Supports IPv4 and IPv6
- · Guest Network: 2.4GHz Guest Network×1, 5GHz Guest Network×1
- Features: Parental Controls, QoS (Quality of Service), Anti-virus, Address Reservation, Port Forwarding, TP-Link DDNS, IPTV, IPv6, LED Control, Smart Connect, Optional Ethernet backhaul, 1024-QAM^a, BSS Color^a

Others

- · Certification: CE, EAC, RoHS, RCM
- Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~60°C (-40°F~140°F)

Operating Humidity: 10%~90%RH

Storage Humidity: 5%~90%RH

- Package Contents for Deco X20-DSL(1-pack):
- 1 Deco X20-DSL Unit
- 1 RJ45 Ethernet Cable
- 2 RJ11 DSL Cables
- 1 External DSL Splitter
- 1 Power Adapter
- 1 Quick Installation Guide
- Package Contents for Deco X20-DSL(2-pack):
- 1 Deco X20-DSL Unit + 1 Deco X20 unit
- 1 RJ45 Ethernet Cable
- 2 RJ11 DSL Cables
- 1 External DSL Splitter
- 2 Power Adapters
- 1 Quick Installation Guide
- Package Contents for Deco X20-DSL(3-pack):
- 1 Deco X20-DSL Unit + 2 Deco X20 units
- 1 RJ45 Ethernet Cable
- 2 RJ11 DSL Cables
- 1 External DSL Splitter
- 3 Power Adapters
- 1 Quick Installation Guide

Attention: This device may only be used indoors in all EU member states, EFTA countries and Northern Ireland.

Attention: This device may only be used indoors in Great Britain.

Specifications are subject to change without notice. All the brands and product names are trademarks or registered trademarks of their respective holders.

[‡]Clients need to support 802.11k/v/r and may require additional setup. Performance may vary depending on the client device.

§HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit tp-link/homeshield for more information.

^aUse of Wi-Fi 6 and other features including OFDMA, MU-MIMO, 1024-QAM, and BSS Color require clients to also support the corresponding features.

†Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

*Actual DSL downlink speeds vary between households. Factors affecting DSL speeds include the internet service level, real-time network capacity, equipment and client limitations, environmental factors.

"All WAN/L AN ports will operate as either WAN or LAN ports. Only one port can serve as a WAN port at a time. ©2021 TP-Link

www.tp-link.com