4P Female in Line Speaker Connector





Features


- · Current rating 40Arms continuous
- Up to 50 A audio signal, duty cycle 50%
- · 3 parts, easy to assemble
- · High impact materials long-lasting and reliable
- · Solder type wire termination for easy assembly
- 4 Pole Locking Plug
- · Two cable guides for various wire gauges
- · 2 Metal wire guides PA6 Polyamide 6GF Glass Fiber

Specifications


Contact Resistance : $20m\Omega$ Dielectric Strength : 1500V AC Housing : PA6+15%GF


Insulation : PA6+15%GFIn the Bag Contact Element : Nickel-plated brass

Diagram



No	Description	Material	Finish	Qty
1	Insert	PA	Black	1
2	Pin	ZZnAl4-1	Silver	2
3	Push Button	ZZnAl4-1	Nickel	1
4	Screw	A3	Blackening	2
5	Spring	70# Steel	Nickel	1
6	Clamp	POM	BK/WH	1
7	Plastic Shell	PA	Black	1
8	Сар	PA	Blue	1
9	Sleeve	H62	Gold	4









Part Number Table

Description	Part Number	
4P Female in Line Speaker Connector Inner Hexagon screw Type	27-10158	

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

Dimensions: Millimetres



Page <1> 28/04/21 V1.0