# TE80BR82J <

## CGS | CGS TE

TE Internal #: 5-1879443-3 CGS TE, Chassis Mount Resistors, Power Resistor, 196 x 28 x 61 mm, 2 Termination, Box, 5 Passive Component Tolerance, Wire Wound

### View on TE.com >

#### Passive Components > Resistors > Chassis Mount Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 196 x 28 x 61 mm

Number of Terminations: 2

Packaging Method: Box

Passive Component Tolerance: 5%

# Features



## Product Type Features

| Resistor Type                           | Power Resistor     |
|---|--------------------|
| Element Type                            | Wire Wound         |
| Configuration Features                  |                    |
| Number of Resistors                     | 1                  |
| Electrical Characteristics              |                    |
| Passive Component Tolerance             | 5 %                |
| Resistance Class                        | Up to 1kΩ          |
| Resistance Value                        | .82 Ω              |
| Power Rating                            | 80 W               |
| Termination Features                    |                    |
| Number of Terminations                  | 2                  |
| Chassis Mount Resistor Termination Type | Mounting Terminals |
| Mechanical Attachment                   |                    |

**C** For support call+1 800 522 6752

05/20/2021 01:39AM | Page 1

## TE80BR82J

CGS TE, Chassis Mount Resistors, Power Resistor, 196 x 28 x 61 mm, 2 Termination, Box, 5 Passive Component Tolerance, Wire Wound



| Chassis Mount Resistor Mount Style  | Bracket                |
|---|------------------------|
| Chassis Mount Resistor Mount Style  | DIACKEL                |
| Dimensions  |                        |
| Passive Component Dimensions  | 196 x 28 x 61 mm       |
| Usage Conditions  |                        |
| Temperature Coefficient   | ±400 ppm/°C            |
| Packaging Features  |                        |
| Packaging Method  | Box                    |
|   |                        |
| $L \mid D \cap U \subseteq I$ ) in a cture $D \cap I \cap I \cap A \subseteq I$ | Compliant              |
| EU RoHS Directive 2011/65/EU<br>EU ELV Directive 2000/53/EC                     | Compliant<br>Compliant |
|   |                        |

### Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

## Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


### TE80BR82J

CGS TE, Chassis Mount Resistors, Power Resistor, 196 x 28 x 61 mm, 2 Termination, Box, 5 Passive Component Tolerance, Wire Wound





# Also in the Series | CGS TE










# Customers Also Bought



## TE80BR82J

CGS TE, Chassis Mount Resistors, Power Resistor, 196 x 28 x 61 mm, 2 Termination, Box, 5 Passive Component Tolerance, Wire Wound



TE Part #4-87348-0 40 MODII HDR SRST UNSHRD .100

## Documents

## **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5-1879443-3\_BB.2d\_dxf.zip

English

Customer View Model ENG\_CVM\_CVM\_5-1879443-3\_BB.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1879443-3\_BB.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages

High Power Wire wound Resistor Type TE Series

English