PRODUCT / PROCESS CHANGE NOTIFICATION

1. PCN basic data		
1.1 Company STMicroelectronics International N.V		
1.2 PCN No.	AMS/21/12768	
1.3 Title of PCN	New Embedded UART bootloader version 4 ADC - STHD data change	
1.4 Product Category	See product list	
1.5 Issue date	2021-05-21	

2. PCN Team		
2.1 Contact supplier		
2.1.1 Name	NEMETH KRISZTINA	
2.1.2 Phone	+49 89460062210	
2.1.3 Email	krisztina.nemeth@st.com	
2.2 Change responsibility		
2.2.1 Product Manager	Marcello SAN BIAGIO	
2.1.2 Marketing Manager	Marco VENERI	
2.1.3 Quality Manager	Jean-Marc BUGNARD	

3. Change		
3.1 Category	3.2 Type of change	3.3 Manufacturing Location
	Modification of datasheet :parameters/electrical specification (min./max./typ. values) and/or AC/DC specification	N/A

4. Description of change		
	Old	New
4.1 Description	Embedded UART bootloader: - System clock running at 16 MHz during secure boot validation, time required for full flash image: about 5 seconds - Enabling readout protection and/or disabling SWD access will causes an hard fault at startup, so these features cannot be used. Datasheet DS13282 - Rev 3: - section 5.3.18 "ADC characteristics", Table 36. "ADC characteristics (HSI must be set to PLL mode)" Parameter STHD Diff 80 dB typical Parameter STHD SE 75 dB typical	Embedded UART bootloader: - System clock running at 64 MHz during secure boot validation, time required for full flash image: about 1.2 seconds - Readout protection and/or disabling SWD access features can be used by customers. Datasheet DS13282 - Rev 4: - section 5.3.18 "ADC characteristics", Table 37. "ADC characteristics (HSI must be set to PLL mode)" Parameter STHD Diff 75 dB typical Parameter STHD SE 70 dB typical
4.2 Anticipated Impact on form,fit, function, quality, reliability or processability?	Minor	

5. Reason / motivation for change	
5.1 Motivation Performance improvements, bug fix, updated datasheet	
5.2 Customer Benefit	QUALITY IMPROVEMENT

6. Marking of parts / traceability of change	
	Traceability of change by FG, by datecode and following the Errata Document "ES0532 - Rev 2, Section 1.6"

7. Timing / schedule		
7.1 Date of qualification results	2021-08-27	
7.2 Intended start of delivery	2021-08-27	
7.3 Qualification sample available?	Not Applicable	

8. Qualification / Validation			
8.1 Description			
8.2 Qualification report and qualification results		Issue Date	

9. Attachments (additional documentations)
12768 Public product.pdf

10. Affected parts		
10. 1 Current		10.2 New (if applicable)
10.1.1 Customer Part No	10.1.2 Supplier Part No	10.1.2 Supplier Part No
3678950	BLUENRG-345AC	
3678915	BLUENRG-345AT	
3642676	BLUENRG-345MC	
3642678	BLUENRG-345MT	
	BLUENRG-355AC	
3678916	BLUENRG-355AT	
3579348	BLUENRG-355MC	
3579349	BLUENRG-355MT	

IMPORTANT NOTICE - PLEASE READ CAREFULLY

Subject to any contractual arrangement in force with you or to any industry standard implemented by us, STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics - All rights reserved