



27-May-2021

PCN #:E-21-005663

Subject:DIP Switch ADE SMT Series

Description of Change: This change is considered by TE Connectivity as form, fit and function change; the next information include the new values for max contact 100mA at 5VDC, 25mA at 24VDC, the insulation resistance to 100Meghoms min at 100VDC, the contact pressure to 2.9N min and the clarification of electrical life 1,000 cycles at 10mA 5VDC , the location of change will be reflected on the page number one of our drawing 1825058.

Reason: Document Clarification. Clarification of documentation.

Key Dates:

Contact By Date:31-Aug-2021

Implementation Date:31-Aug-2021

Product Affected	Alias Part Number
1825058-4	"ADE03S04"
1825058-1	"ADE02S04"
2-1825058-8	"ADE12S04"
2-1825058-5	"ADE10S04"
1-1825058-9	"ADE08S04"
1-1825058-6	"ADE07S04"
3-1825058-2	
3-1825058-1	
4-1825058-0	
1-1825058-3	"ADE06S04"
3-1825058-8	
2-1825058-0	"ADE08SA04"
1825058-7	"ADE04S04", "CC3967-000", "AMP-0-1825058-7"

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.

Alert document created by IHS Markit based on content provided by TE Connectivity.