



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

PCN#20200908000.1A
Qualification of an additional Mold compound for select devices
Change Notification / Sample Request

Date: June 04, 2021
To: Newark/Farnell PCN

Revision A is to announce the addition of new devices that were not included on the original PCN notification.

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

We request you acknowledge receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If you require samples or additional data to support your evaluation, please request within 30 days.

The proposed first ship date is indicated on page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Team ([PCN ww_admin_team@list.ti.com](mailto:PCN_admin_team@list.ti.com)). For sample requests or sample related questions, contact your field sales representative.

Sincerely,

PCN Team
SC Business Services

20200908000.1A
Attachment: 1

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
TL750L05CLPE3	null
TL750L08CLPE3	null
TLE2426CLPE3	null

Technical details of this Product Change follow on the next page(s).

PCN Number:	20200908000.1A		PCN Date:	June 4, 2021	
Title:	Qualification of an additional Mold compound for select devices				
Customer Contact:	PCN Manager	Dept:	Quality Services		
Proposed 1st Ship Date:	Apr. 15, 2021	Estimated Sample Availability:	Date provided at sample request		
Change Type:					
<input type="checkbox"/>	Assembly Site	<input type="checkbox"/>	Design	<input type="checkbox"/>	Wafer Bump Site
<input type="checkbox"/>	Assembly Process	<input type="checkbox"/>	Data Sheet	<input type="checkbox"/>	Wafer Bump Material
<input checked="" type="checkbox"/>	Assembly Materials	<input type="checkbox"/>	Part number change	<input type="checkbox"/>	Wafer Bump Process
<input type="checkbox"/>	Mechanical Specification	<input type="checkbox"/>	Test Site	<input type="checkbox"/>	Wafer Fab Site
<input type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>	Test Process	<input type="checkbox"/>	Wafer Fab Materials
				<input type="checkbox"/>	Wafer Fab Process
PCN Details					
Description of Change:					
<p>Revision A is to announce the <u>addition</u> of new devices that were not included on the original PCN notification. These new devices are highlighted and bolded in the device list below. The expected first shipment date for these new devices will be 90 days from this notice for these newly added devices only.</p> <p>This PCN is to inform of an additional mold compound qualification for the devices in the product affected section as follows:</p>					
What		Current		Additional	
Mold Compound		SID#R-01 or SID#402042101		SID#R-35	
Reason for Change:					
Continuity of supply					
Anticipated impact on Form, Fit, Function, Quality or Reliability (positive / negative):					
None					
Anticipated impact on Material Declaration					
<input type="checkbox"/>	No Impact to the Material Declaration	<input checked="" type="checkbox"/>	Material Declarations or Product Content reports are driven from production data and will be available following the production release. Upon production release the revised reports can be obtained from the TI ECO website .		
Changes to product identification resulting from this PCN:					
None					
Product Affected:					
BQ2022ALPR	LM4040D82ILP	TL431AILPRE3-J	TLV431CLPE3		
BQ2026LPR	LM4040D82ILPR	TL431BCLP	TLV431CLPR		
LM285LP-1-2	LM4041C12ILP	TL431BCLPE3	TLV431ILP		
LM285LP-2-5	LM4041C12ILPR	TL431BCLPR	TLV431ILPE3		
LM285LPE3-1-2	LM4041CILP	TL431BILP	TLV431ILPR		
LM285LPE3-2-5	LM4041CILPE3	TL431BILPE3	TLVH431ACLPR		
LM285LPR-2-5	LM4041CILPR	TL431BILPR	TLVH431ACLPR		
LM285LPRE3-1-2	LM4041D12ILP	TL431BILPRE3	TLVH431AILP		
LM285LPRE3-2-5	LM4041D12ILPE3	TL431BQLP	TLVH431AILPR		

LM317LCLP	LM4041D12ILPR	TL431BQLPM	TLVH431AQLP
LM317LCLPR	LM4041DILP	TL431BQLPME3	TLVH431AQLPR
LM317LCLPRE3	LM4041DILPR	TL431BQLPR	TLVH431BCLP
LM317LILP	LP2950-30LP	TL431BQLPRE3	TLVH431BCLPR
LM317LILPR	LP2950-30LPR	TL431CLP	TLVH431BILP
LM336BLP-2-5	LP2950-30LPRE3	TL431CLPE3	TLVH431BILPR
LM336BLPE3-2-5	LP2950-33LPE3	TL431CLPE3-J	TLVH431BQLP
LM336BLPR-2-5	LP2950-33LPRE3	TL431CLPM	TLVH431BQLPE3
LM336LP-2-5	LP2950-50LPRE3	TL431CLPME3	TLVH431BQLPR
LM336LPE3-2-5	LT1009CLP	TL431CLPME3-J	TLVH431CLP
LM336LPR-2-5	LT1009CLPE3	TL431CLPR	TLVH431CLPE3
LM385BLP-1-2	LT1009CLPM	TL431CLPRE3	TLVH431CLPR
LM385BLP-2-5	LT1009CLPR	TL431CLP-Z	TLVH431ILP
LM385BLPE3-1-2	LT1009ILP	TL431ILP	TLVH431ILPR
LM385BLPE3-2-5	LT1009ILPR	TL431ILPE3	TLVH431QLP
LM385BLPR-1-2	LT1009ILPRE3	TL431ILPR	TLVH431QLPR
LM385BLPR-2-5	MC79L05ACL P	TL431ILPRE3	UA78L02ACL P
LM385BLPRE3-1-2	MC79L05ACLPE3	TL750L05CLP	UA78L02ACLPE3
LM385LP-1-2	MC79L05ACLPR	TL750L05CLPE3	UA78L05ACL P
LM385LP-2-5	MC79L12ACL P	TL750L05CLPR	UA78L05ACLPE3
LM385LPE3-2-5	MC79L12ACLPE3	TL750L05CLPRE3	UA78L05ACLPM
LM385LPR-1-2	MC79L12ACLPR	TL750L08CLP	UA78L05ACLPE3
LM385LPR-2-5	MC79L12ACLPRE3	TL750L08CLPE3	UA78L05ACLPR
LM385LPRE3-1-2	MC79L12CLP	TL750L10CLP	UA78L05ACLPRE3
LM4040C10ILP	MC79L15ACL P	TL750L10CLPR	UA78L05AILP
LM4040C10ILPR	MC79L15ACLPE3	TL750L12CLP	UA78L05AILPE3
LM4040C20ILP	MC79L15ACLPR	TL7757CLP	UA78L05AILPR
LM4040C20ILPE3	MC79L15ACLPRE3	TL7757CLPE3	UA78L05AILPRE3
LM4040C20ILPR	SN1102023LP	TL7757CLPR	UA78L05CLP
LM4040C25ILP	SN1102023LPB	TL7757ILP	UA78L05CLPE3
LM4040C25ILPR	TL1431CLP	TL7757ILPE3	UA78L05CLPR
LM4040C30ILP	TL1431CLPE3	TL7757ILPR	UA78L06ACL P
LM4040C30ILPE3	TL1431CLPME3	TLE2425CLP	UA78L06ACLPE3
LM4040C30ILPR	TL1431CLPR	TLE2425ILP	UA78L06ACLPR
LM4040C41ILP	TL1431CLPRE3	TLE2426CLP	UA78L06ACLPRE3
LM4040C41ILPR	TL317CLP	TLE2426CLPE3	UA78L08ACL P
LM4040C50ILP	TL317CLPE3	TLE2426CLPR	UA78L08ACLPE3
LM4040C50ILPE3	TL317CLPR	TLE2426ILP	UA78L08ACLPR
LM4040C50ILPR	TL317CLPRE3	TLE2426ILPR	UA78L08ACLPRE3
LM4040C82ILP	TL317LP	TLV431ACL P	UA78L09ACL P
LM4040C82ILPR	TL430CLP	TLV431ACLPE3	UA78L09ACLPE3
LM4040D10ILP	TL430CLPE3	TLV431ACLPR	UA78L09ACLPR
LM4040D20ILPR	TL431ACL P	TLV431AILP	UA78L09ACLPRE3
LM4040D20ILPRE3	TL431ACLPE3	TLV431AILPE3	UA78L10ACL P

LM4040D25ILP	TL431ACLPM	TLV431AILPM	UA78L10ACLPE3
LM4040D25ILPR	TL431ACLPE3	TLV431AILPR	UA78L10ACLPR
LM4040D30ILP	TL431ACLPR	TLV431AILPRE3	UA78L10ACLPRE3
LM4040D30ILPR	TL431ACLPRE3	TLV431BCLP	UA78L12ACLPL
LM4040D30ILPRE3	TL431ACLPR-Z	TLV431BCLPR	UA78L12ACLPE3
LM4040D41ILP	TL431AILP	TLV431BILP	UA78L12ACLPM
LM4040D41ILPE3	TL431AILPE3	TLV431BILPR	UA78L12ACLPR
LM4040D41ILPR	TL431AILPM	TLV431BILPRE3	UA78L15ACLPL
LM4040D50ILP	TL431AILPME3	TLV431BQLP	UA78L15ACLPE3
LM4040D50ILPR	TL431AILPR	TLV431BQLPR	UA78L15ACLPR
LM4040D50ILPRE3	TL431AILPRE3	TLV431CLP	UA78L15ACLPRE3



TI Information
Selective Disclosure

Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	Test Name / Condition	Duration	Qual Device: SN1102023LP	Qual Device: TL1431CLP	Qual Device: TLE2426ILP
BHAST	Biased HAST, 130C	96 Hours	-	3/231/0	-
UHAST	Unbiased HAST, 130C	96 Hours	3/231/0	3/231/0	3/231/0
TC	Temperature Cycle, -65C/150C	500 Cycles	3/231/0	3/231/0	3/231/0
HTSL	High Temperature Storage Bake, 170C	420 Hours	3/231/0	3/231/0	3/231/0
ED	Electrical Characterization	Per datasheet specification	-	1/30/0	-
MQ	Manufacturability (Assembly)	Per mfg. site specification	3/PASS	3/PASS	3/PASS
PD	Physical Dimensions	Per mechanical drawing	-	-	3/15/0
PKG	Solder Heat, 260C	10 Seconds	3/66/0	3/66/0	3/66/0
LI	Lead Pull	Leads	-	-	3/84/0
VM	Visual / Mechanical	Per mfg. site specification	-	-	3/984/0
XRAY	X-ray	(top side only)	3/15/0	3/15/0	3/15/0
FLAM	Flammability	Method A - UL94 V-0	-	-	3/PASS
YLD	FTY and Bin Summary	-	3/PASS	3/PASS	3/PASS

- The following are equivalent HTSL options based on an activation energy of 0.7eV: 150C/1000 Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47: -55C/125C/700 Cycles and -65C/150C/500 Cycles

Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>

Green/Pb-free Status:

Qualified Pb-Free (SMT) and Green

For questions regarding this notice, e-mails can be sent to the contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
WW PCN Team	PCN_ww_admin_team@list.ti.com

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.