


Right Angle XLR Connectors PCB Mount

multicomp PRO

**RoHS
Compliant**



MP300255



MP300405

Electrical Specification

Current Rating	: 5 pin 3A. max.
Rated Voltage	: 50V AC max.
Contact Resistance New	: <10mΩ
Contact Resistance after 1000 insertions	: <15mΩ
Dielectric Withstand	: 1500V DC
Insulation Resistance	: Greater than 10 ⁹ Ω
Capacitance between contacts	: 7pf

Features


- Space saving design.
- Horizontal PCB mounting.
- Tough plastic shell, reliable long life construction.
- Gold plated contacts.
- Self tap screw fixings to chassis.
- Push latch release mechanism.
- Material rated UL94HB

Mechanical Specification


Insertion Life	: >1000 insertions
Insertion / Withdraw force	: 30N / 10N

Diagram




MP300255



PCB LAYOUT (COMPONENT SIDE)



PANEL CUTOUT (COMPONENT SIDE)





Newark.com/multicomp-pro
Farnell.com/multicomp-pro
Element14.com/multicomp-pro

multicomp PRO



Right Angle XLR Connectors PCB Mount

multicomp PRO


MP300405



PANEL CUTOUT (COMPONENT SIDE)



MINIMUM ASSEMBLY DISTANCE



Dimensions : Millimetres

Part Number Table

Description	Part Number
Right Angle XLR Connector, 5 Pin, Male, PCB Mount	MP300255
Right Angle XLR Connector, 5 Pin, Female, PCB Mount with Latch	MP300405

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
Element14.com/multicomp-pro

multicomp PRO