



## KB1054 Instant Adhesive, Rubber Toughened

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Reference number: 01-005-1456  
Issue date: 9/3/2012 Revision date: 8/23/2021 Supersedes version of: 23/12/2020 Version: 5.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product form : Mixture  
Product name : KB1054 Instant Adhesive, Rubber Toughened  
UFI : D01Y-WHE4-KHPR-6NVE  
Product code : KB1054  
Type of product : adhesives  
Product group : Blend

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### 1.2.1. Relevant identified uses

Use of the substance/mixture : Adhesives, sealants  
Function or use category : Adhesives, binding agents

###### 1.2.2. Uses advised against

No additional information available

##### 1.3. Details of the supplier of the safety data sheet

**Manufacturer**  
**Chemence Ltd**  
13 Princewood Road,  
Corby,  
Northamptonshire NN17 4XD  
United Kingdom

**Tel:** +44 (0)1536 402600

**Faxl:** +44 (0)1536 400266

**email:** technical@chemence.com

##### 1.4. Emergency telephone number

Emergency number : +44 (0)1536 402600 (Monday - Friday 8:00 to 17:30)  
UK Only - IN CASE OF TOXIC OR TRANSPORT EMERGENCY:  
National Chemical Emergency Centre: Telephone 01865 407333

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335

## KB1054 Instant Adhesive, Rubber Toughened

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: Ethyl 2-cyanoacrylate

Hazard statements (CLP)

: H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P261 - Avoid breathing fume, vapours.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements

: EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

EUH208 - Contains Cis-1,2,3,6-tetrahydrophthalic anhydride. May produce an allergic reaction.

### 2.3. Other hazards

Other hazards which do not result in classification

: Contact with skin through cellulose based fabrics (i.e cotton, rayon, linen, viscose) generates heat and may cause burns.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl 2-cyanoacrylate	CAS-No.: 7085-85-0 EC-No.: 230-391-5 EC Index-No.: 607-236-00-9 REACH-no: 01-2119527766-29	≥ 75 – < 90	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Cis-1,2,3,6-tetrahydrophthalic anhydride	CAS-No.: 935-79-5 EC-No.: 213-308-7 EC Index-No.: 607-099-00-5	≥ 0.3 – < 1	Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 Aquatic Chronic 3, H412

## KB1054 Instant Adhesive, Rubber Toughened

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,4-dihydroxybenzene; hydroquinone; quinol	CAS-No.: 123-31-9 EC-No.: 204-617-8 EC Index-No.: 604-005-00-4	≥ 0.01 – < 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400 (M=10)

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Do not pull bonded skin apart.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If symptoms persist, consult a doctor.
First-aid measures after skin contact	: Do not pull bonded skin apart. Remove all contaminated clothing and footwear. unless stuck to skin. . Wash immediately with plenty of soap and water. Any bonded skin should be gently peeled apart, preferably after soaking in warm, soapy water. In the case of large spills on the skin, superficial burns may occur - treat accordingly. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. If the eyelid is bonded closed, do not force open. Cover with wet pad soaked in warm water. Get prompt medical attention in case solid particles of cured cyanoacrylate get trapped behind the eye, there is a possibility of causing abrasive damage. The affected eye should be covered with wet dressing until the separation process is complete, usually 1-3 days. If eye irritation persists, consult a specialist.
First-aid measures after ingestion	: The product will polymerise immediately in the mouth, making it almost impossible to swallow, but beware of possible choking hazard. Make sure the airways are not obstructed. Saliva will separate the solidified product from the mouth within a few hours. If symptoms persist, consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause shortness of breath, tightness of the chest, a sore throat and cough.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Cyanoacrylates bond skin in seconds. In the case of large spills on the skin, superficial burns may occur - treat accordingly.
Symptoms/effects after eye contact	: Causes eye irritation. redness, itching, tears. Cyanoacrylates bond eyelids in seconds.
Symptoms/effects after ingestion	: Causes irritation of the mouth and throat. The product will polymerise immediately in the mouth, making it almost impossible to swallow, but beware of possible choking hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

An eyewash station should be available on the premises.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	: high volume water jet or water based extinguishing media.



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 5.2. Special hazards arising from the substance or mixture

- |  |   |
|--|---|
| Reactivity in case of fire                       | : On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray.   |
| Hazardous decomposition products in case of fire | : Combustion products may include the following: carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO <sub>2</sub> etc.). Fire could produce a combination of irritating and toxic gases. |

### 5.3. Advice for firefighters

- |                                |  |
|--------------------------------|--|
| Firefighting instructions      | : Do not allow water to enter the vessels, a violent reaction may occur.   |
| Protection during firefighting | : Use self-contained breathing apparatus and chemically protective clothing. Avoid contact with eyes, skin and clothing. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- |   |  |
|---|--|
| General measures                          | : Avoid contact with skin and eyes.  |
| <b>6.1.1. For non-emergency personnel</b> |  |
| Emergency procedures                      | : See section 8 of the SDS for more information on personal protective equipment. Avoid contact with skin, eyes and clothing.  |
| <b>6.1.2. For emergency responders</b>    |  |
| Protective equipment                      | : Protective gloves. EN 374-2. Safety glasses. EN 166.   |
| Emergency procedures                      | : See section 8 of the SDS for more information on personal protective equipment. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid. |

### 6.2. Environmental precautions

For a large spillage, contain the spillage by bunding. Do not allow contact with water. Do not allow to enter drains or water courses.

### 6.3. Methods and material for containment and cleaning up

- |                         |  |
|-------------------------|--|
| For containment         | : For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. (Do not use cloths; rags or materials made from cellulose).   |
| Methods for cleaning up | : Absorb spilled material with sand or earth. (Do not use cloths; rags or materials made from cellulose). Or polymerise slowly with water (~10:1, adhesive : water) and then scrape up residue. Place in an appropriate container and dispose of the contaminated material at a licensed site. |

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- |                               |  |
|-------------------------------|--|
| Precautions for safe handling | : Avoid contact with skin, eyes and clothing. Ensure that there is a suitable ventilation system. Do not handle in a confined space. Ambient humidity should be >35% to minimise discomfort. |
| Hygiene measures              | : Always wash hands after handling the product.  |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                    |   |
|--------------------|---|
| Technical measures | : Store in a well-ventilated place. Keep container tightly closed. Store away from direct sunlight or other heat sources. |
|--------------------|---|

## KB1054 Instant Adhesive, Rubber Toughened

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions	: Keep only in original container. Protect from sunlight. For optimum shelf-life, it is recommended to keep the product in a refrigerated storage area. . Storage temperature 2-8°C.
Incompatible products	: Oxidizing agent. Strong bases. Water. Amines. alcohols.
Incompatible materials	: Heat sources. Water, humidity. Direct sunlight.
Storage temperature	: 2 – 24 °C For optimum shelf-life, it is recommended to keep the product in a refrigerated storage area.
Storage area	: Store in a well-ventilated place.
Packaging materials	: Always store product in a container of the same material as original container.

### 7.3. Specific end use(s)

adhesives.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

KB1054 Instant Adhesive, Rubber Toughened	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	9.25 mg/m <sup>3</sup>

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure that there is a suitable ventilation system. See section 7 of the SDS.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Safety glasses. Gloves.

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Eye protection

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

### 8.2.2.2. Skin protection

#### Skin and body protection:

Do not wear cellulose based protective clothing (i.e cotton, rayon, linen, viscose).

### Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Viton® II	3 (> 60 minutes)	>0.15		EN 374-2

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Keep self contained breathing apparatus readily available for emergency use.

### Respiratory protection

Device	Filter type	Condition	Standard
Gas mask	Type A - High-boiling (>65 °C) organic compounds	If conc. in air > exposure limit	EN 405

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous. syrupy liquid.
Colour	: Black.
Odour	: Acrid.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -31 °C
Freezing point	: No data available
Boiling point	: 214 °C @ 100.3 kPa
Flash point	: > 85 °C
Auto-ignition temperature	: 480 °C @ 101.3 kPa
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 21 Pa @20°C
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.06
Solubility	: Soluble in acetone. Reacts violently on contact with water. Water: 24 µg/l @ 20 °C and pH 6.6
Partition coefficient n-octanol/water (Log Pow)	: 0.776 @ 22 °C & pH 6.3



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, kinematic	: $\approx 575 \text{ mm}^2/\text{s}$ (calculated value)
Viscosity, dynamic	: $\geq 600 \text{ cP}$ Brookfield LVF, spindle 3, 30rpm
Explosive properties	: Product is not explosive.
Oxidising properties	: Not oxidising.
Explosive limits	: No data available

### 9.2. Other information

VOC content	: $< 0.3 \text{ g/l}$
-------------	-----------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Do not allow contact with water.

### 10.2. Chemical stability

Stable under normal conditions of use. Polymerises on exposure to water (moisture).

Hardening time	: $< 50 \text{ Seconds}$
----------------	--------------------------

### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use. Polymerises on exposure to temperature rise: pressure build-up may cause closed container to burst.

### 10.4. Conditions to avoid

Heat. High temperature. Open flame. Water, humidity. Protect from sunlight.

### 10.5. Incompatible materials

Incompatible with water, humid air. Oxidizing agent. Strong bases. Amines. alcohols.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, nitrogen oxides (NOx). Fire could produce a combination of irritating and toxic gases.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### Ethyl 2-cyanoacrylate (7085-85-0)

LD50 oral rat	> 5 ml/kg
---------------	-----------

#### 1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)

LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)
--------------------	---

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: May cause sensitisation of susceptible persons by skin contact
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : May cause respiratory irritation.

### Ethyl 2-cyanoacrylate (7085-85-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

### KB1054 Instant Adhesive, Rubber Toughened

Viscosity, kinematic	≈ 575 mm <sup>2</sup> /s (calculated value)
----------------------	---

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  
Ecology - water : Polymerises on exposure to water (moisture).  
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)  
Not rapidly degradable  
Additional information : Based on available data, the classification criteria are not met.

### 1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)

LC50 - Fish [1]	0.638 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.134 mg/l Species: Daphnia magna
EC50 - Crustacea [2]	0.061 mg/l Species: Daphnia magna

### 12.2. Persistence and degradability

### KB1054 Instant Adhesive, Rubber Toughened

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

### 12.3. Bioaccumulative potential

### KB1054 Instant Adhesive, Rubber Toughened

Partition coefficient n-octanol/water (Log Pow)	0.776 @ 22 °C & pH 6.3
Bioaccumulative potential	No bioaccumulation potential.

### 12.4. Mobility in soil

### KB1054 Instant Adhesive, Rubber Toughened

Additional information	Mobility is considered to be very low due to rapid polymerisation with water.
------------------------	---

### 12.5. Results of PBT and vPvB assessment

No additional information available



## KB1054 Instant Adhesive, Rubber Toughened

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.6. Other adverse effects

No additional information available


### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: The product can be polymerised slowly with water (10:1, adhesive : water). Cured product can then be disposed of in land-fill sites by licensed contractors. . Use suitable disposal containers.
Product/Packaging disposal recommendations	: Do not dispose of the packaging without first carrying out the necessary cleaning.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 3334	UN 3334	UN 3334	UN 3334	UN 3334
<b>14.2. UN proper shipping name</b>				
Aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate)	(Ethyl 2-cyanoacrylate)	Aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate)	aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate)	Aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate)
<b>Transport document description</b>				
UN 3334 Aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate), 9	UN 3334 (Ethyl 2-cyanoacrylate)	UN 3334 Aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate), 9, III	UN 3334 aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate), 9	UN 3334 Aviation regulated liquid, n.o.s. (Ethyl 2-cyanoacrylate), 9
<b>14.3. Transport hazard class(es)</b>				
9	Not applicable	9	9	9
Not applicable	Not applicable		Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	III	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

#### 14.6. Special precautions for user

##### Overland transport

Classification code (ADR)	: M11
EAC code	: 2Z



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

No data available

### Air transport

Transport regulations (IATA)	: Primary packs containing less than 500ml are unregulated by this mode of transport and may be shipped unrestricted.
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 100L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A27
ERG code (IATA)	: 9A

### Inland waterway transport

Classification code (ADN)	: M11
---------------------------	-------

### Rail transport

Classification code (RID)	: M11
---------------------------	-------

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : < 0.3 g/l

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Change	Comments
	Supersedes version of	Added	



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Proper Shipping Name (RID)	Added	
	Not subject to RID	Added	
	Classification code (RID)	Added	
	Classification code (ADN)	Added	
	Special provisions (IATA)	Added	
	Proper Shipping Name (IATA)	Added	
	PCA packing instructions (IATA)	Added	
	PCA max net quantity (IATA)	Added	
	PCA limited quantity max net quantity (IATA)	Added	
	PCA Limited quantities (IATA)	Added	
	PCA Excepted quantities (IATA)	Added	
	ERG code (IATA)	Added	
	CAO packing instructions (IATA)	Added	
	CAO max net quantity (IATA)	Added	
	Danger labels (IATA)	Added	
	UN-No. (RID)	Added	
	Additional information	Added	
	Reason for no classification	Added	
	Reason for no classification	Added	
	Hardening time	Added	
	Contains	Added	
	Type of product	Added	
	Display additional SDS EU addresses	Added	
	Reference number	Added	
	Regulatory framework	Added	
1.1	Product group	Added	
1.1	Name	Modified	
1.2	Function or use category	Added	
1.2	Use of the substance/mixture	Added	
2.2	EUH-statements	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.3	Other hazards which do not result in classification	Added	
3	Composition/information on ingredients	Modified	



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of changes			
Section	Changed item	Change	Comments
4.1	First-aid measures after ingestion	Added	
4.1	First-aid measures after eye contact	Added	
4.1	First-aid measures after skin contact	Added	
4.1	First-aid measures after inhalation	Added	
4.1	First-aid measures general	Added	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after eye contact	Added	
4.2	Symptoms/effects after skin contact	Added	
4.2	Symptoms/effects after inhalation	Added	
4.2	Symptoms/effects	Added	
4.3	Other medical advice or treatment	Added	
5.1	Unsuitable extinguishing media	Added	
5.1	Suitable extinguishing media	Added	
5.2	Reactivity in case of fire	Added	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	EAC code	Added	
5.3	Protection during firefighting	Added	
5.3	Firefighting instructions	Added	
6.1	Protective equipment	Added	
6.1	Emergency procedures	Added	
6.1	Emergency procedures	Added	
6.1	General measures	Added	
6.2	Environmental precautions	Added	
6.3	For containment	Added	
6.3	Methods for cleaning up	Added	
6.4	Reference to other sections (8, 13)	Added	
7.1	Precautions for safe handling	Added	
7.1	Hygiene measures	Added	
7.2	Incompatible products	Added	
7.2	Incompatible materials	Added	
7.2	Technical measures	Added	
7.2	Storage conditions	Added	
7.2	Storage temperature	Added	
7.2	Storage area	Added	



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of changes			
Section	Changed item	Change	Comments
7.2	Packaging materials	Added	
7.3	Specific end uses	Added	
8.1	Acute - local effects, inhalation	Added	
8.2	Respiratory protection	Added	
8.2	Personal protective equipment	Added	
8.2	Hand protection	Added	
8.2	Eye protection	Added	
8.2	Appropriate engineering controls	Added	
8.2	Skin and body protection	Added	
9.1	Oxidising properties	Added	
9.1	Explosive properties	Added	
9.1	Viscosity, dynamic	Added	
9.1	Viscosity, kinematic	Added	
9.1	Partition coefficient n-octanol/water (Log Pow)	Added	
9.1	Solubility in water	Added	
9.1	Solubility	Added	
9.1	Vapour pressure	Added	
9.1	Auto-ignition temperature	Added	
9.1	Appearance	Added	
9.1	Boiling point	Modified	
9.1	Melting point	Modified	
9.1	Relative density	Modified	
9.2	VOC content	Added	
10.1	Reactivity	Added	
10.2	Chemical stability	Added	
10.3	Possibility of hazardous reactions	Added	
10.4	Conditions to avoid	Added	
10.5	Incompatible materials	Added	
10.6	Hazardous decomposition products	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Additional information	Added	
11.1	Reason for no classification	Added	



# KB1054 Instant Adhesive, Rubber Toughened

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of changes			
Section	Changed item	Change	Comments
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
12.1	Ecology - water	Added	
12.1	Ecology - general	Added	
12.2	Persistence and degradability	Added	
12.3	Bioaccumulative potential	Added	
12.3	Partition coefficient n-octanol/water (Log Pow)	Added	
13.1	Product/Packaging disposal recommendations	Added	
13.1	Waste treatment methods	Added	
13.1	Regional legislation (waste)	Added	
14.1	UN-No. (ADN)	Added	
14.1	UN-No. (IMDG)	Added	
14.1	UN-No. (IATA)	Added	
14.2	Proper Shipping Name (ADN)	Added	
14.2	Proper Shipping Name (ADR)	Added	
14.3	Class (ADR)	Added	
14.4	Packing group (IATA)	Added	
14.6	Classification code (ADR)	Added	
14.6	Transport regulations (IATA)	Added	
15.1	VOC content	Added	
15.2	Chemical safety assessment	Added	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208	Contains Cis-1,2,3,6-tetrahydrophthalic anhydride. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.



## KB1054 Instant Adhesive, Rubber Toughened

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full text of H- and EUH-statements:

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Chemence Ltd. and/or its agents cannot accept any liability for the use of information contained in this data sheet or for the use, application or processing of the product described in this data sheet. Users should note the possibility of hazards occurring due to improper uses of the product.