

Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against commercial and / or industrial use
- · Application of the substance / the preparation: Reagent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

CIF

240 rue Hélène Boucher

78530 BUC

Tél: 01.39.66.96.83 – Fax 01.33.66.97.78 E-mail: cif@cif.fr – Web: www.cif.fr

· 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

UK: +44 (0)-870-190-6777 (CARECHEM24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

xylene

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash hands thoroughly after handling.P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call Product Safety Department if you feel unwell.

P321 Specific treatment (see on this label).

(Contd. on page 2)



Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9	xylene Trit. 2, H315 xylene Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	25-50%
RTECS: ZE 2100000 Reg.nr.: 01-2119488216-35	, and the second	
CAS: 122-99-6 EINECS: 204-589-7 Index number: 603-098-00-9 RTECS: KM 0350000 Reg.nr.: 01-2119488943-21	2-Phenoxyethanol ••• Acute Tox. 4, H302; Eye Irrit. 2, H319	2,5-10%

[·] Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After excessive inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 3)



Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 2)

- · 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- 6.2 Environmental precautions: Do not allow the product to enter sewers/ surface water or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

1330-20-7 xylene (25-50%)

WEL (Great Britain) Short-term value: 441 mg/m³, 100 ppm

Long-term value: 220 mg/m³, 50 ppm

Sk; BMGV

IOELV (EU) Short-term value: 442 mg/m³, 100 ppm

Long-term value: 221 mg/m³, 50 ppm

Skin

MAK (Switzerland) Short-term value: 870 mg/m³, 200 ppm

Long-term value: 435 mg/m³, 100 ppm

H B:

(Contd. on page 4)



Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 3)

122-99-6 2-Phenoxyethanol (2.5-10%)

MAK (Switzerland) Short-term value: 220 mg/m³, 40 ppm Long-term value: 110 mg/m³, 20 ppm

H SSc;

· Ingredients with biological limit values:

1330-20-7 xylene (25-50%)

BMGV (Great Britain) 650 mmol/mol creatinine

Medium: urine

Sampling time: post shift

Parameter: methyl hippuric acid

BAT (Switzerland)

1.5 g/g Kreatinin Medium: U Sampling time: c,b

Parameter: Methyl-Hippursäure

1,5 mg/l Medium: B Sampling time: b Parameter: Xylol

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid all contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Gloves material:

The selection of suitable gloves does not depend only on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before

· Eye protection: Not required.



Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 4)

General Information Appearance:	
Form:	Pasty
Colour:	Amber coloured
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	65 °C
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	6,7 hPa
Density:	Not determined.
Relative density:	Not determined.
Vapour density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Segregation coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic: 9.2 Other information:	Not applicable. No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if inhaled.

· LD/LC50	values rele	vant for classification:
1330-20-7	xylene	
Oral	LD50	4300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	1.5 mg/l (ATE)
122-99-6 2	-Phenoxy	ethanol
Oral	LD50	1260 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)

- Primary irritant effect:
- · On the skin:

Causes skin irritation.

- · On the eyes: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

122-99-6 2-Phenoxyethanol

LC50 96h ≥100 mg/l (fish) EC50 72h 500 mg/l (Algae)

EC50 48h 500 mg/l (Crustaceans)

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)



Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 6)

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Not classified as hazardous for transport
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Not classified as hazardous for transport
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Not classified as hazardous for transport
14.4 Packing group	
ADR, IMDG, IATA	Not classified as hazardous for transport
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
UN ''Model Regulation'':	Not classified as hazardous for transport

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

ìB -





Printing date 19.11.2015 Version number 1 Revision: 19.11.2015

Trade name: Flux adhésif en gel sans nettoyage avec poussoir, seringue 10 cc F42202 Adhesive flows without cleaning gel with push syringe 10 cc F42202

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

GB