# HDMI Lead with Ethernet Male to Female

## pro-signal



### RoHS Compliant

#### **Features**

- · Nickel plated contacts
- · Suitable for digital TV interconnects
- · Male-to-female connection
- 1080p at 60Hz


#### **Specifications**


Connector Type A : HDMI A Plug Connector Type B : HDMI A Socket

Insulation Resistance : DC300V 0.01S 5MΩ (Min.)

Jacket Colour : Black

#### Diagram





No.	Material	Description	Qty	Unit
1	Cable	(1/0.32BC×1P+1/0.32CCS+AM)×5+1/0.32BC×4C+AL+D(1/0.32BC)+B( 96/0.12ALM), Black PVC, OD:7.3±0.2mm	L	mm
2	Connector	HDMI A Male the Pin Gold Plated, Black Insulation, Gold Plated Shell	1	Pcs
3		HDMI A Female the Pin Gold Plated, Black Insulation, Gold Plated Shell		
4	Molded	LD-PE	-	g
5	Molded	45P Black PVC	-	G

#### **Part Number Table**

Description	L ±T (mm)	Part Number	
	1000 ±20	PSG04127	
HDMI Lead with Ethernet, Male to Female, Nickel Plated Contacts, Black	2000 ±30	PSG04128	
Mickel Flated Contacts, Black	3000 ±50	PSG04129	

**Dimensions: Millimetres** 

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of Premier Farnell Limited 2019.

Newark.com/exclusive-brands Farnell.com/exclusive-brands Element14.com/exclusive-brands

