



2112141150 Addendum to 2110201128 New Universal Inner Intermediate Label for IC Pckgs

PCN Issue Date: Dec 14, 2021

Effective Date: Jan 26, 2022

PCN Type: Labeling

Description of Change

This addendum to 2110201128 is to change the tracecode data identifier from 9D to 1T. This conforms to the current international standard naming convention. There is no change to the 2D barcode.

Original Change Description:

Silicon Labs is pleased to announce a new Universal inner and intermediate label for all IC packages. The new label will replace the current labels on reel, tray, tube, moisture barrier bag and inner box. There is no change to the label size (4 x 2.5 in). This change does not affect outer box and other logistic label.

The new Universal label contains fields of all old labels. The 2D barcode contains Trans ID, Cust Prod ID, Supp Prod ID, Datecode, Tracecode, Qty and Country of origin information. Refer to attached label sample for reference.

Reason for Change

Changing tracecode data identifier from 9D to 1T. There is no change to the 2D barcode.

Original Change Reason:

Standardize various inner and intermediate labels into one Universal label.

Impact on Form, Fit, Function, Quality, Reliability

No impact on Form, Fit, Function, Quality, Reliability

Product Identification

This change impacts all Silicon Labs IC products (including SiP modules). <https://www.silabs.com/documents/public/miscellaneous/pcn-opn-list.pdf>. This change supercedes previous PCNs.

Last Date of Unchanged Product: Jan 26, 2022

Qualification Samples

NA

Customer Response

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change, Ref. JEDEC-J-STD-046.

To request further data or inquire about this notification, please contact your Silicon Labs sales representative. A list of Silicon Labs sales representatives is available at <http://www.silabs.com>.













Customers may approve early PCN acceptance by emailing approval, along with PCN # to PCNEarlyAcceptance@silabs.com

User Registration

Register today to create your account on Silabs.com. Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. <http://www.silabs.com/profile>

Qualification Data

NA

Silicon Laboratories Inc.		SEAL DATE: 13-Sep-21							
		<table border="1"><tr><td colspan="3">MSL. Reflow (C) E_Tim</td></tr><tr><td>3</td><td>260</td><td>168 Hrs</td></tr></table>		MSL. Reflow (C) E_Tim			3	260	168 Hrs
MSL. Reflow (C) E_Tim									
3	260	168 Hrs							
(K) TRANS ID: PB948722		(4L) COO: TW							
		Vendor Code: 431023							
(P) CUST PROD ID: 15-12395-01CIE									
		<table border="1"><tr><td>H/F</td></tr></table> Pb-Free (E3)		H/F					
H/F									
(1P) SUPP PROD ID: SI4010-C2-GSR									
									
(1T) TRACE CODE1: 2125C01I40	QTY1: 1627								
									
(1T) TRACE CODE2: 2126C01J41	QTY2: 605								
									
10012825195	(Q) Total QTY: 2232								
									

Silicon Labs New Universal Label Sample

2D barcode details:
[>[RS]06[GS]KPB948722[GS]P15-12395-01CIE[GS]1PSI4010-C2-GSR[GS]9D2125/2126[GS]1TC01I40/C01J41[GS][GS]Q1627/605[GS]4LTW[RS][EOT]



Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOModem®, Micrium, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc.
400 West Cesar Chavez
Austin, TX 78701

<http://www.silabs.com>