TE Internal #: 2350310-1

Industrial Mini I/O Connectors, 1 x 1, Industrial Mini I/O, Plug, Shielded, Cat 6A, Cable-to-Board / Cable-to-Cable, 8 Position, 8

Loaded Positions

View on TE.com >



Connectors > Modular Jacks & Plugs > Industrial Mini I/O Connectors











Port Matrix Configuration: 1 x 1

Modular Jacks & Plugs Products: Industrial Mini I/O

Connector Contact Density: **High**Modular Connector Style: **Plug**

Shielded: Yes

Features

Product Type Features

Modular Jacks & Plugs Products Ir	Industrial Mini I/O
Modular Connector Style	Plug
Connector System C	Cable-to-Board, Cable-to-Cable
Sealable	No
Connector & Contact Terminates To W	Wire & Cable

Configuration Features

Port Matrix Configuration	1 x 1
Connector Contact Density	High
Number of Positions	8
Number of Loaded Positions	8
Status Indicator Type	None

Body Features

Shield Material Stainless Steel

Contact Features



Contact Current Rating (Max)	.5 A
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA 4T GF30
Centerline (Pitch)	1.27 mm[.05 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Power & Signal
Industry Standards	
Performance Category	Cat 6A
Packaging Features	
Packaging Quantity	1
Packaging Method	Carton
Other	
Field Installable	yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.



Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



TE Part # CAT-IN291-M6641F Mini I/O Straight Header Type 1



TE Part # CAT-IN291-M6641K Mini I/O Recepticle Kit Type 1 Piercing



Mini I/O R/A Header Type 1




TYPE I SMT REC. WITH CAP ON **EMBOSS TAPE**





Customers Also Bought



















Documents

Product Drawings

MINI IO CONN Cat6A FI 4x2 AWG24/26 T I

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2350310-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2350310-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2350310-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English