

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name : Multicomp Anti-Static Spray
Product number : MP004282, ZP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Cleaning agent.
Uses advised against : No specific uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Details of the Supplier : Premier Farnell plc
150 Armley Road
Leeds
LS12 2QQ
+44 (0) 8701 202530
Emergency Telephone : +44 1865 407333

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards : Not Classified
Health hazards : Not Classified
Environmental hazards : Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word : Warning
Hazard statements : EUH208 Contains nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide. May produce an allergic reaction.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
Precautionary statements : P273 Avoid release to the environment.
P391 Collect spillage.
P501 Dispose of contents/ container in accordance with national regulations.
Detergent labelling : < 5% perfumes

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1. Mixtures

2-Butoxyethanol			1-5%
CAS number: 111-76-2	EC number: 203-905-0	REACH registration number: 01-2119475108-36-XXXX	

Classification

Acute Tox. 4 - H302
Acute Tox. 4 - H312
Acute Tox. 4 - H332
Skin Irrit. 2 - H315
Eye Irrit. 2 - H319

**nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20
amides, saturated, reaction products with ethylene oxide**

0.1-1%

CAS number: — EC number: 946-436-3
M factor (Acute) = 100 M factor (Chronic) = 10

Classification

Acute Tox. 4 - H302
Eye Dam. 1 - H318
Skin Sens. 1B - H317
Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

Propan-2-ol

0.1-1%

CAS number: 67-63-0 EC number: 200-661-7 REACH registration number: 01-2119457558-25-XXXX

Classification

Flam. Liq. 2 - H225
Eye Irrit. 2 - H319
STOT SE 3 - H336

2,6-Di-tert-butyl-p-cresol

<0.1%

CAS number: 128-37-0 EC number: 204-881-4
M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	: Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Inhalation	: Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	: Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Skin contact	: Rinse with water.
Eye contact	: Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	: First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	: See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	: Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	: Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	: Prolonged contact may cause dryness of the skin.
Eye contact	: May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	: Treat symptomatically.
Specific treatments	: No special treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	: Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	: Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting: Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters	: Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.
----------------------	---

6.2. Environmental precautions

Environmental precautions : Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections : For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions : Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene

: Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions : Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

Storage class : Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s) : The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-Butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

Propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

2,6-Di-tert-butyl-p-cresol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



- Appropriate engineering controls : Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
- Eye/face protection : Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
- Other skin and body protection : Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
- Hygiene measures : Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Respiratory protection	: Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	: Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.
Colour	: Colourless.
Odour	: Lemon.
Odour threshold	: Not available.
pH	: pH (concentrated solution): 7-8
Melting point	: Not available.
Initial boiling point and range	: Not available.
Flash point	: >60°C Closed cup.
Evaporation rate	: Not available.
Evaporation factor	: Not available.
Flammability (solid, gas)	: Not available.
Upper/lower flammability or explosive limits	: Not available.
Other flammability	: Not available.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: Not available.
Bulk density	: 0.995 kg/l
Solubility(ies)	: Not available.
Partition coefficient	: Not available.
Auto-ignition temperature	: Not available.
Decomposition Temperature	: Not available.
Viscosity	: Not available.
Explosive properties	: Not considered to be explosive.
Oxidising properties	: Does not meet the criteria for classification as oxidising.

9.2. Other information

Not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : See the other subsections of this section for further details.

10.2. Chemical stability

Stability : Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid : No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products: Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects : Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Summary : Based on available data the classification criteria are not met.

Notes (oral LD₅₀) : Based on available data the classification criteria are not met.

ATE oral (mg/kg) : 20,408.16

Acute toxicity - dermal

Summary : Based on available data the classification criteria are not met.

Notes (dermal LD₅₀) : Based on available data the classification criteria are not met.

ATE dermal (mg/kg) : 44,897.96

Acute toxicity - inhalation

Summary : Based on available data the classification criteria are not met.

Notes (inhalation LC₅₀) : Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) : 448.98

Skin corrosion/irritation

Summary : Based on available data the classification criteria are not met.

Animal data : Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary : Based on available data the classification criteria are not met.

Serious eye damage/irritation : Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary : Based on available data the classification criteria are not met.

Respiratory sensitisation : Based on available data the classification criteria are not met.

Skin sensitisation

Summary : Based on available data the classification criteria are not met.

Skin sensitisation : Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary : Based on available data the classification criteria are not met.

Genotoxicity - in vitro : Based on available data the classification criteria are not met.

Carcinogenicity

Summary	: Based on available data the classification criteria are not met.
Carcinogenicity	: Based on available data the classification criteria are not met.
IARC carcinogenicity	: None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	: Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	: Based on available data the classification criteria are not met.
Reproductive toxicity - development	: Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary	: Based on available data the classification criteria are not met.
STOT - single exposure	: Not classified as a specific target organ toxicant after a single exposure

Specific target organ toxicity - repeated exposure

Summary	: Based on available data the classification criteria are not met.
STOT - repeated exposure	: Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Summary	: Based on available data the classification criteria are not met.
Aspiration hazard	: Based on available data the classification criteria are not met.
General information	: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	: Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	: Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	: Prolonged contact may cause dryness of the skin.
Eye contact	: May cause temporary eye irritation.
Route of exposure	: Ingestion Inhalation Skin and/or eye contact
Target organs	: No specific target organs known.

SECTION 12: Ecological information

Ecotoxicity	: Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
-------------	---

12.1. Toxicity

Toxicity	: Based on available data the classification criteria are not met.
----------	--

Acute aquatic toxicity

Summary	: Very toxic to aquatic life.
---------	-------------------------------

Chronic aquatic toxicity

Summary	: Toxic to aquatic life with long lasting effects.
---------	--

12.2. Persistence and degradability

Persistence and degradability	: The degradability of the product is not known.
-------------------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential	: No data available on bioaccumulation.
Partition coefficient	: Not available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects	: None known.
-----------------------	---------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	: The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	: Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

General	: For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
---------	---

14.1. UN number

UN No. (ADR/RID)	: 3082
UN No. (IMDG)	: 3082
UN No. (ICAO)	: 3082
UN No. (ADN)	: 3082

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide, d-Limonene)
Proper shipping name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide, d-Limonene)
Proper shipping name (ICAO)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide, d-Limonene)
Proper shipping name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide, d-Limonene)

14.3. Transport hazard class(es)

ADR/RID class	: 9
ADR/RID classification code	: M6
ADR/RID label	: 9
IMDG class	: 9
ICAO class/division	: 9
ADN class	: 9

Transport labels



14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS : F-A, S-F

ADR transport category : 3

Emergency Action Code : •3Z

Hazard Identification Number (ADR/RID) : 90

Tunnel restriction code : (-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations : Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislation : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Product Type

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

Safety Data Sheet

multicomp^{PRO}

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC₅₀: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations and acronyms

Aquatic Acute = Hazardous to the aquatic environment (acute)

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Classification procedures according to Regulation (EC) 1272/2008

Aquatic Acute 1 - H400: Aquatic Chronic 2 - H411: : Calculation method.

Hazard statements in full

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains nitrate amine salt of N-[3- dimethylaminopropyl]- C14-C20 amides, saturated, reaction products with ethylene oxide. May produce an allergic reaction.

Part Number

MP004282

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro

Farnell.com/multicomp-pro

sg.element14.com/b/multicomp-pro

multicomp^{PRO}