

**RoHS
Compliant**




Features

- Dual gold-plated RCA female + 3.5mm mini jack to RJ45.
- Choice of stereo audio or mini stereo audio by dip switch.
- Passive operation, no power need.
- Used in pairs via CAT5 UTP cable to send stereo audio or mini stereo audio signal up to 600 meters.
- 20Hz to 20kHz (-3db) Bandwidth.
- Hi Performance to eliminate the audio ground loop problem.
- Package include 2 units (one pair).

Specifications


Audio Input / Output	RCA × 2, 3.5mm phone jack × 1 (10kΩ)
Link Connector	RJ45 × 1
Link Cable	Twisted Pair CAT5/5e/6 UTP
Dimensions	108mm × 70mm × 27mm
Weight	88g

Installation View



RJ - 45 Jack		
PIN	Color	Function
1	W-O	Audio R-
2	O	Audio R+
3	W-G	Audio L-
4	BL	X
5	W-BL	X
6	G	Audio L+
7	W-BR	X
8	BR	X

Panel View



Part Number Table

Description	Part Number
Stereo/Mini Stereo Audio CAT5 Extender	PSG08200

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of Premier Farnell Limited 2019.