



Technical Hotline  
+44 (0)1268 563720

# Grid Plus

MODULAR  
WIRING DEVICES

2 WAY  
RETRACTIVE  
SWITCH  
MARKED WITH  
BELL SYMBOL SP  
**10 AMP**

2 WAY  
RETRACTIVE  
SWITCH MARKED  
'PRESS' SP  
**10 AMP**

2 WAY  
CENTRE OFF  
RETRACTIVE  
SWITCH SP  
**10 AMP**

## Switch Modules 20 Amp

1 WAY SP  
**20 AMP**

1 WAY PUSH TO  
MAKE DP  
**20 AMP**

1 WAY  
RED ROCKER  
PUSH TO MAKE DP  
**20 AMP**



<b>K4885BWHI</b>	<b>1</b>	<b>K4885PWHI</b>	<b>10</b>	<b>K4900WHI</b>	<b>10</b>	<b>K4891WHI</b>	<b>10</b>	<b>K4910WHI</b>	<b>10</b>	<b>K4910RED</b>	<b>10</b>
<b>K4885BBLK</b>	<b>1</b>	<b>K4885PBLK</b>	<b>1</b>	<b>K4900BLK</b>	<b>10</b>	<b>K4891BLK</b>	<b>10</b>	<b>K4910BLK</b>	<b>10</b>	<b>K4910REDB</b>	<b>1</b>
						<b>K4891GRA</b>	<b>10</b>				

**NOTE**  
Push switches are not  
designed for fluorescent loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not  
designed for fluorescent  
loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not  
designed for fluorescent  
loads.  
BS EN 60669-1:1999

These switches do NOT have  
to be derated when used with  
fluorescent or inductive loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not designed  
for fluorescent loads.  
BS EN 60669-1:1999

**NOTE**  
Push switches are not  
designed for fluorescent loads.  
BS EN 60669-1:1999

B suffix on the list  
number denotes  
black inserts