## **Tone and Probe Tester Kit**





## **Features**

- Sound and light instruction
- Continues and tone LED light
- · Check continuity of the cables or wires
- Track the cables or wires, and diagnose the break point
- Receive the tone signal on the cables or wires (Telephone Line)
- · Identify the state in the working telephone line (Clear, Ringing, Busy)
- · Send a single solid or a dual alternating tone to the target cables or wires

## **Specifications**

Transmitter Tone Frequency	: 1.5kHz
Receiver Frequency Range	: 100Hz - 300kHz
Receiver Power	: 9V PP3 Battery
Top Generator Output	: Single (1500Hz) / Dual (1300~1500Hz) (Square Waveform)
Receiver Dimensions	: 43mm × 238mm × 26mm (W×H×D)
Receiver Weight	: 106g
Transmitter Dimensions	: 35mm × 145mm × 25mm (W×H×D)
Transmitter Weight	: 114g

## Part Number Table

Description	Part Number
Tone and Probe Tester Kit	TEN01023

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. TENMA is the registered trademark of Premier Farnell Limited 2019.

Newark.com/exclusive-brands Farnell.com/exclusive-brands Element14.com/exclusive-brands

