



Product / Process Change Notification (PCN)	
<input type="checkbox"/> Major change <input checked="" type="checkbox"/> Minor change	
PCN #: PCN_IndLQS_20221001 Affected Series: WE-LQS 74404041xxxx; 74404042xxxx; 74404052xxxx; 74404054xxx; 74404063xxxx; 74404064xxxx; 74404084xxx; 74404086xxx PCN Date: July 01, 2022 Effective Date: October 01, 2022	Change Category: <input type="checkbox"/> Equipment / Location <input type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input checked="" type="checkbox"/> Shipping / Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com	Data Sheet Change: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Description and purpose of change: Due to packaging optimizations, Würth Elektronik will change the packaging of the LQS. The packaging quantity also will be changed accordingly. All products with date code 2022-08-01 or later, will be affected by this change. There will be no change in form, fit, function, quality or reliability of the product.	

Detail of Change:

- To prevent extra packaging material, Würth Elektronik will remove single cartons and foam material. According to the Moisture Sensitivity Level (MSL) of the product = 1, no additional plastic bag is necessary.

Before change	After change
	
	
	



2. The packaging quantity will change like in the table below.

LQS size	Carton quantity	
	Before change	After change
74404041xxxx	18.000	27.000
74404042xxxx	12.000	18.000
74404052xxxx	10.000	15.000
74404054xxx	6.000	9.000
74404063xxxx	8.000	12.000
74404064xxxx	6.000	9.000
74404084xxx	4.000	6.000
74404086xxx	2.800	4.200

Reliability / Qualification Summary:

New packaging method is tested per "droptest", according DIN EN 2248.